DAILY RAINFALL 1911 1920

FLINTSHIRE

BODFARI	CAE GWYN.	1911	1920
"	HENBLAS	1911	1913
"	NANTLYS	1915-16, 18,	1920
HAMMER	GREDINGTON	1911	1920
HAWARDEN	BRIDGE	1912	1920
MOLD	THE PARK		1920
MOSTYN	VICARAGE	1911	1920
NORTHOP	HIGHFIELD	1911	1914
OVERTON	FAIRLEIGH.	1911	1920
PRESTATYN		1914	1915
"	EDLESTONE	1912	1913
QUEENS FERRY	H.M. FACTORY	1916	1918
RHYL	SEWAGE WORKS	1916	1920
ST ASAPH	ST BEUNO's COLLEGE	1911-13, 18 -	1920
THE ELMS	GRESFORD	1912	1915

FORM A2.
BRITISH RAINFALL.
8 - JAN 1912

BODFARI
CAE GWYN.
FLINTSHIRE.
1911 - 1920

RE

Kept at Cae Gw

in the County of Fl

by Edith M.

in.
ound ft. 6 in.
a Level 541/2 ft.
EM
me Bodfari
stance 2 M Direction South

IMPORTANT NOT
previous day. If an O
requested to add the rea
for it at the end of this paragraph. Full instructions as to the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

the result entered to the
rsal rule, he is earnestly
r in the space provided
nt of rain,

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	—	·06	—	·02	—	·18	·13	—	·02	·28	·05	1
2	—	—	·06	·01	·06	—	·01	·01	—	·58	·01	·05	2
3	—	—	—	·01	·24	—	—	—	·13	·01	·10	·05	3
4	—	—	·08	—	·03	—	—	·82	—	—	·16	·07	4
5	·02	—	·04	—	·05	—	—	·58	—	—	—	·05	5
6	·25	—	·04	—	·01	—	—	·07	—	·01	·06	·16	6
7	·01	—	·01	—	—	—	—	—	—	—	·12	·04	7
8	·26	—	·14	—	—	—	—	—	·02	—	·08	·30	8
9	·01	—	·01	—	—	—	—	—	—	—	·08	·09	9
10	·01	·05	·11	—	·02	—	—	—	·02	—	·04	·44	10
11	·20	—	·01	—	—	—	—	—	·02	—	·22	·18	11
12	·01	—	·33	—	—	·02	—	—	1·74	·02	·20	·01	12
13	·02	·04	·02	—	·02	—	—	—	·01	—	·05	·07	13
14	·02	—	·05	—	—	—	·03	—	·04	—	·01	·08	14
15	—	·04	—	—	—	—	—	—	—	·03	·09	·06	15
16	—	·07	·05	—	—	·24	·02	—	—	·01	·04	·03	16
17	—	—	—	—	—	·33	—	—	—	—	·10	·03	17
18	—	·19	—	·06	—	·02	—	·02	—	·03	—	·11	18
19	—	·02	—	·05	—	·12	·01	—	·15	·04	·42	·51	19
20	·01	·03	—	·06	—	·02	·04	·89	·18	·04	—	·08	20
21	—	·07	—	·01	—	—	·01	—	·02	·13	—	·02	21
22	—	·08	—	—	—	—	—	—	—	·38	·01	·50	22
23	—	·19	—	—	—	·07	—	·06	·20	·05	—	·07	23
24	—	·02	—	—	—	2·56	·03	·01	·01	·37	—	·15	24
25	—	·05	—	·07	—	·15	—	—	·73	·43	—	·06	25
26	—	·33	—	·07	—	·02	—	·01	·01	·23	·24	·09	26
27	—	·24	—	·07	—	—	—	·47	·78	·01	·01	·12	27
28	—	·12	—	·01	—	·02	—	·01	·06	·13	—	·04	28
29	—		·04	·06	—	·05	·15	—	·15	·23	—	·05	29
30	—		—	·01	·03	·20	·03	—	—	·15	—	·01	30
31	—		·11				—	—		·03		·01	31
Total	·82	1·54	1·16	·49	·48	3·82	·51	3·08	4·27	2·93	2·32	3·58	TOTAL for year 25·00
No. of Rain Days	11	15	16	12	9	13	10	12	17	22 21	20	31	197

9,000, IX. '10.

RE[illegible] RAINFALL IN 19 11

FORM A2. BRITISH RAINFALL. 8 - JAN 1912

Kept at Pac Gwyn

in the County of Flintshire

by Edith M. Morgan

RAIN GAUGE: Pattern ____ Diameter of top 5 in. Height of top above Ground ____ ft. 6 in. " " " Sea Level 541/2 ft.

Time of Observation 10. AM

Nearest Railway Station: Name Bodfari Distance 2 M Direction South

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following. —

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	—	·06	—	·02	—	·18	·13	—	·02	·28	·05	1
2	—	—	·06	·01	·06	—	·01	·01	—	·58	·01	·05	2
3	—	—	—	·01	·24	—	—	—	·13	·01	·10	·05	3
4	—	—	·08	—	·03	—	—	·82	—	—	·16	·07	4
5	·02	—	·04	—	·05	—	—	·58	—	—	—	·05	5
6	·25	—	·04	—	·01	—	—	·07	—	·01	·06	·16	6
7	·01	—	·01	—	—	—	—	—	—	—	·12	·04	7
8	·26	—	·14	—	—	—	—	—	·02	—	·08	·30	8
9	·01	—	·01	—	—	—	—	—	—	—	·08	·09	9
10	·01	·05	·11	—	·02	—	—	—	·02	—	·04	·44	10
11	·20	—	·01	—	—	—	—	—	·02	—	·22	·18	11
12	·01	—	·33	—	—	·02	—	—	1·74	·02	·20	·01	12
13	·02	·04	·02	—	·02	—	—	—	·01	—	·05	·07	13
14	·02	—	·05	—	—	—	·03	—	·04	—	·01	·08	14
15	—	·04	—	—	—	—	—	—	—	·03	·09	·06	15
16	—	·07	·05	—	—	·24	·02	—	—	·01	·04	·03	16
17	—	—	—	—	—	·33	—	—	—	—	·10	·03	17
18	—	·19	—	·06	—	·02	—	·02	—	·03	—	·11	18
19	—	·02	—	·05	—	·12	·01	—	·15	·04	·42	·51	19
20	·01	·03	—	·06	—	·02	·04	·89	·18	·04	—	·08	20
21	—	·07	—	·01	—	—	·01	—	·02	·13	—	·02	21
22	—	·08	—	—	—	—	—	—	—	·38	·01	·50	22
23	—	·19	—	—	—	·07	—	·06	·20	·05	—	·07	23
24	—	·02	—	—	—	2·56	·03	·01	·01	·37	—	·15	24
25	—	·05	—	·07	—	·15	—	—	·73	·43	—	·06	25
26	—	·33	—	·07	—	·02	—	·01	·01	·23	·24	·09	26
27	—	·24	—	·07	—	—	—	·47	·78	·01	·01	·12	27
28	—	·12	—	·01	—	·02	—	·01	·06	·13	—	·04	28
29	—		·04	·06	—	·05	·15	—	·15	·23	—	·05	29
30	—		—	·01	·03	·20	·03	—	—	·15	—	·01	30
31	—		·11				—	—		·03		·01	31
Total	·82	1·54	1·16	·49	·48	3·82	·51	3·08	4·27	2·93	2·32	3·58	TOTAL for year 25·00
No. of Rain Days	11	15	16	12	9	13	10	12	17	22 21	20	31	187

9,000, IX. '10.

Cond[itions] 31-III-13 WDS

REGISTER OF RAINFALL IN 19[illegible]2

FORM A2. BRITISH RAINFALL.

8 JAN 1913

Kept at Cae Engh,

in the County of Flintshire 2

by Edith M. Morgan

RAIN GAUGE — Pattern ____ Diameter of top 5 in. Height of top above Ground ____ ft. 6 in. „ „ „ Sea Level 542 ft.

Time of Observation 10 AM

Nearest Railway Station — Name Bodfari Distance 2 M Direction South

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following. ____

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	—	·01	·28	—	·03	·17	·19	·17	—	—	·04	1
2	—	·15	·06	—	—	·20	·08	—	·01	—	—	·05	2
3	·34	—	·02	·04	·06	·27	·01	·84	·05	—	—	·04	3
4	·20	—	·56	·02	·02	·19	—	·47	·01	—	·12	·01	4
5	·15	·01	—	·01	·13	·06	—	·02	·18	—	·04	·01	5
6	·42	—	—	—	·04	—	—	·35	·03	—	·01	—	6
7	—	·14	·04	—	·07	·11	·03	·01	·06	—	·01	·02	7
8	·25	·04	·06	·04	·01	·11	—	·02	·22	—	—	—	8
9	·06	·01	·10	·15	—	·67	—	—	—	—	—	·08	9
10	·04	—	—	·01	—	·27	·03	·48	—	—	·49	·01	10
11	·03	—	—	—	·05	—	·17	—	—	—	·04	·48	11
12	—	·34	·02	—	—	·08	·04	·15	—	—	—	·01	12
13	—	·01	—	—	—	—	—	·67	·01	·13	·03	·07	13
14	·01	·04	·09	—	—	·01	—	·15	·03	·01	—	·11	14
15	·05	·01	·27	—	·01	·04	—	·05	—	·37	·07	·08	15
16	·10	·41	·03	—	·07	—	—	·01	—	·01	·02	·02	16
17	·33	·01	·01	—	—	·33	—	·42	—	·13?	·08	·12	17
18	·17	·50	·01	—	—	—	—	·01	—	·08	·03	—	18
19	·03	·05?	·13	—	—	·04	—	·28	—	·17	·02	·01	19
20	·02	—	·05	—	·19	—	·02	·22	—	·28	·06	·03	20
21	·01	—	·03	—	·58	—	·10	·21	—	·34	·04	·05	21
22	—	·01	—	—	·33?	—	·05	·58	—	·01	—	·06	22
23	—	—	·23	—	·03	—	·16	·50	—	—	·13	—	23
24	·03	·01	·04	—	—	·05	·03	·05	—	—	·18	·17	24
25	—	—	·06	—	—	·14	·01	·01	—	·01	·23	·37	25
26	—	·05	·06	—	—	·10	·20	·62	—	·77	·10	·05	26
27	—	—	·16	—	—	·21	1·08	—	—	·25	·12	·08	27
28	—	·01	—	·03	—	·02	·12	·08	·07	·17	·36	—	28
29	—	·01	—	—	—	·02	·07	·11	·31	·16	—	·03	29
30	·03	X	·10	—	—	·51	·04	·01	—	·25	·36	—	30
31	·01	X	X	X	·21	X	1·57	·09	X	·03	X	·08	31
Total	2·28	1·81	2·14	·58	1·80	3·46	3·98	6·60	1·15	3·17	2·54	2·08	TOTAL for year 31·59
No. of Rain Days	19	18	22.	8	14	21	19	27	12	17	21	25	223

9,000, IX. '10.

6·60

31·59

cwd for auth. 29.iv.14

REGISTER OF RAINFALL IN 19 1913

FORM A. BRITISH RAINFALL. 22 JAN 1914

Kept at Caerwys

in the County of Flintshire

by Edith M. Morgan

Lat. ..... Long. .....

Time of Observation 10 AM.

Nearest Railway Station Rhosfarr

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 6 ft. ... in.

" " " " Sea Level 542 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	—	·08	·03	·05	·05	—	—	—	—	—	·05	—	1
2	·02	·06	—	·02	·03	—	—	—	·02	—	·06	—	2
3	—	·02	·25	—	·67	—	—	—	—	·02	—	·47	3
4	·31	·04	·01	—	·09	—	—	—	—	·10	—	·44	4
5	·50	·05	·07	—	·14	·23	·43	·04	—	·34	·04	·03	5
6	·02	·06	·12	—	·04	·15	·30	—	—	·15	·10	·12	6
7	—	·16	·03	—	·16	·41	·10	—	—	·31	·06	·03	7
8	—	·07	·07	·01	·46	·02	·03	—	·05	·04	—	—	8
9	—	·09	·04	·18	·10	·21	·23	·95	·03	—	·05	·17	9
10	·12	·01	·02	·04	·22	—	·03	·36	·03	·03	·09	—	10
11	·39	—	—	·35	·03	·12	·03	·30	—	·06	·07	—	11
12	—	—	—	·03	·04	·06	·02	·02	·96	·01	·60	—	12
13	—	·01	·20	·02	·03	—	·07	·14	·06	—	·37	—	13
14	·04	—	·11	·05	—	—	—	·25	—	·22	·02	—	14
15	·05	—	·22	·19	—	—	—	·01	·03	·01	·05	·04	15
16	—	—	·04	·02	·05	—	—	—	—	—	·04	—	16
17	—	—	·04	·10	·16	—	·10	—	·04	—	·06	·01	17
18	—	—	·13	·12	·01	—	·15	—	—	—	·03	—	18
19	·06	—	·02	—	—	·29	·02	—	·05	·20	·02	—	19
20	·07	—	·07	·04	·10	·03	—	—	—	·10	·14	—	20
21	—	—	·03	—	—	—	·25	·06	—	·04	·04	—	21
22	·18	—	·67	—	—	—	—	·75	·50	—	·05	—	22
23	·02	—	·01	—	—	·35	—	·06	·16	·19	·06	·50	23
24	·08	—	—	·05	—	·04	—	—	—	—	·01	·04	24
25	—	—	—	·09	—	·04	—	—	·16	·05	—	·10	25
26	—	·06	—	·48	—	·02	—	—	·65	—	[illegible]	·31	26
27	·05	—	—	·14	—	—	—	—	—	·22	·02	·03	27
28	·09	—	·06	·06	—	—	—	—	—	·03	[illegible]	·11	28
29	—	·04	·21	·36	·17	—	—	·07	—	·09	·05	·20	29
30	·16	X	—	—	·10	—	—	—	—	·08	·05	—	30
31	·03	X	·20	X	·08	X	—	—	X	·03	X	·02	31
Total	2·19	·75	2·67	2·40	2·78	1·96	1·76	3·00	2·74	2·32	2·12	2·62	YEAR'S TOTAL 27·26
Rain Days.	17	13	23	26	20	13	13	12	13	21	24	16	205

W.7,000, XI. 13

2·73

27·26
205

REGISTER OF RAINFALL IN 1914

Form A2. British Rainfall. 2 JAN 1915

Kept at Lee Gleyn

in the County of Flint

by Edith M. Margaret

Rain Gauge: Pattern ____ Diameter of top 5 in. Height of top above Ground ____ ft. 6 in. ,, ,, ,, Sea Level ____ ft.

Time of Observation 10 AM

Nearest Railway Station: Name Bodfari Distance 2M Direction S

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. '01 ... 1914

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	—	.01	.05	—	—	.09	1.28	—	—	.03	.01	.35	1
2	.01	—	—	—	—	—	.87	.26	—	.03	.14	.30	2
3	.04	—	.07	.06	.07	—	—	.10	—	—	—	.57	3
4	.20	—	.10	.03	.11	—	.04	—	—	—	.22	.22	4
5	.07	—	.21	.11	.05	.05	.09	.04	—	.05	.19	.04	5
6	.09	.01	.03	.01	.10	.10	.25	—	—	—	.05	.06	6
7	—	.04	.23	.10	.29	.22	—	.13	—	—	—	.17	7
8	.11	—	—	—	.30	.22	—	.08	—	—	—	.10	8
9	.41	.07	.04	.02	.10	.95	—	—	.07	—	.13	—	9
10	.06	.07	.50	.05	.01	.13	—	—	.36	—	.14	—	10
11	—	.06	.12	.01	.07	.50	1.11	—	.05	—	.50	.50	11
12	—	.25	.21	—	.01	.10	.14	—	.44	—	.19	.16	12
13	—	.04	.07	—	.01	—	.02	—	—	.76	.35	.11	13
14	—	.18	.01	—	—	—	—	—	—	.12	.11	—	14
15	—	.06	.28	—	—	—	—	—	.02	—	.02	.09	15
16	.01	.02	—	—	—	—	—	—	.69	—	—	.65	16
17	.02	.04	.14	—	—	—	.06	—	.30	—	—	.17	17
18	—	—	.16	—	—	—	—	—	.19	.05	.01	.21	18
19	—	.02	.02	—	—	—	.36	—	.34	—	—	.09	19
20	—	.07	.18	—	—	.78	.78	.18	—	—	—	.10	20
21	—	.12	.01	—	—	.10	—	.16	—	.05	—	.19	21
22	—	.10	.01	.01	.18	.08	—	—	—	—	—	—	22
23	—	.01	.05	.02	—	—	.15	—	—	.01	.11	—	23
24	.01	—	—	.01	—	—	.16	.19	—	—	.13	—	24
25	.07	—	—	—	—	—	.28	.02	—	.45	.04	.09	25
26	—	—	.11	—	—	—	.44	.13+	—	.26	.08	.15	26
27	.13	—	—	—	—	—	.01	.05	—	.13	.23	.80	27
28	.20	.10	.04	—	.18	—	—	—	—	.04	.09	.40	28
29	.05	X	.04	—	.01	—	—	.01	—	.05	.05	.02	29
30	.01	X	.01	—	—	—	—	.05	—	.02	.18	.17	30
31	.15	X	—	—	—	X	.17	—	—	.06	X	.01	31
Total	1.64	1.27	2.69	.43	1.49	3.32	6.21	1.30	2.36	2.11	2.97	5.12	TOTAL for year 31.81
No. of Rain Days.	17	18	24	11	14	12	17	13	9	15	21	27	196

1.40 2.46 +1 31.81 196

W. 8,000, X. '11.

REGISTER OF RAINFALL IN 1915

4264 FORM A. BRITISH RAINFALL. 12 JAN 1916

Kept at Cae Gwyn

in the County of Flint

by Edith Mostyn

Lat. ____ Long. ____

Time of Observation 10 AM

Nearest Railway Station Bodfari

Diameter of Funnel of Rain Gauge 5" in.

Height of top of Gauge above Ground ____ ft. 6 in.

" " " " Sea Level 542 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following. '20

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.15	.03	.02	—	.35	—	—	.10	.53	.14	—	.09	1
2	.05	.14	.33	.19	—	—	.04	1.51	.03	.02	—	—	2
3	.30	.05	.01	.10	—	—	.31	—	—	—	—	.10	3
4	.01	.13	—	—	.17	—	.01	—	—	—	—	1.06	4
5	—	.03	.13	.04	.08	—	.01	—	—	—	—	.24	5
6	.09	.07	.05	.16	—	—	.25	.16	—	—	.02	.32	6
7	.44	.14	—	—	—	—	.47	.28	—	—	.01	.05	7
8	.11	.18	—	.01	—	—	—	.50	—	—	.21	—	8
9	.07	.13	—	.39	—	—	—	—	—	—	.15	.45	9
10	.26	.01	.12	.31	—	—	—	.09	—	—	.07	.5	10
11	—	—	—	.03	.27	—	.07	.03	—	.01	.64	.16	11
12	.10	—	—	.19	.29	—	—	.04	—	.14	1.63	.83	12
13	—	.45	—	.04	—	—	.03	.01	—	.01	.19	.04	13
14	.03	.01	—	.02	.01	—	.82	.01	.07	—	.15	.06	14
15	.36	.01	—	.02	.03	—	—	—	.02	—	.24	.12	15
16	.03	.09	—	—	.33	—	.55	.68	—	—	—	.07	16
17	—	.34	.06	—	.33	—	—	.03	—	.01	—	—	17
18	.01	.19	.10	—	—	—	—	—	—	—	—	—	18
19	—	.01	.03	.11	.05	—	.04	—	—	—	—	—	19
20	.15	.01	—	.22	—	—	—	—	—	—	—	.18	20
21	.13	—	—	.04	—	—	.17	—	—	—	—	.27	21
22	.01	—	—	—	—	.13	.03	—	—	.05	.03	—	22
23	.01	.61	.17	.04	—	—	.01	—	—	.75	—	.06	23
24	—	.02	.16	.15	—	.06	.01	—	.07	.22	—	.30	24
25	—	—	—	—	—	.30	.03	—	.20	—	.08	.12	25
26	—	.05	—	—	—	—	.04	—	.07	—	—	.32	26
27	—	.10	—	—	—	—	.14	.01	—	.11	—	.11	27
28	—	.16	—	—	.09	.13	—	.39	—	.02	—	.01	28
29	—	—	—	—	.08	.24	—	—	.14	—	—	.07	29
30	.05	X	—	.11	—	—	.10	.03	.06	.20	.10	.10	30
31	.14	X	—	X	—	X	.12	.31	X	.40	X	.10	31
Total	2.50	2.96	.98	2.17 1.94	2.02	.86	2.45	4.18	1.19	2.08	3.52	3.51 4.48	28.39 YEAR'S TOTAL
Rain Days.	20	23.	11	18	12	5	20	16.	9	13	12	25	184

W. 8,000. X. 15.

Card 4W

REGISTER OF RAINFALL IN 1916

FORM A. BRITISH RAINFALL. 6 JAN 1917

Kept at Cae Gwyn

in the County of Flint

by Edith M Morgan

Lat. ..... Long. .....

Time of Observation 10 AM

Nearest Railway Station Rhosfarm

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground ..... ft. 6 in.

" " " " Sea Level 543 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following. .10

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.20	—	.29	—	—	—	.22	—	.06	.03	.08	—	1
2	.05	.10	.70	—	—	.04	.17	—	.95	.86	.03	—	2
3	—	.08	.03	.21	—	.29	.37	—	1.45	.22	.03	—	3
4	.03	.03	.11	.03	.56	.10	—	—	.07	.04	.10	—	4
5	—	.55	.03	—	.15	.09	—	—	.01	.12	.12	—	5
6	.15	.22	—	—	.20	—	.26	—	—	.10	.12	.06	6
7	.06	.05	—	—	.60	.04	.10	—	—	.07	.20	.45	7
8	.06	.15	.27	—	.05	.03	.01	—	—	—	.13	.10	8
9	.03	.10	.03	—	.23	—	—	—	.07	—	.05	.02	9
10	—	.65	.07	.10	.06	.08	.12	—	.15	—	—	.07	10
11	.11	.17	.20	.15	.10	—	.01	—	.06	—	.01	—	11
12	.02	.03	.07	.05	.46	—	.33	—	—	.14	—	.03	12
13	.01	.17	.05	.13	.02	—	.01	.70	—	.08	—	.06	13
14	.01	.03	—	.06	.06	—	—	.09	.16	.03	—	—	14
15	—	.08	.27	.14	.06	—	.09	.46	.01	.21	—	—	15
16	—	.08	—	.20	—	—	.09	.38	—	.14	—	—	16
17	.03	.11	—	.56	—	—	.03	.02	.43	+ .38	—	—	17
18	—	.21	—	.22	—	—	—	.19	.35	.07	.37	—	18
19	.08	—	.18	.15	—	—	—	.12	—	—	.81	.02	19
20	.06	—	.55	.06	—	—	—	—	.01	—	.03	.07	20
21	.02	—	—	—	—	—	—	—	—	—	.16	—	21
22	—	—	.13	—	—	.05	—	—	—	.01	—	.15	22
23	—	—	.11	—	—	.05	—	.17	—	.09	.04	.25	23
24	.03	.26	—	—	1.0	.01	—	.20	—	.17	—	.02	24
25	—	.05	.06	—	.22	.19	—	.48	—	—	.39	—	25
26	.06	.05	.03	—	.28	.09	—	—	.01	.23	.08	—	26
27	—	.04	—	—	.07	—	—	.03	.26	.25	—	.28	27
28	.01	.42	—	—	.06	.13	—	—	.01	.23	.02	.09	28
29	—	.37	—	—	—	.15	—	—	—	.10	—	.01	29
30	—	X	—	—	—	.28	—	—	—	.25	—	—	30
31	—	X	—	X	—	X	—	.06	X	.12	X	.10	31
Total	1.02	4.00	3.18	2.06	4.18	1.62	1.81	2.90	3.06	3.94	2.77	1.78	YEAR'S TOTAL 32.32
Rain Days.	18	23	28	13	17	15	13	12	16	23	18	16.	202.

W. 8,000, VIII. 16

+ .38

REGISTER OF RAINFALL IN 19[illegible]

FORM A. BRITISH RAINFALL.

Kept at Caergwyn

in the County of Flint

by Edith M. Morgan

Lat. ..... Long. .....

Time of Observation 10 AM

Nearest Railway Station Bodfari

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground ..... ft. 6 in.

" " " " Sea Level 542 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W. 1.

Jan. 1, following. '02

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	—	—	'02	'29	—	'02	—	'51	'15	—	'20	'23	1
2	'15	—	—	'06	—	—	—	'25	—	'02	'03	'22	2
3	—	'17	—	—	—	'01	—	'01	—	'15	'01	'07	3
4	'08	—	—	—	—	—	—	'07	—	'51	'01	'03	4
5	'16	—	—	'11	—	—	—	'10	—	'61	'42	—	5
6	'03	—	Snow	'01	—	—	—	—	—	'14	'14	'01	6
7	'60	—	'05	—	—	'01	—	'03	—	'10	—	—	7
8	'17	—	—	'14	—	—	—	'15	'05	'40	'12	'32	8
9	—	—	'10	'36	'15	—	—	'22	—	'37	'27	'05	9
10	'32	—	'62	'10	'03	—	—	'06	—	'04	—	'01	10
11	'23	—	'05	'15	—	—	—	'08	—	'20	'08	'01	11
12	'05	—	—	'13	'70	—	—	—	'07	'23	—	'02	12
13	—	—	—	'04	—	—	—	'19	'07	'27	'16	'13	13
14	'06	—	—	'04	'12	—	—	—	—	'13	—	'07	14
15	'06	—	—	'18	—	—	'10	—	—	'07	'02	'17	15
16	—	—	—	'09	—	—	—	'11	'04	'11	—	'45	16
17	—	—	'15	'35	'41	—	'34	1'15	'03	'16	—	—	17
18	'05	—	'04	'18	'10	—	'11	'02	—	'15	—	'03	18
19	'02	'85	'21	—	'06	'10	'01	—	'24	'01	—	—	19
20	—	—	—	—	'15	'05	'02	'12	'10	—	'38	—	20
21	—	'07	'19	—	'07	'07	—	'02	—	—	'05	—	21
22	—	'15	—	—	'13	—	—	'16	'08	—	'18	—	22
23	—	'10	—	—	'13	'36	—	'07	—	'24	—	'09	23
24	—	'04	'11	—	—	'11	'44	'06	—	'29	'12	'04	24
25	—	'17	'07	—	—	'25	—	—	'05	'06	'09	—	25
26	—	—	—	—	—	'37	—	'04	'17	'29	'38	—	26
27	—	—	'06	—	'40	'18	'16	'45	—	'03	'01	—	27
28	—	—	'07	—	'01	—	'11	'83	—	'47	—	'02	28
29	—	X	'02	—	—	—	—	—	—	'31	—	'06	29
30	—	X	'73	—	—	—	—	'20	—	'03	'03	—	30
31	—	X	'33	X	'14	X	—	'27	X	—	X	'02	31
Total	1'98	1'55	2'82	2'23	2'60	2'58 (2'53)	1'29	5'27 (5'17)	1'10	5'38 (5'39)	2'70	2'05	YEAR'S TOTAL 31'41
Rain Days.	13	7	16	15	14	11	8	24	11	26	19	20	164

W. 8,000, IX. 17.

31·41

REGISTER OF RAINFALL IN 1918

FORM A.
BRITISH RAINFALL.

Kept at Caergwrle

in the County of Flint

by Edith M. Morgan

Lat. ..... Long. .....

Time of Observation 10 AM

Nearest Railway Station Hadfan

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground ..... ft. 6 in.

" " " " Sea Level 542 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following. .05

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	—	—	.12	.12	—	—	.07	.18	.25	.02	.12	—	1
2	.01	—	—	.01	.01	—	—	.11	.66	—	—	.07	2
3	—	—	—	—	.50	—	—	.04	.20	.13	—	—	3
4	—	—	—	—	—	—	—	—	.28	.17	.17	—	4
5	.02	.04	.06	—	.18	—	.01	.35	.08	.16	—	—	5
6	.04	.34	.01	.35	—	.08	—	—	—	.21	—	—	6
7	—	—	—	.01	.14	—	.01	—	.17	.10	.07	.01	7
8	.13	.09	—	—	—	—	—	—	.50	.17	—	.02	8
9	.01	.38	—	.15	—	.85	.11	—	.80	.03	—	.04	9
10	.06	.04	—	.26	—	—	.20	—	.11	.04	.10	—	10
11	.03	—	.04	.03	.15	.03	.03	—	.01	—	—	.05	11
12	.01	.27	—	.03	.15	—	—	—	.05	.25	—	.10	12
13	—	.10	—	.11	.15	—	.07	—	.25	.05	—	—	13
14	.24	—	—	—	—	—	.20	—	.22	—	—	.23	14
15	.27	—	—	—	—	.15	.22	—	.85	.41	—	.24	15
16	—	—	—	—	—	.73	.24	—	.17	.03	—	.23	16
17	.19	—	.05	—	.15	.03	.07	—	.09	.19	—	.13	17
18	.26	.07	—	—	—	.06	—	.04	.17	—	—	.16	18
19	.05	—	.17	snow	—	—	.30	—	.08	.06	—	.43	19
20	.10	.53	—	.35	.12	.06	—	—	.15	—	—	.42	20
21	.10	.08	—	.15	.02	.05	.22	—	.05	—	—	.10	21
22	.03	.01	—	—	.90	—	.10	—	.14	—	—	.30	22
23	—	—	—	—	.99	.04	.47	—	.07	—	—	.05	23
24	—	.18	—	—	—	—	.03	.29	.10	.02	.18	.32	24
25	—	—	—	—	.26	.03	.06	.50	.05	—	.05	—	25
26	—	.11	—	—	—	.17	.25	.06	.03	—	.05	.81	26
27	—	—	.19	—	—	—	.01	.46	.39	—	.23	.30	27
28	—	—	.12	—	—	—	—	—	.01	—	.85	.40	28
29	—	—	.07	—	—	—	—	—	.19	—	—	.02	29
30	—	X	.03	—	—	—	—	.18	.11	—	—	.17	30
31	—	X	.24	X	—	X	—	.14	X	—	X	—	31
Total	~~1.15~~ 1.55	2.22	1.10	~~1.47~~ 1.57	3.72	2.28	~~2.07~~ 2.67	2.35	~~4.64~~ 5.64	2.04	1.82	3.80	YEAR'S TOTAL ~~26.76~~ 30.76
Rain Days.	16	13	11	11	13	12	19	11	29	16	9	22	182

W. 6,600, VII. 18. W W C

Sent 11

I take this opportunity to thank you for your kindness and hospitality during my stay in Washington

Sincerely yours, Caesar Augustus Rodney

16 January, 1917

W M L

2579

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1919.

RECEIVED 2 JAN 20

Kept at Cae Gwyn

in the County of Flint

by Edith M. Morgan

Lat. N Long.

Time of Observation 10 AM

Nearest Railway Station 2½ miles

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground ft. 6 in.

" " " " Sea Level 542 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.05	—	—	.06	.33	—	.27	—	.16	.20	.01	.04	1
2	.06	—	.41	—	—	—	.19	—	.15	.01	—	.17	2
3	.01	—	—	—	—	.50	—	.01	.01	—	.12	.01	3
4	.05	.03	—	.01	—	.07	.19	.18	—	—	—	.17	4
5	.02	.08	.35	—	—	—	.15	—	.05	—	.05	.10	5
6	—	.04	.06	.25	.08	—	.50	—	—	—	—	.12	6
7	—	—	.10	—	—	—	—	—	—	.04	—	—	7
8	.10	—	.19	—	—	.24	—	—	—	—	.09	—	8
9	.30	—	.04	.06	—	—	.02	—	—	—	.06	.01	9
10	—	—	—	—	—	—	—	—	—	.25	.03	.03	10
11	.01	—	.05	.06	—	—	.13	—	—	.05	—	—	11
12	—	—	.30	—	—	.57	—	—	.06	.30	.15	—	12
13	.10	.02	—	.04	—	—	.24	—	—	.63	—	.03	13
14	.33	—	—	.50	—	—	.13	.03	—	.75	—	—	14
15	.28	.01	—	.25	.53	—	—	—	—	.14	—	.61	15
16	.07	.50	.08	—	—	.01	.05	—	—	—	.47	—	16
17	.01	.50	.01	—	—	.08	—	.20	.25	.01	.29	—	17
18	—	—	.80	—	—	—	—	.72	.26	—	—	.08	18
19	.04	.45	.39	—	—	—	—	.22	.07	—	.18	.23	19
20	.16	.07	.40	—	—	—	—	—	.06	—	.32	.26	20
21	.19	.12	.03	—	—	.09	.44	—	.12	—	.01	.17	21
22	—	.15	—	—	—	—	.03	—	.95	—	—	1.11	22
23	—	.01	—	—	—	.17	—	.03	.01	1.18	.01	.07	23
24	—	—	—	.05	.22	—	—	.05	—	.65	.18	.39	24
25	.10	—	—	.08	—	—	—	.22	.04	.05	.27	.01	25
26	.08	—	.20	.10	—	.32	—	.40	—	—	.02	.21	26
27	.15	—	.03	.44	—	.03	—	.17	.25	—	.15	.01	27
28	.15	—	.04	.20	—	—	—	.17	.01	—	—	.22	28
29	.12	.07	.20	.40	—	.25	—	.35	—	.06	—	.22	29
30	—	✕	.07	.23	—	—	—	.04	—	—	.09	.35	30
31	—	✕	.50	✕	—	✕	.01	.12	✕	—	✕	.11	31
TOTAL	2.38	2.05	5.22	2.73	1.16	2.33	2.35	2.91	2.45	4.32	2.50	4.73	YEAR'S TOTAL 35.13
Days with .01 in. or more	21	13	19	15	4	11	13	15	15	14	18	24	182

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

Ex MS

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at Carn Guys Trewerchin
in the County of Flint
by Edith M. Morgan

Lat. N Long.
Time of Observation 10 A M
Nearest Railway Station Bagillt
Diameter of Funnel of Rain Gauge 6 in.
Height of top of Gauge above Ground ft. 6 in.
" " " " Sea Level 542 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following. '11

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	—	.20	.23	.11	—	.15	.05	.21	.09	—	.11	1
2	—	.01	—	.20	.01	—	1.31	.08	.12	.04	—	.05	2
3	—	.20	—	.27	.03	.02	.20	.01	.15	.48	—	.04	3
4	—	—	—	.01	.03	—	.05	.17	.10	.08	—	—	4
5	—	—	.07	—	.02	—	.15	.10	.16	.05	—	.12	5
6	—	—	.33	.02	—	—	—	—	.02	.34	—	—	6
7	—	.18	—	.08	.08	~~.05~~	.20	—	—	—	.01	—	7
8	.15	.01	.02	.37	.08	—	.03	.05	—	—	—	—	8
9	.20	.15	.03	.60	—	—	.15	.10	.07	—	—	—	9
10	.28	.34	.01	~~.06~~	~~.16~~	.02	.05	~~.03~~	—	—	—	—	10
11	.11	.03	.05	.06	.16	.05	.03	.13	—	—	—	—	11
12	.10	—	.08	.15	—	1.12	.05	—	.93	—	.11	—	12
13	.12	.23	.03	.01	—	.15	—	—	—	—	.02	—	13
14	—	.05	.20	.06	—	.16	—	.01	—	—	.14	—	14
15	—	.11	.60	.07	—	—	—	—	.02	.08	.02	—	15
16	.01	—	—	.16	.25	.09	.23	—	.10	—	—	—	16
17	—	—	—	.01	.15	.45	—	.09	.14	.18	—	—	17
18	.35	.03	—	.09	.08	.20	.50	.06	.65	—	—	—	18
19	.03	1.53	—	.07	.07	.15	.07	.15	.01	—	—	—	19
20	.07	.03	—	.30	—	—	.55	—	.50	—	—	.16	20
21	—	—	—	.03	—	—	.09	.02	.01	—	—	.18	21
22	.06	—	—	.19	—	—	.40	.84	—	—	—	.03	22
23	.02	—	.20	.05	—	—	.48	.24	—	—	—	.10	23
24	.01	.01	.57	—	—	.02	—	—	—	—	—	.25	24
25	.01	.15	.23	.06	.65	—	1.17	—	—	—	—	.01	25
26	.07	.04	.43	.22	.40	—	.07	—	—	—	.06	.02	26
27	.15	.05	.27	.20	.33	.35	—	—	—	—	.05	.03	27
28	.10	.05	.47	.20	—	.06	.01	—	—	—	.20	—	28
29	.58	—	.25	.01	.58	—	.31	—	—	—	.07	.50	29
30	.17	X	.41	.51	.02	.13	—	—	.50	—	.07	.03	30
31	.08	X	.01	X	—	X	.01	.16	X	.25	X	.01	31
TOTAL	2.67	3.20	4.46	4.14	3.05	2.97	6.26	2.26	3.69	1.59	.75	1.64	YEAR'S TOTAL 36.68
Days with .01 in. or more	20	18	20	27	17	14	23	16	16	9	10	15	205
Days with .04 in. or more	15	12	15	21	12	11	19	13	12	9	7	9	155

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

X 1.30 fell in 2 hours, mid day.

FORM A2.
BRITISH RAINFALL.

BODFARI
HENBLAS
FLINTSHIRE
1911 - 13

Kept at Hend

in the County of Fl

by Mrs B

in.

round 1 ft. in.

ea Level 283 ft.

.M

ame Bodfari

istance 1½ Direction S

IMPORTANT N… the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1			.07		.01	X	.24	.13		.01	.25	.06	1
2			.05	.01	.02					.60		.09	2
3					.35				.12		.04	.05	3
4			.07		.02			.65	.03		.13	.11	4
5	.03		.04		.03			.71		.01		.09	5
6	.19		.05					.08		.01	.09	.26	6
7											.14		7
8	.21		.12						.02	.01	.10	.32	8
9	.01		02								.09	.25	9
10	.01	.05	.09		.01				.02		.03	.52	10
11	.15										.24	.16	11
12			.34		.01	.01			.12		.21		12
13	.03	.03							.01		.04	.09	13
14	.02	.02	.05				.02		.04	.01		.08	14
15		.03								.02	.11	.06	15
16		.08	.04			.24				.02	.04	.04	16
17						.34					.15	.05	17
18		.22		.08		.01		.02		.02		.19	18
19		.02		.13		.12			.14	.05	.37	.43	19
20		.04		.07		.01	.04	.83	.15	.14		.16	20
21		.09						.01	.02	.14		.01	21
22		.05				.01				.44	.01	.54	22
23		.26				.06		.02	.21	.05		.09	23
24		.01				2.69	.03	03		.35		.18	24
25		.17		.08		.20			.63	.18		.09	25
26		.23		.04		.03				.24	.24	.08	26
27		.14	06	.10			.01	.45	.74			.12	27
28		.25				.02		.01	.05	.01		.03	28
29				.08		.05	.23	.02	.18	.15	.01	.05	29
30						.11	.04			.18	.01	.01	30
31			.12		.03					.05			31
Total	65	1.59	1.12	.59	48	3.90	.61	2.96	4.08	2.59	2.36	4.20	TOTAL for year 25.13
No. of Rain Days	8	16	13	8	8	14	7	12	15	21	19	28	169

9,000, IX. '10.

FORM A2.
BRITISH RAINFALL.

Kept at Henbles

in the County of Hunt, 2

by Mrs Bankes

RAIN GAUGE { Pattern ; Diameter of top 5 in. ; Height of top above Ground 1 ft. in. ; " " " Sea Level 283 ft.

Time of Observation 9 A.M.

Nearest Railway Station { Name Bodfari ; Distance 1½ Direction S

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1			.07		.01	X	.24	.13		.01	.25	.06	1
2			.05	.01	.02					.60		.09	2
3					.35				.12		.04	.05	3
4			.07		.02			.65	.03		.13	.11	4
5	.03		.04		.03			.71		.01		.09	5
6	.19		.05					.08		.01	.09	.26	6
7											.14		7
8	.21		.12						.02	.01	.10	.32	8
9	.01		.02								.09	.25	9
10	.01	.05	.09		.01				.02		.03	.52	10
11	.15										.24	.16	11
12			.34		.01	.01			.12		.21		12
13	.03	.03							.01		.04	.09	13
14	.02	.02	.05				.02		.04	.01		.08	14
15		.03								.02	.11	.06	15
16		.08	.04			.24				.02	.04	.04	16
17						.34					.15	.05	17
18		.22		.08		.01		.02		.02		.19	18
19		.02		.13		.12			.14	.05	.37	.43	19
20		.04		.07		.01	.04	.83	.15	.04		.16	20
21		.09						.01	.02	.14		.01	21
22		.05				.01				.44	.01	.54	22
23		.26				.06		.02	.21	.05		.09	23
24		.01				2.69	.03	.03		.35		.18	24
25		.17		.08		.20			.63	.18		.09	25
26		.23		.04		.03				.24	.24	.08	26
27		.14	.06	.10			.01	.45	.14			.12	27
28		.25				.02		.01	.05	.01		.03	28
29				.08		.05	.23	.02	.18	.15	.01	.05	29
30						.11	.04			.18	.01	.01	30
31			.12		.03					.05			31
Total	6.5	1.59	1.12	.59	48	3.90	.61	2.96	4.08	2.59	2.36	4.20	TOTAL for year 25.13
No. of Rain Days	8	16	13	8	8	14	7	12	15	21	19	28	169

9,000, IX. '10.

REGISTER OF RAINFALL IN 1912

Form A2. British Rainfall. 9- JAN 1913

Kept at Henblas

in the County of Flintshire. 2

by Thomas Morgan, Gardner to Wm. J. Scott Bankes Esq

Rain Gauge: Pattern ____ Diameter of top 5 in. Height of top above Ground 1 ft. – in. " " " Sea Level 283 ft.

Time of Observation 9. A.M

Nearest Railway Station: Name Bodfari Distance 1/2 mi. Direction S.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			.07			.03	.16	.43	.19			.30	1
2		.20	.09	.04		.21	.08					.04	2
3	.30				.04	.20		.70	.06			.03	3
4	.21		.61	.02	.05	.23		.49	.01		.10	.01	4
5	.22				.13	.07		.01	.20		.03	.01	5
6	42	.04			.03			.20	.06	.01			6
7		.07	.02		.06	.12	.05	.09	.06			.02	7
8	.19	.05	.10	04		.09		.03	.20				8
9	.10		.12	.19		58					.01	.06	9
10	.04			.01		.35	.04	.37			.50		10
11	.03				.04		.08				.06	.44	11
12		.33	.02			.09	.04	.08				.01	12
13								.66	.01	.14	.03	.05	13
14			.10			.02		.15	.02	.01		.09	14
15	.09	.05	.34		.01	.06		.06			.05	.10	15
16	.12	.02	.02		.12			.02	.01	.34	.03	.1	16
17	.11 snow	.43	.03			.29		.31			.08	.13	17
18	.29 snow	.02				.01				.08	.02		18
19		.03	.17			.02		.18		.15	.01	.01	19
20		.01	.03		.13			.28		.32	.04	.02	20
21	.02		.03		.51		.07	.22		.30	.05	.05	21
22	.04	.02			.35		.05	.53		.02		.07	22
23			.23			.01	.16	.50		.01	.12		23
24			.03			.04	.02	.08			.10	.21	24
25			.07			.18				.01	.40	.33	25
26		.08	.07			.10	.23	.57		.74	.21	.08	26
27			.15			.23	1.24			.25	.07	.09	27
28		.04		.02		.01	.13	.07	.07	.16	3.9 snow		28
29		.01				.01	.07	.11	.29	.18		.02	29
30	.03		.13			.60	.04	.01		.23	snow 1.0		30
31	.01		.29		.16		1.83	.08		.04		.07	31
Total	2.20	1.40	2.72	.32	1.63	3.55	4.29	6.23	1.18	3.02	2.40	2.25	TOTAL for year 31.19
No. of Rain Days.	16	15	21	6	12	23	16	25	12	17	24	24	207

8,000. X. '11.

20

REGISTER OF RAINFALL IN 1913

FORM A. BRITISH RAINFALL. 4 JAN 1914

Kept at Hendlas

in the County of Flint

by Mr Scott Bankes.

Lat. 53° 12' Long. 3° 20'

Time of Observation 9 a.m.

Nearest Railway Station Bodfari

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. — in.

" " " " Sea Level 283 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.03	.08	.07	.06	.04						.07		1
2		.06	.04	.01	.02						.08		2
3	.01	.02	.28		.74					.01		.39	3
4	.29	.05			.10	.01	.01			.08		.43	4
5	.78	.04	.08		.12	.31	.40	.04		.31	.03	.03	5
6	.01	.06	.17		.06	.20	.28			.12	.08	.13	6
7		.26			.18	.38	.06			.32	.06	.01	7
8		.13	.09	.01	.53	.03	.01	.54	.04	.04			8
9		.08	.04	.18	.12	.23	.26	.03	.03		.05	.15	9
10	.06	.01	.01	.03	.32			.26	.04	.02	.08		10
11	.28			.37	.01	.10	.02	.34		.04	.17		11
12				.02	.02	.05	.01	.01	.93		.28		12
13			.18		.01	.01	.07	.11	.05		.50		13
14	.03	.01	.16	.04				.24	.05	.19	.02		14
15	.05		.27	.33					.02		.04	.04	15
16			.04	.02			.01				.02	.01	16
17	.01		.03	.12	.03		.09		.02		.05		17
18	.01		.17	.13	.21		.14				.03		18
19	.03			.01	.01	.22			.05	.21	.01		19
20	.08		.12	.02		.01				.10	.15		20
21			.02		.08		.22	.04		.04	.03		21
22	.18		.80			.36		.77	.56				22
23			.01			.03		.06	.16	.11	.04	.39	23
24	.11			.05		.06		.03			.06	.08	24
25				.11					.15	.06		.10	25
26		.04		.65		.01			.64			.35	26
27				.10						.25	.01	.09	27
28	.13		.04	.09						.03		.24	28
29	.01		.20	.37	.17			.07		.10	.05		29
30	.19				.11			.01		.09	.03		30
31	.03		.18		.10					.03			31
Total	2.02	.84	3.00	2.72	2.98	2.01	1.58	2.55	2.74	2.18	1.94	2.44	YEAR'S TOTAL 27.00
Rain Days.	19	12	21	20	20	15	13	14	13	19	23	14	203

W. 7,500, XI. 12

4263

FORM A.
BRITISH RAINFALL.

3 JAN 1916

REGIS

BODFARI.

NANTLYS

1915-16, 18, 1920

Kept at Nantlys - B

in the County of Flin

by D. T. Pen

·22

·M.

odfari

5 in.

Ground 1 ft. 4 in.

Sea Level 200 ft.

IMPORTANT NOTE.— he result entered to the previous day. If an Obser sal rule, he is earnestly requested to add the reading in the space provided for it at the end of this p nt of rain, the selection and placing o sh Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	20	3	1		35		1	7	36	11		5	1
2	7	26	8	15			2	1·02	4	2			2
3	23	8		7			27					16	3
4	1	15			13							1·28	4
5	1	3			7							32	5
6	9	5	12	15			20	12			1	27	6
7	3/8	15	4				56	13				8	7
8	14	8						62			17		8
9	8	20		32				1			21	41	9
10	24		2	27				8		2	7	5	10
11				3	17		5				63	19	11
12	6	1		13	22						1·73	4	12
13		55		2							12	3	13
14	2	1		1				1	4		30	5	14
15	40			1			55		1		33	10	15
16	3	12			31		253	55				7	16
17		31	9		30		1	2				1	17
18	1	22											18
19		1	6	9	5		3						19
20	6	1		5								14	20
21	23	1		3			14					21	21
22		37	8			13	2			20		2	22
23		25	6	3		5	4			68		5	23
24			16	13					2	26	8	30	24
25			1	1		29	5					13	25
26		5					2		31			29	26
27		14					8			7		10	27
28		11			2	9		30		3			28
29					7	23		1	16	1	2	5	29
30	7			6					5	15	11	11	30
31	28						8	35		37		16	31
Total	2·61	3·20	·73	1·56	1·69	·79	2·11	3·29	·99	1·92	3·85	4·65	YEAR'S TOTAL 27·32
Rain Days.	19	23	11	17	10	5	16	13	8	11	12	26	171

W.7,000, XI. 18

4263

FORM A.
BRITISH RAINFALL.

REGIS[illegible]

Kept at Nantlys - St Asaph

in the County of Flint

by D. F. Pennant

Lat. 53·14 Long. 3·22

Time of Observation 9 A.M.

Nearest Railway Station Bodfari

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 4 in.

" " " " Sea Level 200 ft.

3 JAN 1916

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	20	3	1		35		1	7	36	11		5	1
2	7	26	8	15			2	1·02	4	2			2
3	23	8		7			27					16	3
4	1	15			13							1·28	4
5	1	3			7							32	5
6	9	5	12	15			20	12			1	27	6
7	38	15	4				56	13				8	7
8	14	8						62			17		8
9	8	20		32				1			21	41	9
10	24		2	27				8		2	7	5	10
11				3	17		5				63	19	11
12	6	1		13	22						1·73	4	12
13		55		2							12	3	13
14	2	1		1				1	4		30	5	14
15	40			1			55		1		33	10	15
16	3	12			31		253	55				7	16
17		31	9		30		1	2				1	17
18	1	22											18
19		1	6	9	5		3						19
20	6	1		5								14	20
21	23	1		3			14					21	21
22		37	8			13	2			20		2	22
23		25	6	3		5	4			68		5	23
24			16	13					2	26	8	30	24
25			1	1		29	5					13	25
26		5					2		31			29	26
27		14					8			7		10	27
28		11			2	9		30		3			28
29					7	23		1	16	1	2	5	29
30	7			6					5	15	11	11	30
31	28						8	35		37		16	31
Total	2·61	3·20	·73	1·56	1·69	·79	2·11	3·29	·99	1·92	3·78	4·65	YEAR'S TOTAL 27·32
Rain Days.	19	23	11	17	10	5	16	13	8	11	12	26	171

W.7,000, XI. 13

REGISTER OF RAINFALL IN 1916

FORM A. BRITISH RAINFALL. 3 JAN 1917.

Kept at Nantlys - St Asaph

in the County of Flint

by W. T. Pennant

Lat. 53° 14' Long. 3° 22'

Time of Observation 9. A.M.

Nearest Railway Station Bodfari

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 4 in.

" " " " Sea Level 200 (173) ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.
1	27		23			2	3			1	3	
2	3	8	13			3	10		94	93	2	
3		12		17	1		3		1·55	19	4	
4		2		3	51	23			1·0	9	6	
5	1	25			10	13				15	6	
6		25	19		13	2	19			5	16	7
7	3	3		1	19	6				9	17	36
8		91	10				10				8	10
9	2	62			22				3		5	3
10				8	8	5	6			1	1	
11	3		19	14	4				13			
12	3			3	41		24		3	19		2
13		14	3	15	3			64		5		1
14		8		21	5			5		2		
15		13	3		4		9	93	12	18		
16		5		14			6	15		16		
17	5	3		59			2		35	43		
18		23	1	24					36	5	46	9
19	7			12				10	1		67	
20	5		20	6							1	12
21	3		11								14	
22						5				2	1	8
23	3		5			8		18		8	10	35
24		18			8			16		15		3
25	7	1	12		35	13				9	34	1
26	1		3		23	10			1	20	8	
27		7			7			4	23	37	2	2
28		20			3	8				26		9
29		32				21				5		
30		X			4	14				39		
31		X		X		X		3	X	14	X	7
Total	143	347	252	1·99	3·60	1·35	1·27	2·28	3·86	4·28	2·51	1·45
No.	15	20	15	12	18	14	10	9	12	25	19	15

YEAR'S TOTAL

2·52 1·99 3·60 2·51

184

REGISTER OF RAINFALL IN 19

FORM A. BRITISH RAINFALL.

Kept at Nantyr

in the County of Flint

by David Falconer Pennant

Lat. 53 · 14 Long. 33 · 22 W. of Greenwich

Time of Observation 9A.M./10 summer 10

Nearest Railway Station Bodfari

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 4 in.

" " " " Sea Level 178 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1				15	3		3	17	28	7	13	1	1
2	2							9				9	2
3					42			4	20	9	23		3
4	2	2							24	15		1	4
5		2		10	17			19	3	12	3		5
6		32	6	5		14		2	13	22			6
7	9 S	[illegible]			11				7	9	11		7
8	4 S	4 [illegible]					6		27	7	1		8
9	1	47		24		68			67	40		8	9
10	7			23			15		8	4			10
11	3	4	4		10							5	11
12		11	1		19				7			1	12
13	4 S	9			18				17	15			13
14	20				1	13	29		21	7	6	22	14
15	22 S					3	18		85	51		23	15
16						4	20	3	13	12		22	16
17	12				15	4	5		5	10		14	17
18	24	9							15			17	18
19	6	1					24		6	6		48	19
20	12	48		44	12	8	1		16			45	20
21	10	10		14			1		16			6	21
22	2				08		6		14			37	22
23					1·11	4	41		11		1	1	23
24	3	19						31	4			32	24
25					23		6	47	6	5	17		25
26							15	9	6	5	2	1	26
27		15 S	10			20		32	5		18	29	27
28		7	24						19		77	34	28
29									14			3	29
30		[X]	10					11	6			18	30
31		[X]	19	[X]		[X]		24	[X]		[X]	1	31
Total	1·43	2·20	·74	1·35	3·80	1·30	1·90	2·08	4·83	2·36	1·72	3·78	YEAR'S TOTAL 27·57
Rain Days.	17	15	7	7	13	9	14	12	28	17	11	23	173

W. 8,000, IX. 17.

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at Badgaris, Nantlys

in the County of Flint

by D F Pennant

Lat. ..... Long .....

Time of Observation .....

Nearest Railway Station .....

Diameter of Funnel of Rain Gauge ..... in.

Height of top of Gauge above Ground ..... ft. ..... in.

" " " " Sea Level ..... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1			.17	.15	.10			.01	.23		.01	.10	1
2	.01			.21	.02			.04	.05			.08	2
3	.01	.17		.24	.05			.02	.15			.06	3
4				.01	.02			.18					4
5			.07		.01			.08	.23				5
6			.34	.02								.10	6
7	.01	.12	.03	.06	.06								7
8	.22	.01	.01	.29	.09								8
9	.17	.16	.01	.53				.23	.07				9
10	.18	.37						.11				.08	10
11	.18	.04	.07	.03	.16	.14		.01					11
12	.09	.01	.07	.15		1.08					.08	.06	12
13	.17	.15	.05	.01		.01					.02		13
14	.12	.05	.68	.06		.17			.80		.17		14
15		.11	.05	.08					.07		.02		15
16				.09		.06			.10				16
17				.01		.28		.07	.16				17
18	.31	.01	.01	.04		.24			.50				18
19	.07	1.63		.02	.07	.18		.33	.05		.02	.01	19
20	.01	.02	.01	.27					.50				20
21				.04								.18	21
22	.06			.09				.86				.02	22
23	.01		.18	.03				.06				.13	23
24	.02		.50	.08								.21	24
25		.99	.22	.17	1.05							.04	25
26	.08	.05	.62		.36	.03						.02	26
27	.21	.03	.45	.25	.45	.32					.07	.05	27
28	.70	.02	.44	.01	.01	.02					.19	.10	28
29	.11		.19	.03	.68	.01					.04	.41	29
30	.07		.30	.27		.10			.42		.08		30
31	.07		.01					.15					31
TOTAL	2.88 / ~~2.78~~	3.94	~~4.48~~ / ~~4.52~~	3.24	3.13	2.64	5.91	2.15	3.33 / ~~3.39~~	2.15	.70	1.65	YEAR'S TOTAL ~~36.20~~
Days with .01 in. or more	22	17	22	27	14	13	23	13	13	9	10	16	199
Days with .04 in. or more	16	11	16	18	10	9	17	10	13	8	6	13 / 11	147

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

WD

4269

HAMMLER, GREDINGTON

1911 – 30

FORM A2.
BRITISH RAINFALL.
10 JAN 1912

Kept at Gredi… 11 …Sutton.

in the County of G… 5 in.

ove Ground — ft. 10 in.

, Sea Level 300 ft.

by W. G. Rolfe. E… 7.0.a.m.

R. Ybn. Li… { Name Bettisfield

Distance 3 Mls Direction South

IMPORTANT I… nd the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following. .02

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.03		.06	.13	.01	.09	.15				.02	.03	1
2					.02		.05				.05		2
3			.01		.10		.10			.23		.15	3
4				.03	.52				.04		.20	.06	4
5			.03	.01	.05			.08	.06		.18	.22	5
6	.20		.03		.09			.34		.20	.01		6
7	.13		.03					.05		.06	.06	.20	7
8	.02										.17		8
9	.14		.15								.20	.61	9
10	.02		.03								.19	.03	10
11			.13									.36	11
12	.20								.11		.57		12
13			.23						1.36		.25		13
14			.02								.02	.21	14
15			.03								.02	.30	15
16			.03			.13				.01	.10	.16	16
17	.01	.03								.04	.10	.03	17
18					.13	.68					.25	.11	18
19		.09		.16		.02				.01	.01	.22	19
20				.11		.16			.11	.28	.32	.44	20
21		.08		.03				1.01	.02	.07		.17	21
22		.16				.06	.01	.28		.17		.04	22
23	.07	.07		.01		.06				.33		.06	23
24		.26	.27			.03			.12	.10		.39	24
25	.01	.06	.01	.01		.04		.11		.25		.11	25
26		.16		.08		.07	.08		.12	.04		.03	26
27		.17		.10	.06	.01				.17	.11	.05	27
28		.26	.05	.06				.86	.35		.05	.12	28
29				.07		.01		.06			.04	.04	29
30				.10		.10	.12	.01	.05	.42	.01	.03	30
31										.24			31
Total	.83	1.34	1.11	.90	.98	1.46	.51	2.80	2.34	2.62	2.93	4.37	TOTAL for year
No. of Rain Days.	10	10	15	13	8	13	6	9	10	17	22	23	157

W. 8,000, X. '11.

WD cor. 3.V

FORM A2.
BRITISH RAINFALL.
10 JAN 1912

11

Kept at Gredington

in the County of Flint

by W.G. Rolfe. Gardener to Rt. Hon. Lord Kenyon. N.G.O.G.

Parish Hanmer. Sutton.

RAIN GAUGE: Diameter of top 5 in.
Height of top above Ground — ft. 10 in.
" " " Sea Level 300 ft.

Time of Observation 9.0.a.m.

Nearest Railway Station: Name Bettisfield
Distance 3 Mile Direction South

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following. .02

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.03		.06	.13	.01	.09	.15				.02	.03	1
2					.02		.05				.05		2
3			.01		.10		.10			.23		.15	3
4				.03	.52				.04		.20	.06	4
5			.03	.01	.05			.08	.06		.18	.22	5
6	.20		.03		.09			.34		.20	.01		6
7	.13		.03					.05		.06	.06	.20	7
8	.02										.17		8
9	.14		.15								.20	.61	9
10	.02		.03								.19	.03	10
11			.13									.36	11
12	.20								.11		.57		12
13			.23						1.36		.25		13
14			.02								.02	.21	14
15			.03								.02	.30	15
16			.03	XXX		.13				.01	.10	.16	16
17	.01	.03								.04	.10	.03	17
18					.13	.68					.25	.11	18
19		.09		.16		.02				.01	.01	.22	19
20				.11		.16			.11	.28	.32	.44	20
21		.08		.03				1.01	.02	.07		.17	21
22		.16				.06	.01	.28		.17		.04	22
23	.07	.07		.01		.06				.33		.46	23
24		.26	.27			.03			.12	.10		.39	24
25	.01	.06	.01	.01		.04		.11		.25		.11	25
26		.16		.08		.07	.08		.12	.04		.03	26
27		.17		.10	.06	.01				.17	.11	.05	27
28		.26	.05	.06				.86	.35		.05	.12	28
29				.07		.01		.06			.04	.04	29
30				.10		.10	.12	.01	.05	.42	.01	.03	30
31		.06	.13	.01	.09	.15				.24	.03	.03	31
Total	.83	1.34	1.11	.90	.98	1.46	.51	2.80	2.34	2.62	2.93	4.57	TOTAL for year 22.38
No. of Rain Days.	.80 10 9	1.46 10 11	1.18 15	.78 13	1.86 8	1.52 13	.36 6 5	2.80 9	2.34 10	2.64 16 17	3.04 22	4.58 25	157

W. 8,000, X. '11.

REGISTER OF RAINFALL IN 1912

Conforms wrong day. 9 Jan. 13.

FORM A. BRITISH RAINFALL.

9 JAN 1913

Kept at Gredington

in the County of Flint.

by W. G. Rolfe. Gardener. 15
Rt. Hon. Lord Kenyon. K.C.V.O.

Lat. ..... Long. .....

Time of Observation 9.0 a.m.

Nearest Railway Station Bettisfield

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground — ft. 10 in.

" " " " Sea Level 300 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following. .05

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.02	.07	.04	.15		.52	.38	.46	.10		.05	.06	1
2	.01		.05		.04	.07	.01	.05	.02		.01	.17	2
3		.10	.12	.02		.30	.08	.01				.03	3
4	.11		.07			.38	.02	.90	.04		.04	.05	4
5	.09	.07	.58		.15	.06		.35	.04		.31	.01	5
6	.11	.08	.07		.11	.34		.15	.02		.03	.01	6
7	.33	.10	.01		.09			.18	.02			.01	7
8		.07	.01		.01	.32		.03				.02	8
9	.40	.13	.04	.07		.08		.16	.06			.01	9
10	.16		.48	.15	.05	.87		.11			.03	.09	10
11	.38		.01	.01		.12	.02	.07			.38	.01	11
12	.03		.01		.05			.09			.08	.30	12
13	.03	.37	.10					.13				.03	13
14	.06							.44		.13		.01	14
15	.06		.47			.10					.03		15
16	.04	.08	.04		.20	.12		.06		.08		.02	16
17	.53		.15		.18			.01	.01		.02		17
18	.44	.03	.20			.10	.07	.31			.15	.29	18
19	.46	.01	.06					.48		.02	.05	.01	19
20	.10	.05			.02	.02	.14	.07		.03	.02	.05	20
21	.05		.20		.02		.05	.07		.12	.02	.01	21
22		.01	.16		.70			.04		.39		.02	22
23	.10	.12			.80		.17	.46		.01		.15	23
24	.06		.30		.01		.23	.15			.10	.05	24
25			.02			.18	.05	.18				.18	25
26						.10		.08		.01	.26	.29	26
27		.14	.05				.16	.43		1.09	.22	.04	27
28		.01	.06			.45	.45			.52	.08	.18	28
29		.06				.02	.44	.23	.04	.30	.73		29
30			.01			.15	.04	.02	.44	.04		.04	30
31	.07		.03		.01		.04			.12			31
Total	3.64	1.50	3.34	.40	2.44	4.30	2.35	5.72	.79	2.86	2.61	2.14	32.09
Rain Days.	22	17	26	4	16	19	16	28	9	14	19	27	217

3.69 1.47 3.45 .25 2.96 4.16 2.43 5.36 .69 2.91 2.62 2.13 32.12

W. 7,500, XI. 12

Cor. for W.D. 24. III. 14.

REGISTER OF RAINFALL IN 1913

FORM A. BRITISH RAINFALL. 6 JAN 1914

Kept at Gredington

in the County of Flint

by Rt. Hon. Lord Kenyon. K.C.V.O.

Lat. ____ Long. ____

Time of Observation 9.0.a.m.

Nearest Railway Station Bettisfield

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground — ft. 10 in.

" " " " Sea Level 300 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following. No Rain

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·05	·01		·46		·30					·05	·03	1
2		·04	·14	·08	·20				·21		·24		2
3	·01	·11	·14	·06	·12	·03			·05		·08		3
4	·01	·03	·12		·61				·01	·02	·01	·23	4
5	·62	·04	·01		·10	·04				·04	·06	·36	5
6	·34	·04	·05		·20	·26	·15	·10		1.11	·06	·03	6
7	·05	·18	·25		·26	·10	·89			·18	·02	·21	7
8	·01	·36	·04		·32	·25	·14			·30	·22	·02	8
9		·22	·03		·12	·05	·03	·05		·32			9
10		·22	·05	·12	·11	·12	·31	·12	·06		·06	·05	10
11	·06	·02		·12	·23	·02		·16		·09	·02		11
12	·66	·02		·34	·09	·05	·01	·21		·04	·25	·02	12
13					·06			·03	·10	·01	·30		13
14			·26				·05	·10	·14	·01	·15		14
15	·06		·65					·21		·11	·08		15
16	·03	·03	·43	·84				·02			·14	·02	16
17	·01		·16	·04				·21			·01		17
18	·04		·03	·06	·04		·05		·01		·04		18
19	·01		·26	·10	·03		·03				·06		19
20	·06		·06		·03	·06	·04		·10	·21			20
21	·03		·12	·08						·24	·45		21
22			·15	·03	·13		·10	·02			·02		22
23	·32		·45			·08		1.12	·45				23
24	·01		·01			·02		·01	·15		·14	·05	24
25	·14			·04				·02			·05	·01	25
26				·12					·31	·10	·01	·01	26
27		·12		·84					·05			·20	27
28		·02		·35						·41		·11	28
29	·24		·12	·55	·02					·41	·01	·03	29
30	·01		·38	·44				·22		·13	·02		30
31	·24									·24			31
Total	3·04 (3·00)	1·52 (1·51)	4·21 (4·67)	4·46 (4·30)	2·64 (2·97)	1·38 (1·08)	1·86 (1·86)	2·60 (2·60)	1·64 (1·64)	4·30 (4·35)	2·58 (2·56)	1·38 (1·35)	YEAR'S TOTAL 31·94 (31·89)
Rain Days.	22	~~15~~ 14	~~22~~ 23	~~18~~ 17	~~14~~ 18	~~13~~ 12	11	15	12	~~18~~ 19	~~25~~ 25	~~15~~ 14	~~203~~ 202

V.7,000, XI. 13

31·89

cwd for WD. 27.IV.15

REGISTER OF RAINFALL IN 1914

FORM A. BRITISH RAINFALL. 6 JAN 1915

Kept at Gredington

in the County of Flint

by W. G. Rolfe. Head Gardener for Rt. Hon. Lord Kenyon. K.C.V.O.

Lat. ____ Long. ____

Time of Observation 9.0 a.m.

Nearest Railway Station Bettisfield

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground — ft. 10 in.

" " " " Sea Level 300 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following. .03

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1		.24	.08	.02		.05		.46			.04	.24	1
2		.01	.03				.36	.68			.01	.38	2
3					.03		1.45	.19		.06	.20	.22	3
4	.01		.03	.09	.22		.04	.02			.02	.84	4
5	.12		.01	.22	.30		.12	.03			.64	.26	5
6	.14		.11	.22	.12		.18	.03			.15	.01	6
7	.02	.04		.04	.03	.06	.05	.02			.12	.28	7
8	.01	.03	.36	.02	.21	.09	.05	.13			.02	.24	8
9	.01			.11	.18	.21	.10	.23	.05		.01	.04	9
10	.35	.02	.10	.14	.10	.40		.15	.12		.02	.01	10
11	.03	.10	.15	.15	.04	.52			.21				11
12		.26	.28	.02	.13	.06			.03		.33	.51	12
13		.48	.12		.01	.02			.22			.18	13
14		.23	.20				.09			.54	.39	.15	14
15		.23	.08						.01	.19	.28	.02	15
16			.28					.05		.01	.05	.02	16
17	.01	.04	.04				.04		.22			.02	17
18	.01	.25	.20				.04		.22			.52	18
19			.08						.12			.21	19
20		.02	.06				.31	.05	.23		.05	.06	20
21		.18	.14			.34	.05					.11	21
22		.26	.02			.25		.05		.14		.43	22
23		.09	.01	.04	.06	.13		.14		.14			23
24		.05	.04		.28					.02			24
25		.02	.36	.03			.12	.15		.04	.05		25
26	.19	.02	.01				.14	.16		.55	.08	.35	26
27	.04		.02				.05	.06		.12	.12	.35	27
28	.04		.01							.02	.18	1.25	28
29	.31		.26		.11						.04	.26	29
30	.01	X	.03		.04					.05	.20	.08	30
31	.01	X	.06	X		X		.03	X	.03	X	.18	31
	.27	.08	.02	—	.05	—	.46	—	—	.04	.27	.03	
Total	1.34	2.60	3.23	1.13	1.89	2.13	3.25	2.63	1.43	1.94	3.00	4.31	YEAR'S TOTAL 31.88
Rain Days.	16 17	19	28	13 11	15 16	11 10	16 17	18 17	10	13 14	21	24	206 207

W. 8,000. X. 14.

Compiled WLD 18-V-16.

4253

FORM A. BRITISH RAINFALL.

REGISTER OF RAINFALL IN 1915

6 JAN 1916

Kept at Gredington

in the County of Flint

for Rt Hon Lord Kenyon. K.C.V.O.

by W. G. Rolfe. Head Gardener.

Lat. ____ Long. ____

Time of Observation 9.0.a.m.

Nearest Railway Station Bettisfield

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground — ft. 10 in.

" " " " Sea Level 300 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following. .54

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.03	.10	.11		.08			.15	.04	.03	.03	.03	1
2	.40	.04	.15		.54		.04	.06	.19	.15		.35	2
3	.11	.12	.28	.23		.05		.85		.11		.05	3
4	.72	.05	.02	.05			.35			.01		.16	4
5	.02	.29			.38							.91	5
6	.08	.09	.02		.05	.04	.15	.08				.56	6
7	.11	.08		.04			.24	.06				.21	7
8	.23	.21					.14	.20			.03	.15	8
9	.15	.25		.04				.05			.12		9
10	.18	.05		.28							.14	.52	10
11	.31		.04	.22				.16		.06	.04	.05	11
12	.03			.08	.40		.06	.16			.64	.09	12
13	.06	.03		.10	.34			.05		.34	2.06		13
14		.28		.10	.21			.18			.29	.04	14
15	.01	.02		.03	.04			.04	.04	.02		.22	15
16	.31			.03	.04		.04	.06			.20	.12	16
17	.11	.44			.39		.94	.49				.02	17
18		.82			.44							.02	18
19	.05	.34	.03									.02	19
20		.04		.03	.16		.10						20
21	.05	.01			.06		.04					.05	21
22	.24			.02			.24					.06	22
23	.02	.11	.14				.14			.04		.14	23
24		.31	.10	.04		.04	.21			.80		.10	24
25	.03		.18	.16			.22		.36	.64		.12	25
26						.44	.11			.02		.15	26
27		.20					.33		.11			.48	27
28	.01	.11					.38		.02	.38		.92	28
29						.78		.22		.10		.03	29
30		X				.21	.03	.18			.18	.04	30
31	.10	X		X		X	.01	.03	X	.26	X	.04	31
Total	3.36 (3.43)	4.08 (4.09)	1.07 (.96)	1.54 (1.62)	3.16 (3.08)	1.59 (1.59)	3.86 (4.01)	3.32 (3.21)	.96 (.75)	3.02 (3.02)	3.73 (3.73)	5.65 (6.19)	YEAR'S TOTAL 35.14 (35.68)
Rain Days.	23	22	10 (9)	15 (16)	13 (12)	6	19 (20)	14	6	14	10	28	183

W. 8,000. X. 15.

REGISTER OF RAINFALL IN 1916

FORM A. BRITISH RAINFALL.

11. JAN 1916

Kept at Gredington. Whitchurch Salop

in the County of Flint.

by W. G. Rolfe. Head Gardener.

For Rt Hon. Lord Kenyon. K.C.V.O.

Lat. ..... Long. .....

Time of Observation 9.0 a.m.

Nearest Railway Station Bettisfield

Diameter of Funnel of Rain Gauge ..... in.

Height of top of Gauge above Ground ..... ft. ..... in.

" " " " Sea Level 300. ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following. .03

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.54		.19				.09				.41		1
2	.16		.48			.06	.28				.18		2
3	.14	.11	.31				.20		.34	.64	.02		3
4	.04	.34	.01	.04	.04	.10	.15		.28	.24	.21	.05	4
5	.02	.09	.05	.08	.61	.10	.48		.04	.05	.24		5
6		.14			.21	.05				.52	.14		6
7	.05	.22			.30		.29			.13	.44		7
8	.06	.02	.04		.16		.11			.10	.04	.45	8
9	.08		.18		.06					.03	.02	.08	9
10		.02	.03		.28	.18	.02		.04		.05	.06	10
11		.34	.06	.03	.04				.03	.02	.01	.14	11
12	.03	.19	.09	.06	.10	.04			.02			.06	12
13	.02	.05	.11		.29		.12	.02	.02	.05			13
14	.04	.11	.11	.05	.04			.25		.06	.02	.06	14
15		.18	.03	.09	.04			.08	.04	.16			15
16		.24	.35	.16	.03		.15	.03		.10			16
17		.03	.02	.13			.02	.52		.04			17
18	.05	.16		.16			.02	.10	.39	.41			18
19	.06	.16	.06	.04				.05	.30	.04	.35	.25	19
20	.12		.26	.04				.03		.18	.89		20
21	.10		.44	.05							.01	.04	21
22	.04		.48									.04	22
23			.01	.04		.08				.19	.03	.09	23
24	.04		.04	.03		.08		.15		.01	.30	.34	24
25		.28	.01	.02	.13	.31		.29		.19		.09	25
26		.05	.10		.25	.04		.14	.03	.01	.50		26
27		.09				.08		.42	.03	.10	.08		27
28	.03	.08				.06			.10	.24	.05	.02	28
29		.24			.05					.14	.02	.06	29
30		X				.32		.04		.10		.18	30
31		X		X		X			X	.14	X	.02	31
Total	1.68	3.26	3.46	1.08	2.66	1.53	2.23	2.12	1.75	3.89	4.01	2.12	YEAR'S TOTAL 29.49
Rain Days.	18	21	23	15	16	13	12	13	13	25	21	14	204

W. 8,000, VIII. 16

REGISTER OF RAINFALL IN 1917

FORM A. BRITISH RAINFALL.

Kept at Gredington

in the County of Flintshire

by A Cowper for the Lord Kenyon

Lat. 52° 57' Long. 2° 50' W. JAN 1918

Time of Observation 9 a.m.

Nearest Railway Station Bettisfield

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground ft. 11 in.

" " " " Sea Level 300 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W. 1.

Jan. 1, following. None.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.03	—	—	.12	—	.04	—	—	.15	—	—	.05	1
2	—	—	.15	—	—	.20	—	.04	.14	—	.12	.05	2
3	.04	—	—	.30	—	.02	—	.25	—	—	.12	.21	3
4	—	.12	—	.12	—	—	—	.30	—	.30	.02	.15	4
5	.05	—	.16	—	—	—	—	.40	—	1.30	.02	—	5
6	.49	—	.19	.10	—	—	—	.35	—	.33	.08	—	6
7	.12	—	.06	—	—	.06	—	—	—	.22	.25	—	7
8	.34	—	—	—	—	—	—	—	—	.17	.12	.08	8
9	.52	—	—	.07	—	—	—	.04	—	.33	.08	.12	9
10	—	—	.14	.04	.10	—	—	.60	—	.50	.35	—	10
11	.47	—	.64	.04	.04	—	—	.13	—	.03	.20	—	11
12	.15	—	—	.06	—	—	—	.12	—	.20	.02	—	12
13	.04	—	—	.06	.80	—	—	.50	—	.10	—	—	13
14	.04	—	—	.10	.07	—	—	.40	.13	.03	—	—	14
15	—	—	—	.08	—	—	—	—	—	—	—	.05	15
16	—	—	—	—	.12	—	.02	.14	—	.20	—	.18	16
17	.03	—	—	.20	—	1.15	—	—	—	—	—	.12	17
18	.01	.04	.05	.07	.44	.04	.50	.63	—	.02	—	.02	18
19	—	.01	—	.07	.04	—	.45	.20	.50	.13	—	—	19
20	—	.51	.22	—	.03	.30	—	—	—	—	—	—	20
21	—	.17	.38	—	.20	.43	.04	.05	.02	—	.18	—	21
22	—	—	.04	—	.12	.20	—	—	—	.02	.12	—	22
23	—	—	.16	—	—	—	—	.12	.14	.02	—	—	23
24	—	.29	—	—	—	—	—	.03	—	.32	.05	—	24
25	—	—	.05	—	—	.12	—	.04	—	.08	.12	—	25
26	—	.08	.08	—	—	.05	—	.03	—	.08	.05	—	26
27	—	—	—	—	—	.22	—	.65	.10	.10	.20	—	27
28	—	—	.04	—	1.40	.30	.20	.68	—	—	—	—	28
29	—	—	.10	—	—	—	—	.10	—	.05	—	—	29
30	—	X	—	—	—	—	.04	—	—	.38	—	.10	30
31	.03	X	.20	X	—	X	—	.35	X	.12	X	—	31
Total	~~2.36~~ 2.33	~~1.22~~ 1.22	~~2.66~~ .12 2.78	~~1.43~~ 1.31	~~3.36~~ .04 3.40	~~3.13~~ 3.09	1.25	~~6.15~~ .15 6.30	~~1.18~~ 1.03	~~5.03~~ 5.03	~~2.10~~ .05 2.15	1.13 1.98	YEAR'S TOTAL ~~31.00~~ 30.97
Rain Days.	14	7	16	14	11	12	6	23	6	23	18	16	162

W. 8,000, IX. 17.

recorded to day of entry, with Jan 1st 1918 added,

161

REGISTER OF RAINFALL IN 19 18

FORM A. BRITISH RAINFALL

Kept at Gredington

in the County of Flintshire

by A Cowper for Rt. Hon.ble Lord Kenyon

Lat. 52° 54′ Long. 2° 50′ W

Time of Observation 9 a.m.

Nearest Railway Station Bettisfield

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 11 ~~ft.~~ inches

" " " " Sea Level 300 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W. 1.

Jan. 1, following. .21

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	—	—	—	.13	—	—	—	—	.03	.06	—	.02	1
2	—	.12	—	.07	—	—	—	.23	.02	.13	.16	—	2
3	—	.04	—	.08	—	—	—	.43	—	—	—	.15	3
4	—	.04	—	—	.65	—	—	.23	.23	—	—	—	4
5	.02	.04	—	—	.18	—	—	.70	.83	.08	.32	.23	5
6	—	—	.02	—	—	—	—	.13	.18	.54	.04	.02	6
7	.01	.25	—	.33	—	.05	—	—	.30	.06	—	—	7
8	—	.04	—	.03	.11	.15	—	.02	.08	.02	.04	—	8
9	—	.20	—	—	—	—	.53	—	.73	.10	—	—	9
10	—	.75	—	.24	—	1.40	.12	—	.10	.13	—	.10	10
11	.04	.02	—	.73	—	—	.10	—	.18	—	.02	.02	11
12	.06	.03	—	—	.10	—	.19	—	.02	—	—	.03	12
13	—	.14	—	.02	.11	—	.85	—	.18	—	—	—	13
14	—	—	—	.02	.08	—	—	—	.07	.03	—	—	14
15	.63	.02	—	—	—	.05	.22	—	.12	.03	—	.18	15
16	—	—	—	—	—	—	.77	—	.83	.06	—	.35	16
17	.32	—	—	1.30	—	.05	.30	.12	.20	—	—	.04	17
18	.53	—	—	—	.05	—	.07	—	.04	.10	—	.25	18
19	.35	—	—	—	.10	.18	.04	—	.34	—	—	.14	19
20	.15	—	.10	—	—	—	.23	—	—	.08	—	.50	20
21	.13	.25	—	.28	—	.05	1.10	—	.14	—	—	.32	21
22	.06	—	—	.14	.77	.03	.01	—	.25	—	—	.08	22
23	.03	—	—	—	1.65	—	.05	—	.03	—	—	.41	23
24	.03	—	—	—	.52	—	.17	—	.04	—	—	—	24
25	—	.08	—	—	—	—	.08	.07	.08	—	.18	.24	25
26	—	—	—	—	.08	—	.15	.35	.04	—	—	—	26
27	—	—	—	.05	—	—	.51	.06	.06	.04	.03	—	27
28	—	.15	.13	—	—	—	—	.20	.08	—	.05	.02	28
29	—	.08	.28	—	—	—	—	—	—	—	.12	.14	29
30	—	X	.07	—	—	—	—	—	.43	—	—	—	30
31	—	X	.21	X		X	—	—	X	—	X	—	31
Total	2.36	2.25	.81	3.42	4.40	1.96	5.49	2.63	5.63	1.46	.96	3.24	34.61
Rain Days.	13	16	6	13	12	8	18	11	27	14	9	19	166

W. 8,000, IX. 17.

3810

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1919.

Kept at Gredington

in the County of Flint

by W. G. Rolfe. Head Gardener

for R.t. Hon Lord Kenyon - 4.6.19.6.

Lat. 52° 54' N. Long. 2° 50' W.

Time of Observation 9. 9 a.m.

Nearest Railway Station Battlefield

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground — ft. 11 in.

" " " " Sea Level 300 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1. following. .08

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1					.09		.15	.05				.21	1
2	.11			.04	.13		.35		.19	.30		.38	2
3			.18		.02		.09		.05	.04	.06	.06	3
4			.23	.04	.03	.05	.10		.02		.08		4
5		.20	.21			.04	.30	.08	.03			.15	5
6	.02	.08	.18		.04				.01			.28	6
7	.05	.03	.11									.05	7
8	.04		.08	.05							.05		8
9	.38		.02			.01							9
10	.11			.04									10
11			.34									.15	11
12			.40	.05	.06		.23			.03		.01	12
13	.03		.83	.05		.53	.02		.06	.04		.02	13
14	.13			.35			.04		.12	.79		.04	14
15	.23			.39			.14		.02	.44		.04	15
16	.23	.12		.59	.23					.14		.45	16
17	.02	.25		.01		.04	.03					.02	17
18	.02			.03		.10		.26					18
19		.32	.65				.04	.53	.03			.11	19
20		.92	.96			.03	.02	.54	.41			.02	20
21	.45	.02	.65			.04		.04	.12			.22	21
22		.23				.02	.40		.02			.08	22
23		.25	.03				.02		1.29			1.32	23
24						.14				1.29	.06	.01	24
25				.08	.15	.03		.02	.01		.13	.12	25
26	.02			.20	.09			.24					26
27		.02	.08	.05		.10	.04	.02	.05	.68	.06	.42	27
28				.36				.08			.02	.03	28
29	.10			.05		.02		.82				.35	29
30	.02		.32	.10				.41				.30	30
31										.02		.14	31
TOTAL	1.96	2.44	5.24	2.99	.84	1.15	1.84	3.12	2.43	3.80	.46	5.04	YEAR'S TOTAL 31.08
Days with .01 in. or more	16	11	16	2.66 18	.75 8	1.33 14	1.87 15	3.07 11	15	10	.67 8	4.91 25	31.16 167

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

31.16

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

13 JAN 1921

Kept at Gredington

in the County of Flint

by Rt-Hon Lord Kenyon. K.C.B.C.

Gardener. W. G. Rolfe.

Lat. ..... Long. .....

Time of Observation 9.0 a.m.

Nearest Railway Station Bettisfield

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground — ft. 10 in.

" " " " Sea Level 300 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.
·01

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·08	·04		·08	·24	·04	·05	·12		·53	·28	·12	1
2			·05	·33	·30		·31	·01	·20	·10		·18	2
3	·01			·22	·02		·04		·12	·12		·20	3
4	·06	·18		·53	·03	·05	·45	·06	·27	·12		·02	4
5				·04	·03		·06	·60	·05	·20		·01	5
6		·02	·05		·02		·26	·04	·13	·14		·02	6
7			·76	·02	·02		·03			·86			7
8	·01	·09	·05	·06			·37			·01	·01	·02	8
9	·36	·01		·57	·15		·13	·25		·02		·02	9
10	·18	·02	·02	·55			·23	·06	·03	·01	·02	·01	10
11	·35	·12	·03	·02			·18					·04	11
12	·24	·02	·10	·25	·34	·42	·01					·03	12
13	·08	·03	·03	·13	·04	1.13	·14	·02			·15		13
14	·10	·09	·33	·09					·01		·09		14
15	·01	·08	·24	·27		·58	·05		·90	·34	·32		15
16		·16	·43	·38					·03	·05			16
17			·02	·12	·13	·05	·40		·20	·53			17
18					·40		·19	·03	·24				18
19	·43				·45	·34	·20	·04	·05				19
20		1.44		·15	·05	·06							20
21	·01	·63		·53		·01	·14	·21	·02			·04	21
22		·01		·04			·37	·02				·13	22
23	·02			·13			·26	·09					23
24		·01	·13	·04			·12	·14				·44	24
25	·03		·55	·03				·02				·14	25
26		·09	·33	·06	·54		·94	·03				·01	26
27		·02	·64	·03	·41	·02	·14				·07	·01	27
28	·26	·03	·13	·26	·64	·26	·03				·02	·26	28
29	·92		·33	·25	·24	·14	·02					·14	29
30	·06	X	·24	·04	1.52		·22				·15	·64	30
31	·06	X	·12	X	·04	X	·03		X		X	·25	31
TOTAL	3.27	3.09	4.64	5.25	5.64	3.13	5.10	1.74	2.25	3.03	1.11	2.82	YEAR'S TOTAL 41.57
Days with ·01 in. or more	16	19	20	27	25	12	25	16	13	13	9	21	216
Days with ·04 in. or more	13	10	16	23	15	10	22	10	9	10	6	12	156

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

HAWARDEN BRIDGE
FLINTSHIRE
1912 – 1920

Kept at Hawar

in the County of

by Jas E G

FORM A. BRITISH RAINFALL. 2 JAN 1913

7.0 am

Ekotion Level

9" in.

above Ground 1 ft. 0 in.

" Sea Level 15' ft.

IMPORTANT

previous day. If

requested to add th

for it at the end

the selection and

Organization are given in "*Rules for Rainfall Observers*," sent post free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

and the result entered to the

universal rule, he is earnestly

year in the space provided

urement of rain,

British Rainfall

Jan. 1, following. 0.00

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	0.00	0.00	0.01	0.06	0.00	0.11	0.19	0.65	0.16	0.01	0.00	0.00	1
2	0.00	0.00	0.02	0.00	0.00	0.06	0.06	0.22	0.08	0.00	0.00	0.28	2
3	0.00	0.00	0.02	0.00	0.00	0.09	0.02	0.00	0.00	0.00	0.00	0.05	3
4	0.23	0.00	0.01	0.00	0.02	0.16	0.00	0.60	0.06	0.00	0.00	0.01	4
5	0.10	0.00	0.54	0.00	0.04	0.26	0.00	0.36	0.01	0.00	0.06	0.00	5
6	0.08	0.00	0.00	0.00	0.01	0.31	0.00	0.01	0.01	0.00	0.00	0.00	6
7	0.40	0.25	0.00	0.00	0.01	0.00	0.00	0.14	0.01	0.00	0.00	0.00	7
8	0.00	0.02	0.02	0.00	0.06	0.01	0.03	0.00	0.02	0.00	0.00	0.05	8
9	0.36	0.18	0.11	0.02	0.00	0.09	0.00	0.01	0.01	0.00	0.01	0.00	9
10	0.02	0.01	0.32	0.16	0.00	0.31	0.00	0.00	0.00	0.00	0.00	0.01	10
11	0.04	0.00	0.00	0.06	0.00	0.26	0.00	0.09	0.00	0.03	0.28	0.03	11
12	0.01	0.00	0.00	0.00	0.00	0.00	0.05	0.02	0.00	0.00	0.00	0.29	12
13	0.00	0.24	0.08	0.00	0.00	0.01	0.00	0.50	0.00	0.01	0.00	0.00	13
14	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.23	0.00	0.04	0.00	0.02	14
15	0.04	0.00	0.18	0.00	0.00	0.01	0.60	0.14	0.01	0.01	0.00	0.01	15
16	0.18	0.06	0.10	0.00	0.25	0.02	0.00	0.01	0.00	0.00	0.00	0.04	16
17	0.50	0.01	0.02	0.00	0.06	0.00	0.00	0.01	0.00	0.13	0.01	0.00	17
18	0.33	0.13		0.00	0.01	0.20	0.00	0.14	0.01	0.00	0.08	0.08	18
19	0.28	0.01		0.00	0.00	0.00	0.00	0.13	0.00	0.02	0.05	0.00	19
20	0.48	0.05		0.00	0.04	0.00	0.01	0.14	0.00	0.10	0.02	0.00	20
21	0.58	0.00		0.00	0.61	0.00	0.02	0.08	0.00	0.30	0.08	0.00	21
22	0.00	0.00		0.00	0.61	0.00	0.04	0.09	0.00	0.40	0.01	0.08	22
23	0.01	0.01		0.00	0.00	0.00	0.06	0.44	0.00	0.00	0.00	0.10	23
24	0.00	0.00		0.00	0.00	0.09	0.19	0.38	0.00	0.02	0.11	0.01	24
25	0.05	0.00	*0.84	0.00	0.00	0.04	0.46	0.18	0.00	0.01	0.00	0.15	25
26	0.00	0.00	0.01	0.00	0.00	0.09	0.00	0.00	0.00	0.00	0.32	0.10	26
27	0.00	0.05	0.10	0.00	0.00	0.02	0.12	0.25	0.00	0.92	0.01	0.08	27
28	0.00	0.00	0.06	0.00	0.00	0.14	0.43	0.00	0.00	0.28	0.08	0.05	28
29	0.00	0.01	0.00	0.00	0.00	0.15	0.08	0.13	0.04	0.24	0.10	0.00	29
30	0.00		0.00	0.00	0.00	0.25	0.06	0.16	0.43	0.04	0.00	0.01	30
31	0.02		0.02		0.11		0.02	0.00		0.05		0.00	31
Total	~~1.02~~ 4.02	~~1.03~~ 1.04	~~2.49~~ 2.54	0.30 .24	~~1.66~~ 1.77	~~2.44~~ 2.85	~~1.84~~ 2.30	~~5.53~~ 5.04	~~0.91~~ .79	~~2.80~~ 2.79	~~1.52~~ 1.52	~~1.54~~ 1.57	YEAR'S TOTAL ~~26.44~~ 26.47
Rain Days.	19	~~16~~ 18	~~22~~ 24	3	13	21	16	25	12	~~16~~ 16	14	19	~~180~~ 194

*Total during Stoppage

W. 7,500, XI. 12

Co. forwd. 13.VI.13.

Kept at Hawarden Bridge

in the County of Flintshire

by Jas E Griffiths

Lat. ____ Long. ____

Time of Observation 9.0 am

Nearest Railway Station Bhotton L&NWR

Diameter of Rain Gauge 9" in.

Height of top of Gauge above Ground 1 ft. 0 in.

" " " " Sea Level 15' ft.

Form A. British Rainfall. 2 JAN 1913

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following. 0.00

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
1	0.00	0.00	0.01	0.06	0.00	0.11	0.19	0.65	0.16	0.01	0.00	0.00	1
2	0.00	0.00	0.02	0.00	0.00	0.06	0.06	0.22	0.08	0.00	0.00	0.28	2
3	0.00	0.00	0.02	0.00	0.00	0.09	0.02	0.00	0.00	0.00	0.00	0.05	3
4	0.23	0.00	0.01	0.00	0.02	0.16	0.00	0.60	0.06	0.00	0.00	0.01	4
5	0.10	0.00	0.54	0.00	0.04	0.26	0.00	0.36	0.01	0.00	0.06	0.00	5
6	0.08	0.00	0.00	0.00	0.01	0.31	0.00	0.01	0.01	0.00	0.00	0.00	6
7	0.40	0.25	0.00	0.00	0.01	0.00	0.00	0.14	0.01	0.00	0.00	0.00	7
8	0.00	0.02	0.02	0.00	0.06	0.01	0.03	0.00	0.02	0.00	0.00	0.05	8
9	0.36	0.18	0.11	0.02	0.00	0.09	0.00	0.01	0.01	0.00	0.01	0.00	9
10	0.02	0.01	0.32	0.16	0.00	0.31	0.00	0.00	0.00	0.00	0.00	0.01	10
11	0.04	0.00	0.00	0.06	0.00	0.26	0.00	0.09	0.00	0.03	0.28	0.03	11
12	0.01	0.00	0.00	0.00	0.00	0.00	0.05	0.02	0.00	0.00	0.00	0.29	12
13	0.00	0.04	0.08	0.00	0.00	0.01	0.00	0.50	0.00	0.01	0.00	0.00	13
14	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.23	0.00	0.04	0.00	0.02	14
15	0.04	0.00	0.18	0.00	0.00	0.01	0.60	0.14	0.01	0.01	0.00	0.01	15
16	0.18	0.06	0.10	0.00	0.25	0.02	0.00	0.07	0.00	0.00	0.00	0.04	16
17	0.50	0.01	0.02	0.00	0.06	0.00	0.00	0.01	0.00	0.13	0.01	0.00	17
18	0.33	0.13		0.00	0.01	0.20	0.00	0.04	0.01	0.00	0.08	0.08	18
19	0.28	0.01		0.00	0.00	0.00	0.00	0.13	0.00	0.02	0.05	0.00	19
20	0.48	0.05		0.00	0.01	0.00	0.01	0.14	0.00	0.10	0.02	0.00	20
21	0.58	0.00		0.00	0.61	0.00	0.02	0.08	0.00	0.30	0.08	0.00	21
22	0.00	0.00		0.00	0.61	0.00	0.01	0.09	0.00	0.40	0.01	0.08	22
23	0.01	0.01		0.00	0.00	0.00	0.06	0.44	0.00	0.00	0.00	0.10	23
24	0.00	0.00		0.00	0.00	0.09	0.19	0.38	0.00	0.02	0.11	0.01	24
25	0.05	0.00	*0.84	0.00	0.00	0.04	0.46	0.15	0.00	0.01	0.00	0.15	25
26	0.00	0.00	0.01	0.00	0.00	0.09	0.00	0.00	0.00	0.00	0.32	0.10	26
27	0.00	0.05	0.10	0.00	0.00	0.02	0.12	0.25	0.00	0.92	0.01	0.08	27
28	0.00	0.00	0.06	0.00	0.00	0.14	0.43	0.00	0.00	0.38	0.08	0.05	28
29	0.00	0.01	0.00	0.00	0.00	0.15	0.08	0.13	0.04	0.24	0.40	0.00	29
30	0.00		0.00	0.00	0.00	0.25	0.06	0.16	0.43	0.04	0.00	0.01	30
31	0.02		0.02		0.11		0.02	0.00		0.05		0.00	31
Total	4.02	1.03	2.49	0.30	1.66	2.44	1.84	5.53	0.94	2.80	1.52	1.54	YEAR'S TOTAL 26.47
Rain Days.	19	14	(22) 24	3	13	21	16	25	12	16	14	19	26.47 180 194

W. 7,500, XI. 12

*Total during Stoppage

4.02 1.04 2.54 .24 1.77 2.85 2.30 5.04 .79 2.79 1.52 1.57

Section [A] for the entry of Daily Observations — Station No.....

METEOROLOGICAL OFFICE

METFORM 1090 (Rev. Feb. 1965)

REGISTER OF RAINFALL IN 1962

Kept at HOWARDEN BRIDGE

in the County of FLINTSHIRE

Diameter of funnel of gauge.....in.

Height of top of gauge above ground.....ft.....in.

Height of ground above sea level.....ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph. **Please read Notes and Instructions Overleaf**

Jan. 1, following

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1			.02			.06	.06	.22	.08			.28		1
2			.02			.09	.02					.05		2
3	.23		.01		.02	.16		.60	.06			.04		3
4	.10		.54		.07	.26		.36	.01		.06			4
5	.08				.01	.31		.04	.04					5
6	.70	.25			.01			.17	.01					6
7		.02	.02		.06	.01	.03		.02			.05		7
8	.36	.18	.11	.02		.09		.01	.04		.01			8
9	.02	.01	.32	.16		.34						.04		9
10	.04			.06		.26		.09		.03	.28	.03		10
11	.01						.05	.02				.29		11
12		.24	.08			.01		.50		.01				12
13	.01							.23		.07		.02		13
14	.04		.18			.04		.17	.01	.01		.01		14
15	.18	.06	.10		.25	.02		.01				.07		15
16	.50	.01	.02		.06			.01		.13	.01			16
17	.33	.13			.01	.20		.44	.01		.08	.08		17
18	.28	.01	10					.13		.02	.05			18
19	.48	.05	19		.04		.01	.17		.10	.02			19
20	.58		12		.41		.02	.08		.30	.08			20
21			13		.61		.04	.09		.40	.01	.08		21
22	.01	.01	—				.06	.47				.10		22
23			27			.09	.19	.38		.02	.11	.01		23
24	.05		06			.07	.46	.15		.01		.15		24
25			.01			.09					.32	.10		25
26		.05	.10			.02	.12	.25		.92	.01	.08		26
27			.06			.14	.43	[illegible]		.38	.08	.05		27
28		.01				.15	.08	.13	.07	.27	.40			28
29		[illegible]				.25	.06	.16	.43	.07		.04		29
30	.02	X	.02	.06	.11	.11	.02		.16	.05				30
31		X	.01	X		X	.19	.65	X	.01	X			31
TOTAL	4.02	1.04	2.54	.24	1.77	2.85	2.30	5.04	.79	2.79	1.52	1.57		26.47
*Days with .01 in. or more.		103	249	30	166	277	184	553	94	280				
*Days with .04 in. or more.														

Year's Total [illegible]

*See Instruction 3(g) on other side. †Spare column, no entries required, except year's total.

(Signed).....(P.T.O.)

Exc 32 Cor. for wd. 1.V.14.

REGISTER OF RAINFALL IN 1913

FORM A. BRITISH RAINFALL.

3 JAN 1914

Kept at Hawarden Bridge

in the County of Flintshire

by Jas E. Griffiths

Lat. ____ Long. ____

Time of Observation 9.0 am

Nearest Railway Station Shotton (L&NWRy.)

Diameter of Rain Gauge nine in.

Height of top of Gauge above Ground one ft. — in.

" " " " Sea Level fifteen ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following. (—) estd.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
1	0.00	0.04	0.00	0.30	0.00	0.12	0.00	0.00	0.00	0.00	0.00	0.01	1
2	0.01	0.00	0.01	0.00	0.10	0.00	0.00	0.00	0.00	0.00	0.11	0.00	2
3	0.00	0.04	0.06	0.02	0.01	0.00	0.00	0.00	0.00	0.00	0.10	0.09	3
4	0.00	0.00	0.20	0.00	0.62	0.00	0.00	0.00	0.00	0.00	0.00	0.48	4
5	0.38	0.02	0.00	0.00	0.19	0.00	0.03	0.00	0.00	0.51	0.00	0.02	5
6	0.39	0.04	0.01	0.00	0.24	0.41	0.05	0.00	0.00	0.13	0.01	0.04	6
7	0.05	0.13	0.24	0.00	0.14	0.08	1.69	0.00	0.00	0.05	0.00	0.05	7
8	0.00	0.20	0.04	0.00	0.15	0.16	0.02	0.00	0.00	0.21	0.15	0.11	8
9	0.01	0.09	0.06	0.00	0.16	0.06	0.04	0.42	0.02	0.01	0.00	0.00	9
10	0.00	0.20	0.02	0.10	0.07	0.24	0.16	0.00	0.02	0.00	0.11	0.10	10
11	0.06	0.01	0.01	0.03	0.11	0.01	0.03	0.54	0.00	0.26	0.13	0.00	11
12	0.96	0.00	0.00	0.32	0.03	0.06	0.00	0.46	0.00	0.01	0.11	0.00	12
13	0.00	0.00	0.00	0.00	0.06	0.01	0.01	0.01	0.04	1.00	0.43	0.01	13
14	0.00	0.00	0.24	0.01	0.00	0.00	0.00	0.06	0.08	0.00	0.20	0.00	14
15	0.26	0.00	0.20	0.00	0.00	0.00	0.00	0.24	0.15	0.13	0.01	0.00	15
16	0.06	0.00	0.23	0.05	0.00	0.00	0.00	0.00	0.04	0.00	0.05	0.04	16
17	0.00	0.00	0.10	0.13	0.03	0.00	0.00	0.00	0.00	0.00	0.04	0.00	17
18	0.01	0.00	0.02	0.13	0.00	0.00	0.05	0.00	0.05	0.01	0.04	0.00	18
19	0.00	0.00	0.22	0.10	0.09	0.01	0.01	0.00	0.00	0.00	0.01	0.00	19
20	0.10	0.00	0.01	0.00	0.00	0.05	0.01	0.00	0.01	0.26	0.00	0.00	20
21	0.08	0.00	0.20	0.05	0.00	0.02	0.02	0.00	0.01	0.20	0.20	0.00	21
22	0.00	0.00	0.10	0.01	0.04	0.00	0.16	0.04	0.00	0.00	0.01	0.00	22
23	0.30	0.00	0.65	0.00	0.00	0.30	0.00	0.90	0.49	0.00	0.01	0.00	23
24	0.00	0.00	0.06	0.00	0.00	0.02	0.00	0.01	0.13	0.00	0.08	0.28	24
25	0.08	0.02	0.00	0.00	0.01	0.00	0.00	0.02	0.00	0.00	0.01	0.00	25
26	0.00	0.00	0.01	0.09	0.00	0.00	0.00	0.00	0.22	0.08	0.01	0.04	26
27	0.00	0.00	0.00	0.80	0.00	0.00	0.00	0.00	0.18	0.00	0.00	0.00	27
28	0.00	0.02	0.00	0.04	0.00	0.00	0.00	0.00	0.00	0.18	0.01	0.35	28
29	0.11	~~0.00~~	0.10	0.30	0.00	0.00	0.00	0.00	0.00	0.38	0.01	0.10	29
30	0.00		0.28	0.34	0.18	0.00	0.00	0.01	0.00	0.09	0.05	0.00	30
31	0.14		0.00		0.00		0.00	0.00		0.10		0.00	31
Total	~~3.00~~ 3.04	0.81	~~3.04~~ 3.34	~~2.85~~ 2.55	~~2.25~~ 2.37	1.55	~~2.34~~ 2.34	~~2.42~~ 2.73	~~1.47~~ 1.47	3.11	~~1.89~~ 1.90	~~2.13~~ 2.11	YEAR'S TOTAL ~~24.19~~ 27.19
Rain Days.	~~16~~ 17	~~11~~ 10	~~23~~ 24	~~16~~ 16	~~18~~ 18	~~13~~ 13	13	11	13	16	~~23~~ 24	~~13~~ 13	18.8

W. 7,500, XI. 12

Section A for the entry of Daily Observations

Station No.....

METEOROLOGICAL OFFICE

METFORM 1090
(Rev. Feb. 1965)

REGISTER OF RAINFALL IN 1963

Kept at HAWARDEN BRIDGE

in the County of FLINTSHIRE

Diameter of funnel of gauge.....in.

Height of top of gauge above ground.....ft.....in.

Height of ground above sea level.....ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read Notes and Instructions Overleaf

Jan. 1, following

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	.61		.01		.10						.11			1
2		.04	.06	.02	.01						.10	.49		2
3			.20		.62							.48		3
4	.38	.02			.19		.03			.51		.02		4
5	.39	.04	.01		.24	.41	.05			.13	.01	.04		5
6	.05	.13	.24		.17	.08	1.69			.05		.05		6
7		.20	.04		.15	.16	.02			.21	.15	.11		7
8	.01	.09	.06		.15	.06	.04	.42	.02	.01				8
9		.20	.02	.10	.07	.24	.16		.02		.11	.10		9
10	.06	.01	.01	.03	.11	.01	.03	.54		.26	.13			10
11	.96			.32	.03	.06		.45		.01	.11			11
12					.06	.01	.01	.01	.07		.43	.01		12
13			.24	.01				.06	.08		.20			13
14	.26		.20					.27	.15	.13	.01			14
15	.06		.23	.05					.04		.05	.04		15
16			.10	.13	.03						.04			16
17	.01		.02	.13			.05		.05	.01	.04			17
18			.22	.10	.09	.01	.07				.01			18
19	.10		.01			.05	.01		.01	.26				19
20	.08		.20	.05		.02	.02		.01	.20	.20			20
21			.10	.01	.04		.16	.04			.01			21
22	.30		.65			.30		.90	.49		.01			22
23			.06			.02		.01	.13		.08	.28		23
24	.08	.02	[illegible]		.01			.02			.01			24
25			.01	.09					.22	.08	.01	.04		25
26				.80					.18					26
27		.02	[illegible]	.07						.18	.01	.35		27
28	.11	.04	.10	.30						.38	.01	.10		28
29		✕	.28	.34	.18			.01		.59	.05			29
30	.14	X		.30		.12				.10				30
31		X		X		X			X		X	.01		31
TOTAL	3.04	.77	3.37	2.55	2.37	1.43	2.34	2.73	1.47	3.11	1.90	2.11		Year's Total
*Days with .01 in. or more.	3.00	.81	3.07	2.85	2.25	1.55					1.89	2.12		27.19
*Days with .04 in. or more.														

*See Instruction 3(g) on other side.

†Spare column, no entries required, except year's total.

(Signed).....

(P.T.O.)

Exd DL

REGISTER OF RAINFALL IN 1914

FORM A. BRITISH RAINFALL. 6 JAN 1915

Kept at Hawarden Bridge

in the County of Flintshire

by Jas E Griffiths

Lat. 53° 12′ Long. 3° 1′ W.

Time of Observation 9.0 a/m.

Nearest Railway Station Shotton Low Level

Diameter of Rain Gauge 9 in.

Height of top of Gauge above Ground one ft. — in.

" " " " Sea Level Fifteen ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	0.00	0.11	0.05	0.00	0.00	0.03	1.03	0.53	0.00	0.01	0.00	0.19	1
2	0.00	0.00	0.00	0.00	0.00	0.00	1.16	0.15	0.00	0.00	0.51	0.37	2
3	0.00	0.00	0.01	0.03	0.10	0.00	0.04	0.00	0.00	0.00	0.00	0.45	3
4	0.02	0.00	0.02	0.05	0.08	0.00	0.06	0.03	0.00	0.00	1.61	0.15	4
5	0.26	0.00	0.18	0.10	0.08	0.05	0.06	0.04	0.00	0.01	0.15	0.01	5
6	0.07	0.00	0.05	0.02	0.11	0.08	0.02	0.01	0.00	0.00	0.16	0.23	6
7	0.04	0.02	0.29	0.04	0.18	0.09	0.02	0.19	0.00	0.00	0.00	0.34	7
8	0.00	0.12	0.01	0.00	0.25	0.25	0.21	0.05	0.11	0.00	0.00	0.01	8
9	0.05	0.00	0.06	0.06	0.08	0.04	0.00	0.00	0.01	0.00	0.06	0.00	9
10	0.35	0.07	0.08	0.11	0.22	0.23	0.00	0.00	0.21	0.00	0.00	0.00	10
11	0.05	0.09	0.20	0.05	0.21	0.87	0.02	0.00	0.02	0.00	0.14	0.71	11
12	0.00	0.10	0.21	0.00	0.00	0.03	0.09	0.00	0.32	0.00	0.19	0.16	12
13	0.00	0.50	0.01	0.02	0.01	0.00	0.02	0.00	0.02	0.19	0.21	0.20	13
14	0.00	0.05	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.07	0.30	0.03	14
15	0.00	0.15	0.21	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.20	15
16	0.00	0.01	0.02	0.00	0.00	0.00	0.11	0.00	0.21	0.00	0.00	0.36	16
17	0.00	0.00	0.15	0.00	0.00	0.25	0.05	0.00	0.16	0.00	0.00	0.35	17
18	0.00	0.09	0.00	0.00	0.00	0.00	0.10	0.00	0.14	0.00	0.00	0.20	18
19	0.00	0.00	0.02	0.00	0.00	0.00	0.24	0.00	0.31	0.00	0.00	0.16	19
20	0.00	0.00	0.15	0.00	0.00	0.48	0.52	0.00	0.00	0.07	0.00	0.21	20
21	0.00	0.28	0.02	0.00	0.00	0.05	0.00	0.11	0.00	0.09	0.00	0.88	21
22	0.00	0.18	0.00	0.02	0.15	0.01	0.00	0.08	0.00	0.02	0.00	0.01	22
23	0.00	0.09	0.03	0.02	0.04	0.00	0.06	0.00	0.00	0.00	0.03	0.01	23
24	0.00	0.01	0.10	0.01	0.01	0.00	0.22	0.12	0.00	0.01	0.14	0.01	24
25	0.00	0.01	0.00	0.00	0.00	0.00	0.38	0.16	0.00	0.68	0.13	0.28	25
26	0.06	0.00	0.07	0.00	0.00	0.00	0.28	0.07	0.02	0.30	0.05	0.35	26
27	0.00	0.00	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.02	0.24	1.38	27
28	0.11	0.11	0.00	0.00	0.10	0.00	0.00	0.01	0.00	0.00	0.06	0.36	28
29	0.14	X	0.05	0.00	0.07	0.00	0.00	0.02	0.00	0.00	0.08	0.02	29
30	0.10	X	0.00	0.00	0.00	0.00	0.00	0.01	0.00	0.00	0.16	0.20	30
31	0.00	X	0.00	X	0.00	X	0.22	0.00	X	0.03	X	0.00	31
Total	1.28	1.99	2.01	0.55	1.49	2.95	1.83	1.61	1.56	1.50	3.51	8.61	YEARS TOTAL 31.87
Rain Days.	~~11~~	~~14~~	~~21~~	~~12~~	~~15~~	~~13~~	~~21~~	~~15~~	~~11~~	~~12~~	~~14~~	~~28~~	~~196~~

W. 8,000. X. 14.

REGISTER OF RAINFALL IN 1915

4261

FORM A. BRITISH RAINFALL.

11 JAN 1916

Kept at Hawarden Bridge

in the County of Flintshire

by J. E. Griffiths

Lat. 53° 12' Long. 3° 1' West.

Time of Observation 9.0 a/m.

Nearest Railway Station Shotton L.N.W.

Diameter of Funnel of Rain Gauge Nine in.

Height of top of Gauge above Ground One ft. — in.

" " " " Sea Level Fifteen ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	0.20	0.06	0.15	..	0.33	..	..	0.06	.24	.08	..	.22	1
2	0.01	0.19	0.16	0.14	..	0.06	..	0.04	.24	.05	..	.01	2
3	0.34	0.03	..	0.08	..	..	0.11	0.59	.04	..	..	.21	3
4	..	0.19	..	..	0.15	..	..	..	..	..	.01	.88	4
5	0.04	0.15	0.09	..	..	..	..	..	..	..	..	.28	5
6	0.03	0.02	0.03	0.10	..	..	0.21	..	..	..	..	.22	6
7	0.33	0.24	..	..	..	..	0.13	0.02	..	..	..	.05	7
8	0.08	0.16	..	..	..	..	..	0.22	..	..	.11	..	8
9	0.01	0.04	..	0.20	..	..	..	.24*	..	..	.33	.51	9
10	0.36	..	0.01	0.11	..	..	..	.01	..	.05	.17	.01	10
11	0.01	..	..	0.01	0.22	..	0.01	.13	..	.03	.95	.16	11
12	0.11	..	..	0.02	0.14	..	..	.12	..	.14	.89	.04	12
13	..	0.09	..	0.04	..	..	..	.67	..	..	.17	.05	13
14	0.02	..	..	0.02	0.06	..	..	.07	.02	..	.13	.16	14
15	0.29	..	..	..	0.02	..	..	.52	Trace	.01	.21	.07	15
16	0.03	0.09	..	..	0.29	..	0.49	..	..	..	..	..	16
17	..	0.20	0.04	..	0.33	..	0.00	..	..	..	..	.02	17
18	0.01	0.13	0.03	..	..	..	..	..	..	..	.01	.01	18
19	..	0.02	0.02	..	0.03	..	0.04	..	..	..	..	.01	19
20	0.08	0.00	..	..	..	..	..	..	..	..	.01	.04	20
21	0.23	0.08	..	0.04	..	..	0.21	..	..	..	..	.20	21
22	..	0.03	0.10	..	..	0.04	..	..	..	.04	..	.02	22
23	..	0.18	0.14	0.01	..	0.04	0.06	..	.02	.79	..	.02	23
24	..	..	0.14	0.03	..	..	..	..	.21	.24	..	..	24
25	..	..	0.01	..	..	0.31	..	..	..	..	.08	.08	25
26	..	..	..	..	..	..	0.05	..	.09	..	..	.28	26
27	..	0.03	..	..	..	..	0.30	..	.12	.22	..	.06	27
28	..	0.14	0.03	..	..	0.06	0.35	.28	..	.05	..	.01	28
29	..	X	..	..	0.03	0.14	..	.10	.02	..	.04	.10	29
30	0.08	X	..	0.15	0.00	..	..	..	..	..	0.00	.06	30
31	0.12	X	..	X	..	X	..	.28	X	.03	X	.26	31
Total	2.38	3.06	0.85	0.98	1.63	0.65	2.35	3.37	1.00	1.73	3.11	4.04	YEAR'S TOTAL 24.15
Rain Days.	19	19	13	13	10	6	11	15	9	13	13	18	143

W. 8,000. X. 15.

*FROM AUGUST 9th ALL RECORDS HAVE BEEN TAKEN IN MILLIMETRES.

168

REGISTER OF RAINFALL IN 1916

FORM A. BRITISH RAINFALL.

Kept at Hawarden Bridge.

in the County of Flintshire

by J E Griffiths

Lat. 53° 12' N Long. 3° 1' west. 8 JAN 1917

Time of Observation 9.0 a/m.

Nearest Railway Station Shotton.

Diameter of Funnel of Rain Gauge eight in.

Height of top of Gauge above Ground one ft. — in.

" " " " Sea Level fifteen ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	1.4	0.1	5.0	.	.	0.9	6.1	.	.	0.3	2.7	.	1
2	1.2	0.9	5.5	.	.	0.6	3.0	.	6.8	14.1	1.8	.	2
3	.	1.0	.	1.3	.	1.4	5.3	0.2	4.8	5.5	2.8	1.9	3
4	0.3	0.5	2.0	0.2	12.5	4.7	.	.	1.8	.	6.2	.	4
5	.	5.9	.	.	4.3	0.4	.	.	.	5.2	3.6	.	5
6	3.1	4.0	.	.	4.1	1.3	5.6	.	0.1	1.4	4.2	1.5	6
7	0.6	1.0	.	.	3.0	0.	0.6	.	.	1.5	4.1	9.5	7
8	0.4	.	1.8	.	0.3	.	.	.	.	.	1.4	3.0	8
9	0.2	0.2	.	.	4.7	.	.	.	1.1	.	0.4	2.3	9
10	.	1.0	0.2	0.8	0.4	2.3	0.7	.	0.2	.	.	3.0	10
11	1.3	4.5	7.0	1.0	1.4	0.6	.	.	2.2	.	.	3.1	11
12	1.0	0.6	1.1	0.7	9.6	.	4.0	.	1.6	2.9	.	0.2	12
13	1.1	2.6	4.0	2.8	0.5	.	.	8.0	0.1	0.9	.	0.6	13
14	.	1.2	0.4	1.0	0.7	.	.	3.2	.	3.2	.	0.1	14
15	.	9.0	9.0	2.6	0.8	.	2.8	9.4	2.5	6.0	.	—	15
16	.	1.2	0.1	3.1	.	.	0.7	3.7	1.1	5.7	.	.	16
17	1.4	1.8	.	4.4	.	.	.	3.2	6.7	7.5	.	0.1	17
18	.	5.2	1.3	2.6	.	.	.	0.4	8.6	0.7	8.1	.	18
19	.	0.3	2.6	2.6	.	.	.	4.2	1.2	1.1	9.0	2.5	19
20	1.0	.	7.3	3.5	.	.	.	.	.	.	0.2	2.1	20
21	1.0	.	0.5	.	0.6	.	.	.	.	.	0.1	.	21
22	.	.	.	.	.	0.3	.	.	.	2.2	.	2.0	22
23	0.2	.	0.6	0.1	.	1.0	.	2.6	.	0.2	1.3	6.0	23
24	.	1.2	.	.	18.0	.	.	5.4	.	4.2	.	.	24
25	.	2.5	1.2	.	26.0	1.2	.	3.3	0.1	0.2	6.3	.	25
26	0.4	.	.	.	1.5	0.3	.	.	.	2.6	1.9	1.5	26
27	.	0.5	.	.	1.0	0.5	.	1.7	2.5	8.4	0.9	0.4	27
28	.	4.1 8.2	.	.	0.1	.	.	.	.	3.2	.	1.0	28
29	.		.	.	.	5.8	.	.	.	3.3	.	4.2	29
30	.		.	.	.	2.5	.	.	.	4.8	.	.	30
31	.		.		1.2		.	2.1		6.3		0.6	31
Total	14.9	64.5	49.6	30.0	90.4	23.8	28.8	44.4	44.3	91.4	55.0	45.6	YEARS TOTAL 589.0
Rain Days.	~~15.~~	~~22~~	~~16~~ 19	~~14~~ 13	~~18~~	15.	9.	13	~~18.~~ 13	24	~~16~~ 19	~~20.~~ 18	~~201~~ 192

W. 8,000, VIII. 16

REGISTER OF RAINFALL IN 1917

Kept at Hawarden Bridge

in the County of Flint

by T. J. Sill

Lat. 53·12 Long. 3·1 W.

Time of Observation 9 a.m.

Nearest Railway Station Shotton G.C.

Diameter of Funnel of Rain Gauge 8 in.

Height of top of Gauge above Ground 15 ft. in.

" " " " Sea Level 22 ft.

FORM A. BRITISH RAINFALL. 4015

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	hil	hil	·05	hil	hil	·01	hil	hil	·03	hil	hil	·16	1
2	·10	"		·06	"	·02	"	·44	hil	"	·24	·08	2
3		.	hil	hil	.	hil	.	·04	"	·05	·08	·08	3
4	·12	.	·01	"	.	"	.	hil	"	·72	hil	hil	4
5	·21	.	·24	·08	.	"	"	·05	"	·39	·04	.	5
6	·08	"	·01	hil	"	·09	"	·41	"	·06	·28	.	6
7	·79	.	hil	"	"	hil	"	hil	.	·09	·24	"	7
8	·08	.	"	·12	"	"	.	"	"	·57	·08	·28	8
9	hil	.	·04	·14	·05		.	·20	"	·06	·08	hil	9
10	·33	·09		·22	·05	"	.	·10	"	·01	hil	.	10
11	·18		·57	·12	hil	"	.	·06	"	·25	·04	"	11
12	·08	hil	hil	·01	·31	"	"	·29	·04	·18	hil	"	12
13	hil	.	·01	·02	·01	"	"		·04	hil	·04	·08	13
14	·01	"		·04	·11	"	"	·63	hil	·07	hil	·04	14
15	·03	.	hil	·02	·01	"	·03	·97	"	·08	"	·08	15
16	hil	·01	"	·11	hil	"	·04		"	hil	"	·20	16
17	·01	·03	·06	·13	·25	·01	·31	·81	·08	·10	"	hil	17
18	hil		·02	·05	·15	hil	hil	·06	·29	·08	"	"	18
19		·53	·35	hil	·28	·08	"	hil	hil	·01	"	"	19
20	hil	·16	hil	"	·22	·67	·09	·06	·03	hil	·16	"	20
21	hil	·02	·14	"	·27	·24	hil	·01	hil	·01	hil	"	21
22	hil	hil	hil	·01	hil	hil	"	·34	·05	·01	·04	"	22
23	hil	·22	"	"	"	·13	"	·04	·02	·35	hil	"	23
24	hil	hil	"	0·1	"	·04	·05	·12	hil	·25	"	"	24
25	hil	·14	·07	hil	"	·02	·06	hil	hil	·02	·08	"	25
26	hil		"	"	"	·17	hil	·75	·12	·16	·16	"	26
27	hil		·02	"	·95	·12	"	·42	hil	hil	hil	"	27
28	hil	hil	·06	.		hil	·19	·30	"	1	"	.	28
29	hil	X	·01	.	"	"	·06	hil	"	·31	.	"	29
30	hil	X	·04	"	"	"	·22	·28	"	hil	"	"	30
31	hil	X	·53	X	·05	X	hil	·13	X	"	X	"	31
Total	2·02	1·17	2·17	1·13	2·71	1·60	1·05	6·85	·67	3·73	1·39 M·O	1·00	YEAR'S TOTAL 640·9 M
Rain Days.	~~11~~ 12	~~11~~ 9	~~20~~ 17	~~15~~ 14	14 13	12	9	24 23	9	~~25~~ 22	~~60~~ 13	8	~~153~~ 161

W. 8,000, IX. 17.

Section **A** for the entry of Daily Observations

Station No.....

METEOROLOGICAL OFFICE

METFORM 1090
(Rev. Feb. 1965)

REGISTER OF RAINFALL IN 1967

Kept at HAWARDEN BRIDGE

in the County of FLINTSHIRE

Diameter of funnel of gauge.....in.

Height of top of gauge above ground.....ft.....in.

Height of ground above sea level.....ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph. **Please read Notes and Instructions Overleaf**

Jan. 1, following

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	MM	MM	MM	MM	MM	MM	MM	MM	MM	MM	MM	MM		
1			1·4			0·3			0·9			4·0		1
2	2·6		0·1			0·6		11·2			6·0	2·0		2
3	0·1			1·5				1·1		1·2	2·0	2·0		3
4	3·1		0·2							18·3				4
5	5·3		6·2	2·0				1·3		10·0	1·0			5
6	2·0		0·2			2·3		10·5		1·5	7·0			6
7	20·0									2·2	6·0			7
8	2·0			3·1						14·4	2·0	7·0		8
9			1·0	3·6	1·3			5·1		1·5	2·0			9
10	8·3	2·4		5·6	1·4			2·5		0·2				10
11	4·5	~~MM~~ 14·5		3·1				1·5		6·3	1·0			11
12	2·0			0·2	8·0			7·3	1·1	4·5				12
13			0·2	0·6	0·3			0·1	1·0		1·0	2·0		13
14	0·3		0·1	1·0	2·9			16·0		1·8		1·0		14
15	0·8			0·6	0·3		0·8	24·7		2·0		2·0		15
16		0·2		2·9			1·1	4·1				5·0		16
17	0·2	0·8	1·6	3·2	6·3	0·2	8·0	20·5	2·0	2·5				17
18		0·1	0·5	1·3	3·8			1·6	7·4	2·0				18
19	0·1	13·5	9·0		7·8	2·0				~~0·3~~ ~~0·2~~ 5				19
20		4·0			6·5	17·0	2·2	1·5	0·7		4·0			20
21		0·5	3·5		6·8	6·2		0·2		0·2				21
22				0·2				6·1	1·4	0·1	1·0			22
23		5·5				3·4		2·2	0·6	9·0				23
24				0·1		1·1	1·3	0·3		6·4				24
25		3·6	1·8			0·4	1·5			0·5	2·0			25
26		0·1				4·3		19·0	3·0	4·0	4·0			26
27		0·1	0·5		24·0	3·1		10·6						27
28			1·5				4·8	7·7		0·1				28
29		X	0·3				1·5			8·0				29
30		X	1·0				5	7·0						30
31		X	13·6	X	1·2	X		0·2	X		X			31
TOTAL	~~57·3~~	~~38·8~~	~~57·1~~	29·0	~~65·9~~	40·9	~~30·7~~	~~162·1~~	18·1	~~97·0~~	~~39·0~~	25·0	Year's Total ~~640·9~~	
*Days with .01 in. or more.	51·3	30·8	57·2		70·6		21·7	162·3						642·9
*Days with .04 in. or more.														

*See Instruction 3(*g*) on other side.

†Spare column, no entries required, except year's total.

(*Signed*).....

(P.T.O.)

REGISTER OF RAINFALL IN 1918

FORM A. BRITISH RAINFALL. E. 1. 19

Kept at Hawarden Bridge

in the County of Flint

by J. J. Sill

Lat. 53·12 Long. 3·1W

Time of Observation 9 a.m.

Nearest Railway Station Shotton

Diameter of Funnel of Rain Gauge 8 in.

Height of top of Gauge above Ground 15" ~~ft.~~ in.

" " " " Sea Level 22 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	nil	nil	nil	nil	nil	nil	nil	10·0	8·0	1·4	10·2	nil	1
2	nil	nil	nil	nil	nil	nil	nil	4·0	·4	nil	nil	3·2	2
3	nil	1·2	nil	nil	19·5	nil	nil	2·2	3·2	·4	nil	nil	3
4	1·1	1·5	nil	nil	nil	nil	nil	nil	13·5	2·4	5·6	1·0	4
5	1·2	nil	·2	1·7	7·0	nil	nil	6·0	3·2	nil	nil	nil	5
6	nil	5·7	nil	6·2	nil	37·2	nil	·4	·3	3·8	nil	nil	6
7	nil	nil	nil	·6	2·2	nil	nil	nil	2·2	·5	2·1	nil	7
8	1·1	1·0	nil	nil	nil	nil	3·0	nil	·7	5·0	nil	nil	8
9	·1	4·2	nil	4·0	nil	5·7	·2	nil	23·1	7·0	nil	·6	9
10	2·4	·2	nil	7·1	nil	nil	5·1	nil	4·0	·3	2·0	nil	10
11	·7	1·8	nil	nil	nil	nil	·5	·4	1·0	nil	nil	·8	11
12	1·4	1·5	nil	nil	5·0	nil	·3	nil	4·6	nil	nil	nil	12
13	nil	·9	nil	·3	9·9	nil	nil	nil	4·5	3·0	nil	nil	13
14	4·0	nil	nil	nil	nil	3·0	3·0	nil	12·5	·7	nil	4·2	14
15	·9	nil	nil	nil	nil	2·7	13·7	nil	11·8	6·5	nil	3·8	15
16	4·4	nil	nil	·7	nil	11·1	7·5	·7	4·1	·2	nil	6·1	16
17	3·8	nil	nil	nil	3·0	5·5	2·2	nil	·4	2·2	nil	2·0	17
18	8·1	nil	1·5	nil	nil	2·4	1·0	nil	7·1	nil	nil	9·4	18
19	nil	nil	2·0	1·0	nil	nil	8·0	nil	·4	nil	nil	13·2	19
20	3·0	11·5	nil	8·3	nil	1·2	·5	nil	4·0	nil	nil	14·0	20
21	3·0	·4	nil	2·1	9·9	·9	4·5	nil	4·2	nil	nil	4·0	21
22	nil	nil	nil	nil	15·0	nil	·9	nil	1·4	nil	nil	7·6	22
23	·2	nil	nil	nil	11·2	nil	12·4	nil	3·0	nil	nil	nil	23
24	nil	2·0	nil	nil	nil	nil	·2	2·5	1·8	nil	7·0	11·0	24
25	nil	nil	nil	nil	3·4	·5	11·9	6·5	1·7	nil	·9	nil	25
26	nil	nil	nil	·3	nil	nil	3·1	2·0	·1	nil	·3	nil	26
27	nil	4·8	2·0	nil	nil	·3	nil	5·6	8·0	nil	2·3	9·4	27
28	nil	·5	·8	nil	nil	nil	nil	nil	·6	nil	13·0	7·6	28
29	nil	X	2·2	nil	nil	nil	nil	nil	3·4	nil	nil	nil	29
30	nil	X	2·3	nil	nil	nil	nil	·4	3·1	nil	2·4	3·4	30
31	nil	X	2·8	X	nil	X	nil	6·2	X	2·3	X	·3	31
Total	35·4	37·2	13·8	~~32·3~~ 33·3	84·1	70·5	74·7	46·9	136·3	35·7	45·8	101·6	714·8
Rain Days.	~~16~~ 17	14	~~8~~ 9	11	10	11	18	13	~~20~~ 21	14	10	18	~~170~~ 176

W, 6,500, VII. 18. w w c

FORM A. 2. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1919.

Kept at Hawarden Bridge

in the County of Flints

by J. J. Sellors for Mr Summers Flour Ltd.

Lat. 53 1/2 Long. 3.1 W.
Time of Observation 9 a.m. G.M.T.
Nearest Railway Station Shotton G.C.R.
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. 3 in.
" " " " Sea Level 22 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Inches should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	
1	3.5	–	–	–	5.0	–	8.6	–	6.9	6.6		9.0	1
2	1.5	–	6.6	–	–		–	–	.9	1.8	–	3.1	2
3	–	–	–	2.0	.4	9.0	4.7	1.0	–	–	1.1	–	3
4	1.4	.3	9.4	–	–	1.3	1.2	2.0	1.3	–	–	4.1	4
5	1.2	3.3	.4	–	–	–	.7	–	–	–	.3	3.8	5
6	.9	–	3.0	–	1.2	–	–	–	–	–	–	3.0	6
7	2.0	–	2.5	1.6	–	–	–	–	.3	–	–	–	7
8	7.0	–	.6	.6	–	3.7	–	–	–	–	–	–	8
9	6.4	–	.8	.8	–	–	–	–	–	–	.2	–	9
10	–	–	2.6	1.2	–	–	–	–	–	2.8	–	.9	10
11	–	–	35.4	.7	–	–	–	–	–	.6	–	–	11
12	–	–	11.0	–	–	3.7	3.3	–	.9	4.0	3.3	.3	12
13	4.6	–	–	1.5	–	–	–	–	–	17.0	–	–	13
14	10.0	–	–	3.5	–	–	4.2	4.0	–	26.5	–	.3	14
15	6.7	–	–	9.0	2.8	–	.6	–	–	.5	.	15.9	15
16	3.0	11.6	.4	–	–	–	–	–	–	–	8.0	.3	16
17	.7	3.3	–	–	–	2.0	–	1.6	7.0	–	7.9	.3	17
18	—	–	19.0	–	–	–	2.0	18.4	6.9	–	–	6.1	18
19	1.2	9.5	21.6	–	–	1.1	1.5	4.6	1.9	–	4.5	.8	19
20	2.5	1.2	3.3	–	–	.6	–	.3	1.2	–	8.5	5.8	20
21	2.8	3.3	–	–	–	.4	–	–	1.2	–	1.5	6.0	21
22	–	1.3	–	–	–	–	6.0	.5	20.7	–	–	23.1	22
23	–	–	–	–	–	3.3		.8	–	26.4	–	.8	23
24	3.0	–	–	1.5	–	–		.7	–	7.5	5.0	6.8	24
25	–	–	–	1.0	5.6	–		13.7	.5	–	9.8	–	25
26	–	.3	4.5	2.2	–	2.8		8.0	.9	–	2.1	4.6	26
27	3.4	.7	–	3.7	–	–		2.5	.3		.9	–	27
28	–	–	.9	–	–	–		30.2	–	1.6	–	8.0	28
29	1.2	X	1.2	2.3	–	.9		3.2	–	–	–	6.0	29
30	–	X	.5	2.3	–	8.0		–	–	–	1.3	2.4	30
31	–	X	2.0	X	–	X		.3	X	–	X	.9	31
TOTAL	63.0	34.8	125.7	33.9	15.6	36.8	32.8	91.8	50.9	95.3	74.4	111.3	745.7
Days with 0·2 mm. or more	19	10	19	15	5	12	10	16	14	11	14	23.0	168

(44,284). Wt.21,958—218. 500. 10/19. Gp.132. A.&E.W.

FORM A. 2. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at Hawarden Bridge (No)

in the County of ~~Cheshire~~ Flint

by John Summers & Sons

Lat. 53° 12' Long. 3° 1' W

Time of Observation 9h

Nearest Railway Station

Diameter of Funnel of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level 22 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Inches should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	
1	-	-	2·4	3·0	6·7	-	5·8	1·7	3·5	3·2	-	4·5	1
2	-	-	-	4·0	0·2	-	0·3	0·4	3·8	0·5	-	2·5	2
3	0·7	2·6	-	3·1	2·4	1·2	10·3	1·1	2·2	4·7	-	-	3
4	-	-	-	3·2	1·5	-	2·0	6·0	2·2	8·0	0·3	-	4
5	-	0·2	3·0	-	1·6	-	2·4	1·4	2·6	7·1	-	-	5
6	-	-	10·3	2·0	0·4	-	-	-	-	14·8	-	1·8	6
7	-	5·0	1·4	0·5	1·9	-	6·0	-	-	-	-	-	7
8	4·5	-	-	9·6	2·0	-	2·4	1·3	0·9	-	-	0·3	8
9	5·4	1·8	-	10·9	-	-	1·0	1·5	1·2	-	-	0·3	9
10	7·0	3·2	-	-	-	-	6·7	-	-	-	-	1·1	10
11	3·2	0·8	1·4	5·8	4·4	6·5	-	1·3	-	-	-	-	11
12	2·3	-	1·1	7·5	0·3	26·1	1·0	1·1	-	-	1·8	0·7	12
13	3·4	4·4	4·2	0·9	-	0·4	-	-	-	-	1·6	-	13
14	-	-	10·5	3·0	-	5·6	0·2	-	19·0	3·0	2·5	1·1	14
15	0·2	2·1	0·2	4·3	-	-	0·5	-	0·3	6·9	-	-	15
16	-	-	-	0·7	6·7	4·0	9·0	-	1·6	3·4	-	-	16
17	-	-	-	-	4·5	2·0	-	1·6	4·3	-	-		17
18	4·0	-	-	-	1·0	4·0	17·2	0·9	5·8	-	-	-	18
19	3·2	34·6	-	0·7	1·0	10·3	-	11·7	0·3	-	-	-	19
20	1·5	-	-	12·0	-	-	1·0	-	1·3	-	-	0·6	20
21	-	-	-	1·4	-	-	9·4	-	-	-	-	1·8	21
22	1·4	-	-	2·7	-	0·7	3·0	10·0	-	-	-	0·6	22
23	-	-	4·3	0·7	-	-	2·5	0·3	-	-	-	7·2	23
24	-	-	12·0	-	-	-	-	0·4	-	-	-	6·1	24
25	0·5	2·7	3·4	1·4	1·0	-	33·7	-	-	-	-	-	25
26	3·2	1·0	11·5	3·7	0·4	-	0·4	-	-	-	1·3	0·6	26
27	9·3	0·7	4·4	5·3	8·2	7·0	-	-	-	-	2·0	4·1	27
28	13·3	-	8·5	4·0	2·0	-	-	-	-	-	-	2·8	28
29	3·0	-	5·6	0·9	5·3	0·2	5·0	-	-	-	2·0	15·0	29
30	1·6		8·7	9·9	0·5	2·4	-	-	13·1	-	0·8	2·2	30
31	1·8		-		1·1		-	2·1		3·1		-	31
TOTAL	69·5	59·1	92·9	101·2	53·1	70·0	119·8	42·8	62·1	54·7	12·3	53·3	790·8 (Yearly Total 791·1)
Days with 0·2 mm. or more	19	12	17	25	21	13	21	16	15	10	8	18	195
Days with 1·0 mm. or more	16	9	16	19	16	10	17	12	12	9	6	12	154

(44,284). 10/19. (52,639). Wt.10,000—359. 1000. 7/20. Gp.132. A.&E.W.

Copied from MS 3110.

FORM A. 2. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at Hawarden Bridge

in the County of Flint

by J. Summers Hon. Ltd.

Lat. 53·12 Long. 3·1 W

Time of Observation 9 am

Nearest Railway Station Shotton G.C.R.

Diameter of Funnel of Rain Gauge 8 in.

Height of top of Gauge above Ground 1 ft. 3 in.

" " " " Sea Level 22 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Inches should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	
1	—	—	2·4	3·0	6·7	—	5·8	1·7	3·5	3·2	—	4·5	1
2	—	—	—	4·0	·2	—	·3	·4	3·8	·5	—	2·5	2
3	·7	2·6	—	3·1	2·4	1·2	10·3	1·1	2·2	4·7	—	—	3
4	—	—	—	3·2	1·5	—	2·0	6·0	2·2	8·0	·3	—	4
5	—	·2	3·0	—	1·6	—	2·4	1·4	2·6	7·1	—	—	5
6	—	—	10·3	2·0	·4	—	—	—	—	14·8	—	1·8	6
7	—	5·0	1·4	·5	1·9	—	6·0	—	—	—	—	—	7
8	4·5	—	—	9·6	2·0	—	2·4	1·3	·9	—	—	·3	8
9	5·4	1·8	—	10·9	—	—	1·0	1·5	1·2	—	—	·3	9
10	7·0	3·2	—	—	—	—	6·7	—	—	—	—	1·1	10
11	3·2	·8	1·4	5·8	4·4	6·1	—	1·3	—	—	—	—	11
12	2·3	—	1·1	7·5	·3	26·1	1·0	1·1	—	—	1·8	·7	12
13	3·4	4·4	4·2	·9	—	0·4	—	—	—	—	1·6	—	13
14	—	—	10·5	3·0	—	5·6	·2	—	19·0	3·0	2·5	1·1	14
15	·2	2·1	·2	4·3	—	—	·5	—	·3	6·9	—	—	15
16	—	—	—	·7	6·7	4·0	9·0	—	1·6	3·4	—	—	16
17	—	—	—	—	4·5	2·0	—	1·6	4·3	—	—	—	17
18	4·0	—	—	—	1·0	4·0	17·2	·9	5·8	—	—	—	18
19	3·2	34·6	—	·7	1·0	10·3	—	11·7	·3	—	—	—	19
20	1·5	—	—	12·0	—	—	1·0	—	1·3	—	—	·6	20
21	—	—	—	1·4	—	—	9·4	—	—	—	—	1·8	21
22	1·4	—	—	2·7	—	·7	3·0	10·0	—	—	—	·6	22
23	—	—	4·3	·7	—	—	2·5	·3	—	—	—	7·2	23
24	—	—	12·0	—	—	—	—	·4	—	—	—	6·1	24
25	·5	2·7	3·4	1·4	1·0	—	33·7	—	—	—	—	—	25
26	3·2	1·0	11·5	3·7	·4	—	·4	—	—	—	1·3	·6	26
27	9·3	·7	4·4	5·3	8·2	7·0	—	—	—	—	2·0	4·1	27
28	13·3	—	8·5	4·0	2·0	Nil	—	—	—	—	—	2·8	28
29	3·0	—	5·6	0·9	5·3	0·2	5·0	—	—	—	2·0	15·0	29
30	1·6	X	8·7	9·9	·5	2·4	—	—	13·1	—	·8	2·2	30
31	1·8	X	—	X	1·1	X	—	2·1	X	3·1	X	—	31
TOTAL	69·5	59·1	92·9	101·2	53·1	70·0	119·8	42·8	62·1	54·7	12·3	53·3	790·8
Days with 0·2 mm. or more	19	12	9	25	21	13	21	16	15	10	8	18	167
Days with 1·0 mm. or more	16	9	11	20	16	10	17	12	10	9	6	12	148

(44,284). 10/19. (52,639). Wt.10,000—359. 1000. 7/20. Gp.132. A.&E.W.

FORM A. 2. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION. 3762

REGISTER OF RAINFALL IN 1921.

Kept at Hawarden Bridge M.O

in the County of ~~Cheshire~~ Flint

by John Summers & Sons, Ltd.

Lat. 53° 12' Long. 3° 1' W

Time of Observation 9h G.M.T.

Nearest Railway Station

Diameter of Funnel of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level 22 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Inches should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	
1	15.6	-	0.8	-	-	-	-	4.7	1.0	-	-	3.4	1
2	1.8	-	-	-	1.6	-	-	1.3	-	8.0	21.5	-	2
3	0.8	-	2.2	-	-	-	-	0.3	-	32.8	7.0	-	3
4	1.0	-	0.2	-	2.0	0.3	-	2.0	-	1.2	2.2	0.8	4
5	-	-	1.1	-	-	-	-	6.2	-	-	(2.5)	1.4	5
6	0.5	-	0.2	-	2.5	-	-	0.3	-	-	3.4	1.6	6
7	3.4	-	0.3	-	-	-	-	8.0	-	-	7.0	0.3	7
8	1.5	0.7	-	-	0.8	-	-	-	-	-	5.0	-	8
9	-	-	-	1.1	0.6	-	-	4.1	0.5	-	-	-	9
10	2.0	-	-	-	0.4	-	-	2.6	0.5	0.2	-	-	10
11	3.5	-	2.4	-	3.2	-	-	10.6	6.0	0.2	-	1.0	11
12	12.5	0.7	-	-	-	0.4	-	4.9	9.4	-	-	0.9	12
13	1.0	1.0	2.3	9.0	-	-	-	1.6	1.4	5.2	5.0	-	13
14	-	0.3	1.1	3.3	8.6	-	1.0	2.7	0.6	-	-	9.1	14
15	0.4	-	1.8	0.7	-	-	1.1	-	-	-	-	-	15
16	3.8	-	0.2	3.1	0.3	-	0.4	6.1	-	-	3.1	-	16
17	5.0	0.2	1.2	1.3	-	-	-	1.0	-	-	-	-	17
18	2.8	-	0.8	-	-	-	-	-	-	-	0.4	-	18
19	-	-	1.3	-	-	2.4	-	-	-	2.0	1.1	-	19
20	-	-	0.2	-	-	1.0	-	-	-	-	-	-	20
21	0.5	-	-	1.6	-	0.2	-	0.2	-	1.2	5.0	4.8	21
22	-	-	1.1	2.4	-	-	2.0	-	-	12.0	0.2	7.5	22
23	-	-	-	-	-	-	1.0	-	0.4	2.8	-	0.3	23
24	0.3	3.1	-	0.7	-	-	1.0	-	-	-	-	11.6	24
25	2.4	1.0	2.5	-	-	-	5.1	0.4	-	-	-	1.2	25
26	0.4	-	2.0	-	3.0	2.6	-	-	-	-	-	5.6	26
27	-	-	1.1	-	5.4	-	0.3	1.6	-	-	1.4	12.0	27
28	-	-	4.0	-	3.0	-	2.0	10.6	-	-	0.3	1.5	28
29	-		-	-	1.4	-	1.4	3.8	-	-	-	2.7	29
30	1.5	X	-	-	3.1	-	-	-	-	-	-	5.0	30
31	20.2	X	-	X	-	X	-	1.1	X	1.4	X	-	31
TOTAL	80.9	7.0	26.8	23.2	35.9	6.9	15.3	74.1	18.8	67.0	82.1 (68.1)	70.7	YEAR'S TOTAL 491.7 (494.7)
Days with 0.2 mm. or more	21	7	20	9	14	6	10	21	8	11	15	18	160
Days with 1.0 mm. or more	15	3	13	7	10	3	8	17	4	9	12	14	115

(44,284). 10/19. (52,639). Wt.10,000—359. 1000. 7/20. Gp.132. A.&E.W.

Copied from 1882?

FORM A. 1. METEOROLO[GICAL] ...IZATION.

REG[ISTER]

MOLD
THE PARK
FLINTSHIRE
1920

3 JAN 1921

Kept at The Park (Mres- ...40" W.

in the County of Flin... ...2

by J. F. J. Reynolds ...e 5 in. ...nd 1 ft. — in. ...Level 370 ft.

IMPORTANT NOTE.—R... ...to the previous day.

If an Observer prefers not to ... ...universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	Nil	Nil	0·09	0·17	0·24	Nil	0·29	0·09	0·16	0·19	0·01	0·21	1
2	Nil	Nil	·03	·28	·04	Nil	·02	Nil	·11	0·80	Nil	·11	2
3	0·01	0·18	Nil	·08	·06	0·03	·87	0·07	·12	·38	Nil	·06	3
4	Nil	Nil	Nil	·03	·03	Nil	·07	·30	·15	·44	Nil	Nil	4
5	Nil	Nil	0·11	Nil	·04	Nil	·07	·16	·38	·04	0·03	Nil	5
6	Nil	Nil	·48	0·05	·06	Nil	·01	Nil	Nil	·64	Nil	0·12	6
7	0·01	0·14	·05	·04	·07	Nil	·39	Nil	Nil	Nil	Nil	Nil	7
8	·36	·01	Nil	·39	·19	Nil	·02	0·12	0·05	0·01	Nil	Nil	8
9	·24	·06	Nil	·53	Nil	Nil	·16	·11	·04	Nil	Nil	0·02	9
10	·36	·19	Nil	Nil	Nil	0·01	·27	Nil	Nil	Nil	Nil	·06	10
11	·23	·05	0·09	0·21	0·19	·32	Nil	·04	Nil	Nil	Nil	Nil	11
12	·16	Nil	·17	·55	·04	1·10	·07	·06	·01	Nil	0·13	0·09	12
13	·19	0·22	·21	·09	Nil	·04	Nil	Nil	Nil	Nil	·16	Nil	13
14	·01	·06	·45	·13	Nil	·01	·03	Nil	0·86	0·14	·22	Nil	14
15	Nil	·18	·20	·36	Nil	·38	Nil	Nil	·02	·19	Nil	Nil	15
16	Nil	Nil	·02	·08	0·36	·21	·36	Nil	·12	·30	0·01	Nil	16
17	Nil	Nil	Nil	Nil	·23	·13	·03	0·14	·12	Nil	Nil	Nil	17
18	0·29	0·01	Nil	0·11	·16	·20	·40	·08	·30	Nil	Nil	Nil	18
19	·06	1·15	Nil	·07	·04	·10	Nil	·68	Nil	Nil	Nil	Nil	19
20	·15	·02	Nil	·63	Nil	Nil	·07	·03	0·01	0·03	Nil	0·02	20
21	Nil	Nil	Nil	·07	Nil	Nil	·48	·05	Nil	Nil	Nil	·22	21
22	0·04	Nil	Nil	·08	Nil	0·03	·08	·23	Nil	Nil	Nil	·14	22
23	Nil	Nil	0·19	·05	Nil	Nil	·19	·01	Nil	Nil	Nil	·17	23
24	0·01	0·01	·45	·03	Nil	Nil	·04	·02	Nil	Nil	0·01	·36	24
25	·02	·09	·29	·12	0·16	Nil	1·15	Nil	Nil	Nil	Nil	Nil	25
26	·19	·06	·83	·32	·07	0·04	·29	Nil	Nil	Nil	0·03	0·05	26
27	·35	·12	·34	·33	·27	·23	·06	Nil	Nil	Nil	·05	·15	27
28	·52	·01	·42	·28	Nil	·02	·02	Nil	0·02	Nil	Nil	·14	28
29	·12	Nil	·25	Nil	0·29	·03	·33	Nil	Nil	Nil	0·10	·71	29
30	·11		·34	0·28	·04	·05	Nil	Nil	0·31	Nil	·15	·11	30
31	·10		·02		Nil		·07	0·05		0·35		Nil	31
TOTAL	3·53	2·56	5·03	5·36	2·58	2·93	5·84	2·24	2·78	3·57	0·90	2·74	YEAR'S TOTAL 40·00
Days with ·01 in. or more	21	17	20	26	19	17	26	17	16	12	11	17	219
	16	12	17	24	18	11	20	14	12	10	6	15	175

(44,283). Wt.2[illegible]958—218[illegible]7500. 10/19. Gp.132. A.&E.W.

FORM A. 1. METEOROLO[redacted]IZATION.

REGISTER OF RAINFALL IN 1920.

3 JAN 1921

Kept at The Park (Maes-y-Hynnon) MOLD

in the County of Flint

by J. J. Reynolds M.Inst.C.E.

Lat. 53° 9' 47" N. Long. 3° 8' 40" W.

Time of Observation 9 a.m.

Nearest Railway Station MOLD

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. — in.

" " " " Sea Level 370 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	Nil	Nil	0·09	0·17	0·24	Nil	0·29	0·09	0·16	0·19	0·01	0·21	1
2	Nil	Nil	·03	·28	·04	Nil	·02	Nil	·11	0·80	Nil	·11	2
3	0·01	0·18	Nil	·08	·06	0·03	·87	0·07	·12	·38	Nil	·06	3
4	Nil	Nil	Nil	·03	·03	Nil	·07	·30	·15	·44	Nil	Nil	4
5	Nil	Nil	0·11	Nil	·04	Nil	·07	·16	·38	·04	0·03	Nil	5
6	Nil	Nil	·48	0·05	·06	Nil	·01	Nil	Nil	·64	Nil	0·12	6
7	0·01	0·14	·05	·04	·07	Nil	·39	Nil	Nil	Nil	Nil	Nil	7
8	·36	·01	Nil	·39	·19	Nil	·02	0·12	0·05	0·01	Nil	Nil	8
9	·24	·06	Nil	·53	Nil	Nil	·16	·11	·04	Nil	Nil	0·02	9
10	·36	·19	Nil	Nil	Nil	0·01	·27	Nil	Nil	Nil	Nil	·06	10
11	·23	·05	0·09	0·21	0·19	·32	Nil	·04	Nil	Nil	Nil	Nil	11
12	·16	Nil	·17	·55	·04	1·10	·07	·06	·01	Nil	0·13	0·09	12
13	·19	0·22	·21	·09	Nil	·04	Nil	Nil	Nil	Nil	·16	Nil	13
14	·01	·06	·45	·13	Nil	·01	·03	Nil	0·86	0·14	·22	Nil	14
15	Nil	·18	·20	·36	Nil	·38	Nil	Nil	·02	·19	Nil	Nil	15
16	Nil	Nil	·02	·08	0·36	·21	·36	Nil	·12	·30	0·01	Nil	16
17	Nil	Nil	Nil	Nil	·23	·13	·03	0·14	·12	Nil	Nil	Nil	17
18	0·29	0·01	Nil	0·11	·16	·20	·40	·08	·30	Nil	Nil	Nil	18
19	·06	1·15	Nil	·07	·04	·10	Nil	·68	Nil	Nil	Nil	Nil	19
20	·15	·02	Nil	·63	Nil	Nil	·07	·03	0·01	0·03	Nil	0·02	20
21	Nil	Nil	Nil	·07	Nil	Nil	·48	·05	Nil	Nil	Nil	·22	21
22	0·04	Nil	Nil	·08	Nil	0·03	·08	·23	Nil	Nil	Nil	·14	22
23	Nil	Nil	0·19	·05	Nil	Nil	·19	·01	Nil	Nil	Nil	·17	23
24	0·01	0·01	·45	·03	Nil	Nil	·04	·02	Nil	Nil	0·01	·36	24
25	·02	·09	·29	·12	0·16	Nil	1·15	Nil	Nil	Nil	Nil	Nil	25
26	·19	·06	·83	·32	·07	0·04	·29	Nil	Nil	Nil	0·03	0·05	26
27	·35	·12	·34	·33	·27	·23	·06	Nil	Nil	Nil	·05	·15	27
28	·52	·01	·42	·28	Nil	·02	·02	Nil	0·02	Nil	Nil	·14	28
29	·12	Nil	·25	Nil	0·29	·03	·33	Nil	Nil	Nil	0·10	·71	29
30	·11		·34	0·28	·04	·05	Nil	Nil	0·31	Nil	·15	·11	30
31	·10		·02		Nil		·07	0·05		0·35		Nil	31
TOTAL	3·53	2·56	5·03	5·36	2·58	2·93	5·84	2·24	2·78	3·57	0·90	2·74	YEAR'S TOTAL 40·00
Days with ·01 in. or more	21	17	20	26	19	17	26	17	16	12	11	17	219

(44,283). Wt.21958—218. 7500. 10/19. Gp.132. A.&E.W.

18 12 17 24 18 11 20 14 12 10 6 15 175

FORM A2.
BRITISH RAINFALL.

15 JUN 1912

4280/5.

Mostyn Vic.

1911 —

RI

THE VICARA

Kept at MOSTYN.

H

in the County of Flu

by Rev. W. Vau

in.

round 1 ft. in.

ea Level 100 ft.

0 am

Name Mostyn

Distance 1¾ Direction N.W

IMPORTANT NOT he result entered to the previous day. If an Ob rsal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.
nil.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·13	-	·31	-	·01	·05	·33	-	-	-	·19	·03	1
2	-	-	·06	-	·05	-	·16	·10	-	·10	·43	·12	2
3	-	-	·07	-	·17	-	·02	-	-	·27	·02	·06	3
4	-	-	-	·02	·23	-	-	-	·17	·01	·10	·07	4
5	-	-	·08	·01	·03	-	·01	·67	-	-	·11	·07	5
6	·03	-	·10	-	·04	-	-	·71	-	·02	-	·06	6
7	·28	-	·03	-	-	-	-	·24	-	-	·17	·25	7
8	·02	-	-	-	-	-	-	-	-	-	·11	-	8
9	·23	-	·24	·01	-	-	-	-	·03	-	·10	·33	9
10	·04	-	·01	-	-	-	-	-	-	-	·03	·19	10
11	-	·14	·10	-	-	-	-	-	·02	-	·03	·56	11
12	·15	·01	-	-	·01	-	-	-	-	-	·35	·10	12
13	·02	-	·41	-	-	·02	-	-	1·67	-	·34	-	13
14	-	56	-	-	·04	·03	-	-	·02	-	·13	·16	14
15	·01	-	·02	-	·01	-	-	-	-	-	-	·09	15
16	-	·04	-	-	·02					·02	·10	·09	16
17	-	·06	·02	·03	-	·16	·02	-	-	-	·06	·05	17
18	-	-	-	-	-	·61	-	-	-	-	·11	·08	18
19	-	·24	-	·08	-	·06	-	·02	-	·02	-	·09	19
20	-	·16	-	·10	-	·11	·04	-	·15	·16	·30	·40	20
21	-	·17	-	·11	-	·04	·08	·69	·10	·07	-	·21	21
22	-	·13	·03	·03	-	·01	-	·02	-	·19	-	·03	22
23	-	-	-	·01	-	·02	-	-	·01	·30	-	·49	23
24	-	·26	·04	-	·01	·06	-	·12	·19	·09	-	·14	24
25	-	·08	-	·08	-	1·73	·02	-	-	·32	-	·16	25
26	-	·09	-	·12	-	·10	-	-	·72	·16	-	·11	26
27	-	-		·16	-	·08	-	·03	·01	·39	·09	·21	27
28	-	·56	·01	·14	-	-	·01	·42	1·09	-	·02	·15	28
29	-	-	-	·04	-	·04	-	-	·10	-	-	·10	29
30	-	-		·12	-	·15	·15	-	·27	·18	-	·09	30
31	-	-	·15	-	-	-	·06	-	-	27	-	-	31
Total	~~0·91~~	~~2·31~~ 2·60	~~1·68~~	~~1·06~~	~~0·62~~	~~3·27~~	~~0·90~~	~~3·02~~	~~4·55~~	~~2·67~~	~~2·79~~	~~4·49~~	TOTAL for year ~~25·46~~
No. of Rain Days.	~~9~~ 8	~~12~~ 14	~~16~~ 15	~~15~~ 16	11	16	~~11~~ 10	10	14	~~16~~ 17	19	~~28~~ 27	~~28·46~~ 177

W. 8,000, X. '11.

·78 2·81 1·37 1·07 ·66 3·55 ·57 3·02 4·55 2·86 2·63 4·46 28·33

FORM A2.
BRITISH RAINFALL.

15 JUN 1912

R[illegible]

Kept at THE VICARAGE, MOSTYN, GLANYDON, HOLYWELL.

in the County of Flint

by Rev. W. Vaughan-Jones.

RAIN GAUGE: Pattern ____ Diameter of top 5 in. Height of top above Ground 1 ft. ____ in. " " " Sea Level 100 ft.

Time of Observation 9.30 am

Nearest Railway Station: Name Mostyn; Distance 1¾ Direction N.W

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following. nil.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·13	-	·31	-	·01	·05	·33	-	-	-	·19	·03	1
2	-	-	·06	-	·05	-	·16	·10	-	·10	·43	·12	2
3	-	-	·07	-	·17	-	·02	-	-	·27	·02	·06	3
4	-	-	-	·02	·23	-	-	-	·17	·01	·10	·07	4
5	-	-	·08	·01	·03	-	·01	·67	-	-	·11	·07	5
6	·03	-	·10	-	·04	-	-	·71	-	·02	-	·06	6
7	·28	-	·03	-	-	-	-	·24	-	-	·17	·25	7
8	·02	-	-	-	-	-	-	-	-	-	·11	-	8
9	·23	-	·24	·01	-	-	-	-	·03	-	·10	·33	9
10	·04	-	·01	-	-	-	-	-	-	-	·03	·19	10
11	-	·14	·10	-	-	-	-	-	·02	-	·03	·56	11
12	·15	·01	-	-	·01	-	-	-	-	-	·35	·10	12
13	·02	-	·41	-	-	·02	-	-	1·67	-	·34	-	13
14	-	56	-	-	·04	·03	-	-	·02	-	·13	·16	14
15	·01	-	·02	-	·01	-	-	-	-	-	-	·09	15
16	-	·04	-	-	·02					·02	·10	·09	16
17	-	·06	·02	·03	-	·16	·02	-	-	-	·06	·05	17
18	-	-	-	-	-	·61	-	-	-	-	·11	·08	18
19	-	·24	-	·08	-	·06	-	·02	-	·02	-	·09	19
20	-	·16	-	·10	-	·11	·04	-	·15	·16	·30	·40	20
21	-	·17	-	·11	-	·04	·08	·69	·10	·07	-	·21	21
22	-	·13	·03	·03	-	·01	-	·02	-	·19	-	·03	22
23	-	-	-	·01	-	·02	-	-	·01	·30	-	·49	23
24	-	·26	·04	-	·01	·06	-	·12	·19	·09	-	·14	24
25	-	·08	-	·08	-	1·73	·02	-	-	·32	-	·16	25
26	-	·09	-	·12	-	·10	-	-	·72	·16	-	·11	26
27	-	-		·16	-	·08	-	·03	·01	·39	·09	·21	27
28	-	·56	·01	·14	-	-	·01	·42	1·09	-	·02	·15	28
29	-	-	-	·04	-	·04	-	-	·10	-	-	·10	29
30	-	-		·12	-	·15	·15	-	·27	·18	-	·09	30
31	-	-	·15	-	-	-	·06	-	-	27	-	-	31
Total	~~0·41~~	~~·31~~ 2·50	1·68	~~·01~~ 1·06	~~·05~~ 0·62	~~·33~~ 3·27	0·40	~~3·02~~	~~4·55~~	~~2·67~~ 2·79	~~2·79~~	~~4·49~~	TOTAL for year 28·46
No. of Rain Days.	~~9~~ 8	~~13~~ 14	~~16~~ 15	~~15~~ 16	11	16	~~11~~ 10	10	14	~~16~~ 17	19	~~28~~ 27	~~28·46~~ 177

W. 8,000, X. '11. 78 2·81 1·37 1·07 ·66 3·55 ·57 3·02 4·55 2·86 2·63 4·46 28·33

REGISTER OF RAINFALL IN 1912

FORM A2. BRITISH RAINFALL. 23 JAN 1913

Kept at Mostyn Vicarage

in the County of Flint

by Rev. W. Vaughan-Jones.

RAIN GAUGE: Pattern ord; Diameter of top 5 in.; Height of top above Ground 1 ft. in.; " " " Sea Level 100 ft.

Time of Observation 9.30 am

Nearest Railway Station: Name Mostyn; Distance 2 mls. Direction NW.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following. .03

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	-	.	.	.10	.01	-	.11	.77	.18	-	.01	.08	1
2	-	.	.09	.	.03	.05	.04	-	.02	-	-	.06	2
3	-	.06	.29	.03	.08	.12	-	.80	.14	-	-	07	3
4	.59	.	.	.	.05	.45	-	.42	.19	-	.56	.01	4
5	.29	.	.85	.04	.12	.20	-	.06	.16	-	.02	-	5
6	.31	.	-	.	.06	-	-	.15	.03	-	-	.01	6
7	.52	.02	-	.	.05	-	.08	-	.14	-	-	.03	7
8	-	.06	-	.	.03	.14	-	.28	.30	-	-	-	8
9	.17	.10	.06	.07	-	.12	-	-	-	-	.02	.10	9
10	.21	.03	.15	.31	-	.65	.07	.14	-	-	.31	.03	10
11	.03	-	-	.02	.04	.47	.08	.02	-	-	.03	.70	11
12	.01	.03	.01	.	.	-	-	.29	-	-	.01	.07	12
13	-	.10	.17	.	.	.03	-	.44	-	.14	-	.10	13
14	.03	.03	.03	.	.	-	-	.75	.04	.03	-	.04	14
15	.	.	.34	.	-	.08	-	.08	-	-	.04	.14	15
16	.06	.14	.27	.	.02	.14	-	.08	.01	.24	.03	.01	16
17	.35	.02	.04	.	.08	.01	-	.23	-	.01	.11	.16	17
18	(.80) 9/12	.36	.03	.	-	.45	-	.29	-	.10	.02	.04	18
19	.13	.01	-	.	.01	-	.01	.03	-	.22	.06	.03	19
20	.02	07	.15	.	-	.02	.03	.32	.	.29	.13	.03	20
21	.	.	.12	.	.31	-	.10	.15	-	.73	.09	.06	21
22	.	.01	.05	.	.46	-	.05	.55	-	-	.	.05	22
23	.	.02	-	.	.63	.01	.16	.55	-	-	.20	.02	23
24	.	.	.33	.	-	-	.03	.16	.	.	.12	.17	24
25	.06	.02	.09	.	-	.04	-	-	-	-	.43	.32	25
26	.	.	.12	.		.20	.10	.28	-	1.03	.07	.17	26
27	.	.05	.17	.		.08	.39	-	-	.23	.14	.06	27
28	.	.01	.24	.		.20	.19	.13	.10	.22	.35	-	28
29	.	.05	-	.22		.15	.30	.10	.37	.12	-	.04	29
30	.	.	.02	.	01	.27	.02	.03	.01	.04	.39	-	30
31	.06	.	.13	.	.90	-	.58	.17	-	01	-	.10	31
Total	(3.64) 3.64	1.19	3.75	0.79	2.89	3.88	2.34 2.34	7.27 7.27	1.69 1.69	3.41	3.14	2.70	TOTAL for year
No. of Rain Days.	(3.64) 16	19	22	7	18	22 21	19	26	13	14	21	27	(36.69) 27

W. 8,000, X. '11.

REGISTER OF RAINFALL IN 1913.

FORM A. BRITISH RAINFALL. 13 JAN 1914

Kept at The Vicarage Mostyn

in the County of Flint

by Rev W. Vaughan Jones

Lat. 53° 18.5" Long. 3° 14' 50"

Time of Observation 9 am.

Nearest Railway Station Mostyn

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

" " " " Sea Level 100 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following. nil

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.03	.09	04	.04	.20	.01	-	-	-	-	.11	-	1
2	-	.10	01	03	.03	-	-	-	-	-	02	-	2
3	-	.02	29	-	.66	-	-	-	.02	-	.01	.66	3
4	.33	.10	.01	-	.06	.03	.02	-	-	.25	.02	.52	4
5	.49	.06	03	-	.07	.29	.60	-	-	.15	.04	.01	5
6	.03	.11	.10	-	.13	.17	.66	.01	-	.04	.04	.13	6
7	-	.14	.03	-	.12	.43	.66	-	-	.27	.09	03	7
8	-	.07	.12	.02	.45	.04	.02	-	.14	.02	-	.01	8
9	-	.14	.05	.17	.09	.27	.29	.69	.04	-	.08	.23	9
10	.13	.02	.03	.08	.16	.01	.02	.04	.03	.04	.17	.03	10
11	.41	-	-	.33	.05	.38	.01	.47	-	06	.21	.02	11
12	-	-	-	-	.05	.07	.02	.09	.64	-	.61	.10	12
13	-	-	.34	.03	-	-	.02	.02	.06	.05	.25	.02	13
14	.09	.02	.16	.08	-	-	-	.17	.03	.32	.21	-	14
15	.03	-	.31	.23	-	-	-	.28	.04	.01	.22	.12	15
16	-	-	.08	.05	-	-	.01	.01	-	-	.06	.03	16
17	-	-	.02	.05	.03	-	.14	-	.03	-	.08	-	17
18	.02	-	.20	.24	.09	-	.13	-	-	-	.08	-	18
19	.08	-	.05	.01	.03	.36	.02	-	.04	.18	.02	-	19
20	.09	-	.12	.09	.01	.03	.06	-	.01	.22	.18	-	20
21	-	-	.10	.02	.22	-	.43	.14	.01	.03	.02	-	21
22	.47	-	.70	-	.01	.35	-	.79	.44	-	-	-	22
23	-	-	.04	-	.04	.09	-	.08	.21	.02	.09	.40	23
24	.11	-	-	.02	-	.04	.01	.02	-	-	.15	.01	24
25	-	.01	-	.15	-	-	-	-	.17	.07	.02	.07	25
26	-	.04	-	.59	-	-	-	-	.61	-	-	.31	26
27	-	-	-	.18	-	-	-	-	.01	.74	.02	.11	27
28	.29	-	.10	.18	03	-	-	-	-	50	-	.03	28
29	.02	-	.23	.33	.17	-	-	.04	-	.07	-	-	29
30	.33	-	.02	-	.08	-	-	.01	-	.09	.19	-	30
31	.04	-	.33	-	.21	-	-	-	-	.02	-	-	31
Total	2.99	0.92	3.51	2.92	2.99 2.99	2.57 2.57	2.42	2.86	2.53	3.15	2.99	2.84	YEAR'S TOTAL 32.69
Rain Days.	17	13	25	21	23	15	17	15	17	20	25	~~32.81~~ 19	224

32.69

W.7,000, XI. 13

cont'd in auth 27-IV-15

REGISTER OF RAINFALL IN 1914.

FORM A. BRITISH RAINFALL. 6 JAN 1915

Kept at Mostyn Vicarage

in the County of Flint

by Rev W. Vaughan-Jones.

Lat. ..... Long. .....

Time of Observation 9.30 am

Nearest Railway Station Mostyn L.N.W. 2½

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. ... in.

" " " " Sea Level 100 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following. .36

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	-	.01	.15	-	-	.04	.63	.22	-	.03	.01	.50	1
2	.01	-	-	-	.01	.01	.78	.13	-	.03	.23	.39	2
3	.06	-	.13	.03	.12	-	.03	.01	-	-	-	.47	3
4	.29	.01	.17	.04	.16	.02	.07	-	-	-	.28	.45	4
5	.13	-	.25	.12	.09	.06	07	-	-	.02	.10	.11	5
6	.07	.02	.03	.06	.15	.18	.01	.03	-	-	.05	.07	6
7	.01	.09	.25	.04	.46	.19	.07	.17	-	-	.01	.32	7
8	.14	-	.04	.01	.32	.19	.01	.14	.10	-	-	.06	8
9	.33	.07	.10	.06	.11	.44	-	.02	1.20	-	.17	-	9
10	.04	.10	.16	.05	.03	.23	-	-	.23	-	.39	-	10
11	-	.09	.33	.03	.03	.33	3.37	-	.12	-	.53	.55	11
12	-	.46	.24	-	.03	.04	.12	-	.72	-	.21	.12	12
13	-	.05	.09	.02	.02	-	.02	-	.06	.41	.45	.15	13
14	-	.09	.04	-	.01	-	-	-	-	.06	.20	.04	14
15	-	.16	.44	-	-	-	-		.02	-	.05	.09	15
16	-	.02	-	-	-	-	.08		1.09	-	-	.05	16
17	.02	.03	.25	-	-	-	.04		.49	-	-	.18	17
18		-	.18	-	-	-	.01		.37	.03	-	.17	18
19		.01	.03	-	-	-	.28		.45	-	.02	.13	19
20		.18	.13	-	-	.77	.42	.04	-	-	-	.13	20
21		.18	.05	-	-	.02	-	.09	-	.10	-	.43	21
22		.16	-	.02	.18	.10	-	.25	-	.04	-	.02	22
23		.02	.08	.03	-	-	.09	.01	-	-	.05	-	23
24	.03	-	.01	.02	.03	.01	.20	.02	-	-	.17	-	24
25	.06	-	-	-	-	-	.31	.16	-	.55	.09	.17	25
26	.01	-	.03	-	-	-	.51	.07	-	.40	.13	.13	26
27	.10	-	-	-	-	-	-	.01	-	.10	.22	.96	27
28	.17	.16	.09	-	.11	-	-	-	.01	.02	.07	.32	28
29	.03		.04	-	.05	-	-	03	-	.02	03	.05	29
30	-	X	.03	-	-	-	-	03	-	-	.22	.26	30
31	.11	X	.01	X	.09	X	.23	-	X	.08	X	.03	31
Total	1.61 1.61	1.91	3.35	0.53	2.00 1.90	2.63	7.35	1.43	4.86	1.89	3.68	6.35	YEAR'S TOTAL 37.59 37.59
Rain Days.	17	19	26	13	18	15	21	17	12	14	22	27	221

W. 8,000. X. 14.

4262

REGISTER OF RAINFALL IN 1915

FORM A. BRITISH RAINFALL.

Kept at Mostyn Vicarage

in the County of Flint

by Rev. W. Vaughan-Jones.

Lat. 53° 18' 5" Long. 3° 14' 50"

Time of Observation 9 a.m.

Nearest Railway Station Mostyn (1¾ miles to N.W.)

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. – in.

" " " " Sea Level 100 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following. .14

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.36	.10	.09	–	.38	–	.04	.19	.57	.11	–	.14	1
2	.12	.35	.27	.21	–	.07	.02	1.47	.09	.02	–	.02	2
3	.21	.05	.02	.13	–	–	.22	.01	–	–	–	.30	3
4	.02	.14	–	.01	.26	–	.01	–	–	–	–	.94	4
5	.04	.04	.39	–	.04	.10	–	–	–	–	–	.36	5
6	.16	.08	.11	.32	–	–	–	.15	.03	–	–	.44	6
7	.61	.25	–	.03	–	–	.60	.21	–	–	–	.11	7
8	.28	.10	–	.03	–	–	–	.59	–	–	.34	.01	8
9	.15	.21	–	.37	–	–	–	.01	–	–	.36	Slight .32	9
10	.74	.02	.06	.14	–	–	.06	.27	–	.02	.04	.13	10
11	.02	–	.04	.01	.09	–	11	.29	–	–	1.02	.45	11
12	.18	–	–	.21	.27	–	.02	.13	–	.12	1.19	Slight .02	12
13	.02	.13	–	.04	–	–	.03	40	–	.04	.17	.04	13
14	.03	.01	–	.04	.21	–	.69	.14	.07	–	.13	.03	14
15	.58	–	–	.01	.04		.08	.03	.01	–	.27	.15	15
16	.03	.09	–	–	.24	–	.46	.84	–	–	–	.03	16
17	–	.42	.10	–	.16	–	–	.02	–	–	–	–	17
18	.02	.33	.04	–	–	–	–	–	–	–	–	–	18
19	.01	.02	.16	.11	.09	–	.06	–	–	–	–	–	19
20	.31	.02	.01	.02	–	–	.01	.03	–	–	–	.15	20
21	.22	.03	–	.05	–	–	.28	–	–	–	–	.25	21
22	.02	Snow .29	.04	–	–	.10	.04	–	–	.06	–	.05	22
23	–	.20	.04	–	–	.05	.01	–	.04	.78	–	.07	23
24	–	–	.21	.14	–	–	.09		.31	.32	.02	.29	24
25	–	–	.01	–	–	.23	.02		.01		.08	.27	25
26	–	.05	–	–	–	–	.21		.06		–	.34	26
27	–	.06	–	–	–	–	.36		.09	.36	–	.39	27
28	–	.56	.01	–	–	.14	.01	.42	–	.09	–	.08	28
29	–	–	–	.01	.09	.14	–	.04	.03	–	.03	.24	29
30	.17			.18	–		–	.02	.01	–	.15	.15	30
31	.21		–		–		.08	.41		.36		.14	31
Total	4.51	3.55	1.60	2.06	1.87	0.83	3.23	5.67	1.33	2.28	3.80	5.92	YEAR'S TOTAL 36.65
Rain Days.	23	23	16	19	11	7	22	20	12	11	12	28	204

W. 8,000. X. 14. Letters the record is put through the line, the rain fell in the morning when record was taken up to 9 am

4193

REGISTER OF RAINFALL IN 1916

THE VICARAGE, MOSTYN, CHESTER.

Kept at Mostyn Vicarage.

in the County of Flint.

by Rev. W. Vaughan-Jones

FORM A. BRITISH RAINFALL.

3 JAN 1917

Lat. 53° 18' 5" Long. 3° 14' 50"

Time of Observation 9 am

Nearest Railway Station Mostyn.

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

" " " " Sea Level 100 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.30	.04	.22	–	–	.06	.27	–	–	–	.09	–	1
2	.08	.14	.22	–	–	.02	.20		1.02	.58	.10	–	2
3	.01	.10	.03	.18	.02	.09	.13		.75	.26	.07	.04	3
4	.07	.02	.05	.03	.65	.38	.01	–	.01	.13	.19	–	4
5	.01	.37	S .02	–	.21	.05	–	–	–	.11	.20	–	5
6	.31	.49	.01	–	.36	.10	.19	–	–	.14	.18	.04	6
7	.05	.05	–	–	.30	.01	.30	–	–	.11	.25	.44	7
8	.02	.12	.07	–	.30	.01	–	–	–	.03	.30	.20	8
9	.03	S 1/2" .01	–	–	.28	.01	–	–	.08	–	.04	.11	9
10	.02	.15	.02	.13	.04	.18	.05	–	.03	.01	–	.01	10
11	.07	.59	S. 04	.28	.14	–	.01	–	.12	–	–	S 1/4" .12	11
12	.17	.05	.07	.02	.41	.	.42	.03	.16	17	–	.01	12
13	.03	.13	.14	.23	.04	–	–	.54	–	.15	–	04	13
14	–	.26	–	.03	.16	–	–	.17	.08	.07	–	–	14
15	.01	.37	.34	.16	.03	–	.03	.11	.20	.50	–	–	15
16	–	.05	–	.28	.01	–	.11	.06	–	.35	–	–	16
17	.13	.06	.01	.69	–	–	.02	–	.65	.28	–	–	17
18	–	.33	.02	.40	–	–	–	.01	.45	.07	.26	S 3/4" .07	18
19	.15	.01	.22	.18	–	–	–	.24	–	–	.43	–	19
20	.04	–	.54	.05	–	–	–	.01	–	–	.05	.06	20
21	.03	–	.06	–	.05	.02	–	.01	–	–	.06	–	21
22	–	–	.01	–	.01	.08	–	.01	–	.07	.02	–	22
23	.06		S .07	–	–	.08	–	.13	–	.05	.05	.49	23
24	–			–	.67	–	–	.26	–	.12	.01	.03	24
25	–	S 3" .06	S .18	–	.60	.07	–	.15	.01	.03	.23	.09	25
26	.06	.01	S. .08	–	.21	.04	.03	.09	.04	.19	.03	.01	26
27	–	.02	–	–	.07	.02	–	.35	.13	.46	.01	.03	27
28	–	.26	–	–	.01	.12	–	.02	.02	.17	.03	.20	28
29	–	.27	–	–	–	.22	–	.01		.18	.01	.08	29
30	–	X	–	–	–	.17	–	–		.23	–	.01	30
31	–	X	–	X	–	X	.02	.09	X	.12	X	.12	31
Total	1.65	3.96	2.42	2.66	4.57	1.73	1.79	2.29	3.73	4.58	2.60	2.20	YEAR'S TOTAL 34.18
Rain Days.	20	24	21	13	21	19	14	18	14	25	21	20	229

W. 8,000, VIII. 16

S = Snow, when depth not stated it was very slight.

REGISTER OF RAINFALL IN 1917

FORM A. BRITISH RAINFALL.

Kept at Mostyn Vicarage

in the County of Flint.

by Rev W. Vaughan-Jones

Lat. 53° 18.5" N Long. 3° 14. 50"

Time of Observation 9 am

Nearest Railway Station Mostyn

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. — in.

" " " " Sea Level 100 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following. ·01

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·01	-	·08	S 6" ·04	-	·02	-	·17	·20	-	·18	·19	1
2	·26	-	·01		-			·08	-	·06	·07	·11	2
3	·01	·04			-	·07	-	-	-	·23	02	·04	3
4	·02	S 1¾ ·04	S ¾" 01		-	-	-	·09	-	·82	·01	·02	4
5	·36	S ½ ·01	·15	·06	-	-	-	·02	-	·31	·06	-	5
6	·09		·02	·01	-	·19				·13	·41	-	6
7	·83	Snow fell on ground but no fresh snow fell till 12th.			-	-			·01	·18	·12	·05	7
8	·03			S ½ ·24	-	·02	-	·77	·09	·59	·12	·38	8
9	-		·04	S ½ ·25	·12	-	-	·14	-	·14	·19	·02	9
10	·33		·65	S 1¼ ·38	·02	-	-	·06	-	·04	·01	-	10
11	·17		·01	·04	01	-	-	·08	-	·33	·02	-	11
12	·01	S ½ ·02	-	·02	·62	-	-	-	-	·78	-	·01	12
13	-		-	·07	·01	-	·01	·23	·19	·20	·08	·12	13
14	·03		-	·08	·12		-	·15	-	·17	-	·06	14
15	S ½" ·02		-		·01		·11	-	·03	·12	-	·08	15
16	S ¼ ·01	·02	-	·23	-		·02	-	·01	·02	-	·34	16
17	-	·02	·15	·38	·25		·22	1·40	·07	·43	-	·01	17
18	-		·04	·09	·16		·28	·01	·25	·12	-	-	18
19	·01	·62	·45	01	·31	·13	-	-	·02	·01	·03	-	19
20	-	·17		-	·15	1·02	-	·15	·03	-	·56	-	20
21	-	·01	·10	-	·09	·05		·06	.	·03	·04	-	21
22	-	·09		-	·01			·31	·04	·16	·07		22
23	-	·14		-	·06	·29		·24	·01	·23	-	·03	23
24	-	·01	·04	-		·07	·17	·08	-	·38	·14	·02	24
25	-	·19	·08	-		·01	·01	-	-	·02	·05		25
26	-	·01	·01	-		·20	.	1·01	·34	·19	·45		26
27	-	-	·01	-	1·02	·17	23	·33	-	·09	·01	·01	27
28	-	02	·14	-	·01	·01	·09	·76	·01	·27	-	·02	28
29	-	-	·05	-	-	-	·08	·01	-	·49	-	-	29
30	-	X	·21	-	-	-	-	·17	.	·07	·01	-	30
31	-	X	S 2½ ·33	X	·11	X	-	·35	X	·01	X	·01	31
Total	2·19	1·44 1·46	2·58	1·90	3·08	2·25 2·25	1·22 1·19	6·67 6·67	1·30 1·30	6·62	2·65	1·52	YEAR'S TOTAL 33·39
Rain Days.	15	15	20	14	17	13	10	23	14	29	21	18	209

W. 8,000, IX. 17.

33.39

REGISTER OF RAINFALL IN 1918.

FORM A. BRITISH RAINFALL. 23.1.19

Kept at The Vicarage. Mostyn

in the County of Flint

by Rev. W. Vaughan-Jones.

Lat. ..... Long. .....

Time of Observation 9 am.

Nearest Railway Station Mostyn

Diameter of Funnel of Rain Gauge 5. in.

Height of top of Gauge above Ground 1 ft. in.

" " " " Sea Level 100 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.
.02

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	-	.03	-	.07	.01	-	.01	.94	.61	.08	.21	-	1
2	-	.01	-	.02	-	-	-	.15	.06	.01	.01	.20	2
3	-	-	-	-	.56	-	-	.05	-	.10	-	-	3
4	.04	.06	-	-	.01	-	-	-	.51	.07	.17	-	4
5	-	-	-	.09	.22	-	-	.21	.12	.36	.02	.02	5
6	.04	.52	.02	.28	.01	.39	-	.02	.02	.28	-	-	6
7	.02	-	-	.02	.09	-	-	.03	-	.07	.07	-	7
8	.09	.06	-	-	-	-	.13	-	.51	.13	.08	-	8
9	.09	.71	-	.01	-	.70	-	-	.86	.67	.02	.04	9
10	.16	.09	-	.35	-	-	.20	-	.16	.09	.16	.04	10
11	.10	.14	.01	-	.04	-	.15	.01	.05	.02	-	.11	11
12	.02	.24	-	.03	.16	-	.33	-	.17	.08	-	.01	12
13	.01	.04	-	.04	.08	.04	-	-	.42	.17	-	-	13
14	6 .24	-	-	-	.01	.16	.22	.01	.35	.01	-	.25	14
15	9.3¼ -	-	-	.02	-	.10	.40	-	.92	.36	-	.59	15
16	.02	.02	-			.81	.30	.07	.20	.16	-	7h .54	16
17	.13	-	-	-	.36	.12	.12	.07	.05	.08	-	.15	17
18	38	.05	-	-	-	.09	.05	-	.23	.01	-	.60	18
19	.03	-	(.18)	.10	-	-	.21	-	.08	.08	-	.66	19
20	.07	.52	-	.28	.08	.07	.12	-	.16	-	-	.61	20
21	.11	.14	-	.05	.24	.07	.05	-	.12	-	-	.04	21
22	.01	.01	-	-	.50	.05	.16	.01	.19	-	-	.49	22
23	.04	-	-	-	.94	-	.46	-	.08	-	-	.48	23
24	.01	.10	-	-	-	-	.06	.16	.10	-	.28	.25	24
25	-	-	-	-	.16	.01	.08	.66	.15	.08	03	-	25
26	.01	.01	-	.01	.01	-	.15	.06	.06	-	.02	.04	26
27	-	.20	.26	-	-	.06	-	.25	.51	.01	.24	.51	27
28	-	.04	.19	-	-	-	-	-	.07	-	.78	.62	28
29	-	-	.10	-	-	-	-	-	.17	-	.01	.05	29
30	-	X	.04	-	-	-	-	.10	.02	.01	.10	.09	30
31	-	X	.29	X	-	X	-	.09	X	.05	X	.02	31
Total	1.62	2.99	1.01	1.57	3.48	2.65	3.21	2.89	6.95	2.92	2.20	6.41	YEAR'S TOTAL 37.90
Rain Days.	20	19	8	14	17	13	18	17	28	23	15	23	215

W. 8,000, IX. 17.

W-1856 county mm stats 3817

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1919

10 JAN 20

Kept at The Vicarage, Mostyn

in the County of Flint

by Rev. W. Vaughan-Jones.

Lat. ..... Long. .....

Time of Observation 9 a.m.

Nearest Railway Station Mostyn.

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. ... in.

" " " " Sea Level 100 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following. —

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.12	–	–	.02	.31	–	.23	.01	.40	.34	–	.06	1
2	.08	–	.46	–		–	.10	.12	.18	.04	–	.21	2
3	.01	–	.01	–	.02	.18	.12	–	.01	–	.02	.05	3
4	.03	.02	.37	–	–	.02	.12	.13	01	–	.01	.23	4
5	08	.10	.01	.01	–	–	.01	–	.02	–	–	.12	5
6	.03	.01	30	–	.08	–	–	–		.02	.01	.18	6
7	.03	–	.19	.08		–	–	–	.04		–	.03	7
8	.12	–	.02	.01	–	.22	–	–	–		.07	–	8
9	.36	–	.03	.06	–	–	–	–	–		.02	–	9
10	.03	–	.16	.07	–	.01	–	–	–	.18	–	.01	10
11	–	–	5/11 1.75	.07	–	–	18	–	–	–	–	.01	11
12	–	–	.21	.07	–	.53	01	–	.03	21	.14	–	12
13	.28	–	–	03	–	–	.26	.01	4	.45	–	.02	13
14	.34	.02	–	26	–	–	.05	.03	–	46	.01	.02	14
15	38	.02	.01	.27	.25	–	–		–	.03	–	.60	15
16	.18	.32	.02	–		02	.01		–	–	.14	.02	16
17	.04	.17	–	.02	–	.10	.12	.15	–	–	59	.03	17
18	.02	.01	.76	–	–	–	.07	.78	.23	–	.01	.42	18
19	.02	.18	5/12" .75	.02	–	.06	.01	.15	.35	–	.04	.15	19
20	.11	.17	.02	–	–	.10	–	.06	.04	–	.21	.70	20
21	.06	.13	–	–	–	.03	.28	–	.18	–	.06	.18	21
22	–	.13	–	–	–	.04	–	.01	.70	–	–	1.39	22
23	.01	–	–	.01	–	.06	–	.06	–	1.20	–	.08	23
24	–	–	–	.02	.21	.01	–	.03	.03	.19	.19	.28	24
25	.25	–	–	.05	.05	–	–	.45	.07	.01		.01	25
26	.10	–	.26	.13	–	.14	–	.81	.07	–	.67	.23	26
27	.35	.03	.04	23	–	.01	.01	.15	.16	–	–	.01	27
28	–	–	.05	06	–	.02	–	2.00	03	.01	–	.34	28
29	.02	–	5¾" .07	.14	–	.02	–	.10	.03	.05		.19	29
30	–		.10	.21	–	.36	–	–	–	–	.11	18	30
31	–		5/12 .15		–		.06	.02		–		.07	31
TOTAL	3.05	1.31	5.85	1.84	0.92	1.93	1.64	5.07	2.58	3.19	2.30	5.82	YEAR'S TOTAL 35.50
Days with .01 in. or more	24	13	23	21	6	18	15	18	18	13	16	28	213

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

NB. Where the record is across the line, the rain fell between 9 am & 9 am of the following days.

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at The Vicarage, Mostyn

in the County of Flint

by Rev W. Vaughan-Jones

Lat. 53° 18' 5" Long. 3° 14' 50" 14 JAN 1921

Time of Observation 9 am

Nearest Railway Station Mostyn

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

" " " " Sea Level 100 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following. nil

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	—	·12	·13	·16	—	·35	·05	·24	·15	—	·10	1
2	·01	—	—	·11	·01	—	2·6	·04	·07	·11	—	·05	2
3	·01	·17	—	·19	·10	·04	·75	·10	15	·14	—	·02	3
4	—	—	—	·02	·05	—	·08	·32	·05	·19	·04	—	4
5	—	—	·08	—	·10	—	·08	·09	·34	·07	—	—	5
6	—		·82	·08	·05	—	—	·01	·01	·57	—	·09	6
7	—	·12	·02	·63	—	—	·31	—	—	—	—	—	7
8	·21	·02	—	·36	·05	—	·04	·03	—		—	—	8
9	·22	·24	—	·67	—	—	·20	·11	·03	—	·01	—	9
10	·11	·25	·02	—	—	—	·09	—	—	—	—	·08	10
11	·28	·09	—	·18	·16	·26	—	·12	—	—	—	—	11
12	·18	·03	·13	·32	·01	1·08	·05	—	—	—	·14	·01	12
13	·23	·26	·07	·03	—	·13	—	—	—	—	—	—	13
14	·02	·03	·31	·09	—	·58	—	—	·63	·06	·14	—	14
15	—	·15	·01	·11	—	—	·01	—	—	·08	·03	—	15
16	—	·01	·02	·23	·29	·14	·37	—	·08	·14	·01	—	16
17	·01	—	·04	—	·27	·04	—	—	·13	—	—	—	17
18	·30	—	—	—	·09	·19	·05	·36	·86	—	—	—	18
19	·01	1·50	—	·10	·16	·13	—	·92	·03	—	—	—	19
20	·08	—	—	·43	—	—	·05	—	·12	·01	—	—	20
21	—	—	—	·09	—	·01	·48	·04	·01	—	—	·24	21
22	·08	—	—	·12	—	·05	·23	·58	—	—	—	·03	22
23	—	—	·17	·04	—	—	·53	·03	—	—	—	·25	23
24	·01	—	·63	·02	—	—	—	·01	—	—	—	·28	24
25	—	·14	·34	·08	—	·03	1·57	·01	—	—	—	—	25
26	·17	·02	·89	·48	·40	·02	·36	—	—	—	—	·01	26
27	·18	·10	·34	·17	·15	·31	·07	—	—	—	·04	·04	27
28	·46	·02	·38	·27	·01	·02	·03	—	—	—	—	·14	28
29	·09	—	·21	·10	·83	—	·32	—	—	—	·16	·63	29
30	·12		·33	·27	·01	—	·01	—	·43	—	·06	·02	30
31	·12		·01		·06		·03	—		·17		—	31
TOTAL	2·90 ~~2·70~~	3·15	4·94	4·72	2·96	3·03	6·32	2·82	3·18	1·69	0·63	1·99	YEAR'S TOTAL ~~38·13~~ 38·23
Days with ·01 in. or more	21	16	20	26	19	15	24	16	15	11	9	15	207 ✓
Days with ·04 in. or more	15	10	15	22	15	11	20	11	11	10	6	10	156 ✓

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

19.4.21.

THE VICARAGE,
MOSTYN

20 APR 21

Dear Sir

In reply to yours of 18 inst. for
I regret that the error
was due on my part in adding
up. I find your account correct
I am Sir
Yours truly
W. Vaughan Jones

POST CARD

C. Salter Esq.
Superintendent
Br. Rainfall Organization
62 Camden Square
London N.W. 1.

NORTHOP
HIGHFIELD
FLINT.
1911 - 14

FORM A2.
BRITISH RAINFALL.
10 JAN 1912

Kept at Highfie

in the County of

by Canon A.

in.
und 1 ft. — in.
Level 400 ft.
ne Mold
ance 4 Direction S.W.

IMPORTANT
previous day. If a
result entered to the
l rule, he is earnestly
requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following. —

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	—	—	.09	—	—	—	.23	—	—	.04	.18	.03	1
2	—	—	.07	—	.05	—	.01	—	—	.35	—	—	2
3	—	—	—	—	.32	—	—	—	.12	—	.04	.08	3
4	—	—	.02	—	.01	—	—	.37	.01	—	.06	.06	4
5	.04	—	.04	.03	—	—	—	.47	—	.05	—	.02	5
6	.23	—	.01	—	—	—	—	.26	—	.04	.12	.26	6
7	—	—	—	—	—	—	—	—	—	—	.20	—	7
8	.24	—	.20	—	—	—	—	—	—	—	.11	.36	8
9	.05	—	—	—	—	—	—	—	—	—	.05	.08	9
10	—	.06	.05	—	—	—	—	—	—	—	—	.63	10
11	.06	—	—	—	—	—	—	—	.06	—	.52	.11	11
12	—	—	.27	—	—	—	—	—	1.72	—	.15	—	12
13	—	.06	—	—	—	—	—	—	—	—	.09	.13	13
14	—	.16	—	—	.06	—	—	—	—	—	—	.24	14
15	—	.03	.03	—	.28	—	—	—	—	.02	.06	.06	15
16	—	.01	.06	.03	—	.15	—	—	—	.03	.08	—	16
17	—	—	—	—	.06	.36	—	—	—	—	.25	.11	17
18	—	.13	—	.12	—	.09	—	—	—	—	—	.13	18
19	—	.15	—	.14	—	.79	.04	—	.08	.20	.27	.26	19
20	—	.14	—	.10	—	.02	.02	.91	.06	.02	—	.14	20
21	—	.05	—	—	—	—	.05	.06	.25	.25	—	.03	21
22	—	.04	—	—	—	—	—	—	—	.19	—	.46	22
23	—	.08	—	—	—	.16	—	.07	.21	.24	—	.12	23
24	—	.04	—	—	—	1.59	.01	.02	—	.10	—	.11	24
25	—	.09	—	.08	—	.19	—	—	.54	.13	—	.10	25
26	—	.28	—	.09	—	.04	.21	.09	.02	.16	.08	.10	26
27	—	.07	—	.09	—	—	—	.64	.93	—	—	.13	27
28	—	.16	—	—	—	.07	—	.03	.10	—	—	.02	28
29	—	"	—	.06	—	.06	.14	—	.20	.18	(.02) .08	.05	29
30	—	"	—	—	—	.07	.02	—	—	.14	—	—	30
31	—	"	.16	"	.04	"	—	—	—	.04	"	—	31
Total	.62	1.55	1.00	.74	.82	3.59	.73	2.92	4.05	2.18	2.28	3.82	TOTAL for year 24.30
No. of Rain Days.	5	16	11	9	7	12	9	10	12	17	16	25	149

W. 8,000, X. '11.

FORM A2.
BRITISH RAINFALL.
10 JAN 1917

Kept at Highfield. Northop.

in the County of Flint

by Canon A. Atkinson

RAIN GAUGE — Diameter of top 5 in.
Height of top above Ground 1 ft. — in.
" " " Sea Level 400 ft.

Time of Observation 10 a.m.

Nearest Railway Station — Name Mold
Distance 4 Direction S.W.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following. —

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	—	—	.09	—	—	—	.23	—	—	.04	.18	.03	1
2	—	—	.07	—	.05	—	.01	—	—	.35	—	—	2
3	—	—	—	—	.32	—	—	—	.12	—	.04	.08	3
4	—	—	.02	—	.01	—	—	.37	.01	—	.06	.06	4
5	.04	—	.04	.03	—	—	—	.47	—	.05	—	.02	5
6	.23	—	.01	—	—	—	—	.26	—	.04	.12	.26	6
7	—	—	—	—	—	—	—	—	—	—	.20	—	7
8	.24	—	.20	—	—	—	—	—	—	—	.11	.36	8
9	.05	—	—	—	—	—	—	—	—	—	.05	.08	9
10	—	.06	.05	—	—	—	—	—	—	—	—	.63	10
11	.06	—	—	—	—	—	—	—	.06	—	.52	.11	11
12	—	—	.27	—	—	—	—	—	1.72	—	.15	—	12
13	—	.06	—	—	—	—	—	—	—	—	.09	.13	13
14	—	.16	—	—	.06	—	—	—	—	—	—	.24	14
15	—	.03	.03	—	.28	—	—	—	—	.02	.06	.06	15
16	—	.01	.06	.03	—	.15	—	—	—	.03	.08	—	16
17	—	—	—	—	.06	.36	—	—	—	—	.25	.11	17
18	—	.13	—	.12	—	.09	—	—	—	—	—	.13	18
19	—	.15	—	.14	—	.79	.04	—	.08	.20	.27	.26	19
20	—	.14	—	.10	—	.02	.02	.91	.06	.02	—	.14	20
21	—	.05	—	—	—	—	.05	.06	.25	.25	—	.03	21
22	—	.04	—	—	—	—	—	—	—	.19	—	.46	22
23	—	.08	—	—	—	.16	—	.07	.21	.24	—	.12	23
24	—	.04	—	—	—	1.59	.01	.02	—	.10	—	.11	24
25	—	.09	—	.08	—	.19	—	—	.54	.13	—	.10	25
26	—	.28	—	.09	—	.04	.21	.09	.02	.16	.08	.10	26
27	—	.07	—	.09	—	—	—	.64	.93	—	—	.13	27
28	—	.16	—	—	—	.07	—	.03	.10	—	—	.02	28
29	—	"	—	.06	—	.06	.14	—	.20	.18	(.02) .08	.05	29
30	—	"	—	—	—	.07	.02	—	—	.14	—	—	30
31	—	"	.16	"	.04	"	—	—	.03	.04	"	—	31
Total	.62	1.55	1.00	.74	.82	3.59	.73	2.92	4.05	2.18	2.28	3.82	TOTAL for year 24.30
No. of Rain Days.	5	16	11	9	7	12	9	10	12	17	16	25	149

W. 8,000, X. '11.

REGISTER OF RAINFALL IN 1912

FORM A. BRITISH RAINFALL. 9 JAN 1913

Kept at Highfield. Northop.

in the County of Flints.

by Arthur Atkinson.

Lat. 53° 12′ 18″ N Long. 3° 6′ 4″ W

Time of Observation 10 a.m.

Nearest Railway Station Mold

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. — in.

" " " " Sea Level 400 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following. .01

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
1	—	—	.05	—	—	.06	.15	.09	.15	—	—	.13	1
2	—	S .08	.08	—	—	.16	.03	—	—	—	—	.06	2
3	.30	—	.05	—	.07	.34	—	1.32	.08	—	—	.05	3
4	.17	—	.59	—	.06	.07	—	.26	.02	—	.26	—	4
5	.21	S .05	—	—	.09	.13	—	.18	.25	—	.01	—	5
6	.66	.07	—	—	.02	—	—	.08	.03	—	—	—	6
7	—	.07	.06	—	.06	.11	.10	—	.07	—	—	.08	7
8	S .43	.19	.07	.07	—	.09	—	—	.13	—	—	—	8
9	.03	.04	.36	.27	—	.61	—	—	—	—	.01	.04	9
10	.08	—	.01	—	—	.45	—	—	—	—	.32	—	10
11	.03	—	—	—	.03	—	.04	—	—	—	.13	.38	11
12	—	.35	.17	—	—	.02	.02	.73	—	.01	—	—	12
13	.03	—	—	—	—	—	—	.39	—	.03	—	.02	13
14	.04	—	.10	—	—	.08	—	.13	.01	.05	—	.02	14
15	.22	.08	.09	—	.28	.07	—	.03	—	—	.01	.12	15
16	S .64	.02	.06	—	.13	—	—	.01	—	.24	—	—	16
17	S 2.39	.17	.03	—	.01	.42	—	.28	—	—	.08	.11	17
18	S .32	.01	—	—	—	—	—	.22	—	.04	.02	—	18
19	.04	.07	.08	—	—	—	—	.30	—	.16	.04	—	19
20	.03	—	S .33	—	.02	—	—	.05	—	.46	.04	—	20
21	—	—	.07	—	.58	—	.12	.11	—	.56	—	.08	21
22	—	.03	—	—	1.10	—	.06	.60	—	—	—	.10	22
23	—	—	.35	—	—	.02	.22	.44	—	.03	.19	.02	23
24	.08	.02	.10	—	—	.11	.06	.13	—	—	.04	.19	24
25	—	—	.03	—	—	.15	—	.02	—	—	.37	.36	25
26	—	.07	.09	—	—	.05	.08	.37	—	1.01	.13	.02	26
27	—	—	.15	—	—	.19	.37	—	—	.32	.12	.06	27
28	—	.06	—	.03	—	.13	.15	.12	.20	.24	.38	—	28
29	—	.03	—	—	—	.03	.14	.05	.57	.09	—	.04	29
30	.04	"	.08	—	.07	.32	.08	—	—	.06	S .31	—	30
31	—	"	.07	"	.14	"	1.04	.11	"	—	"	—	31
Total	5.74	1.41	3.07	.37	2.66	3.61	2.66	6.02	1.51	3.30	2.46	1.88	YEAR'S TOTAL 34.69
Rain Days.	18	17	23	3	14	21	15	23	10	14	17	18	193

2.66 34.69

W. 7,500, XI. 12

REGISTER OF RAINFALL IN 1913

FORM A. BRITISH RAINFALL. 7 JAN 1914

Kept at Highfield – Northop

in the County of Flint

by Arthur Atkinson

Lat. 53° 12′ 18″ Long. 3° 6′ 4″

Time of Observation 10 a.m.

Nearest Railway Station Mold

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

" " " " Sea Level 400 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·01	·04	·05	–	·26	–	–	–	–	–	·11	–	1
2	–	·07	·06	·03	·01	–	–	–	–	–	·07	–	2
3	–	–	·24	–	·48	–	–	–	–	–	–	·42	3
4	·38	·03	–	–	·12	·02	–	–	–	·50	–	·43	4
5	·27	·05	·03	–	·07	·18	·12	–	–	·29	·01	–	5
6	·03	·16	·22	–	·14	·08	·10	–	–	·08	·02	·16	6
7	–	·22	·02	–	·13	·33	·13	–	–	·28	·14	·02	7
8	·01	·10	·06	–	·15	·03	·02	–	·06	·03	–	–	8
9	–	·14	·02	·12	·05	·13	·19	·42	·04	–	·06	·11	9
10	S ·28	–	·01	·08	·11	·01	–	·34	–	·09	·07	–	10
11	S ·75	–	–	·37	·06	·08	–	·33	–	·04	·09	–	11
12	–	–	–	–	·09	·02	·02	–	·14	–	·29	–	12
13	–	–	·25	–	–	–	–	·06	·15	·02	·26	–	13
14	·26	–	–	–	–	–	–	·26	·02	·14	–	–	14
15	–	–	·41	·43	–	–	–	–	·01	–	·04	·04	15
16	–	–	·04	·05	–	–	–	–	·08	–	·04	–	16
17	–	–	·02	·11	–	–	·04	–	–	–	·05	–	17
18	–	–	·28	·12	·10	–	·06	–	–	–	–	–	18
19	·22	–	·02	–	·02	·15	–	–	·04	·25	·01	–	19
20	·14	–	·20	·05	–	·03	–	–	–	·24	·27	–	20
21	–	–	·10	–	·09	–	·19	·20	–	–	–	–	21
22	·28	–	·86	–	–	·35	–	·84	·48	–	–	–	22
23	–	–	·02	–	–	·03	–	·02	·12	–	·08	·37	23
24	·16	·01	–	–	–	·05	–	·01	–	–	·01	·01	24
25	–	–	–	·15	–	–	–	–	·20	·08	–	·03	25
26	–	·03	–	·65	–	–	–	–	·21	–	–	·24	26
27	–	–	–	·09	–	–	–	–	–	·25	–	·13	27
28	·10	–	·14	·21	·04	–	–	–	–	·71	–	·06	28
29	·84	"	·32	·35	·12	–	–	·01	·06	·26	·86	–	29
30	·14	"	–	–	·03	–	–	–	·10	·10	·04	–	30
31	·04	"	·26	"	·11	"	–	–	"	–	"	–	31
Total	3.11	·85	3.63	2.81	2.18	1.49	1.87	2.49	1.55	3.36	1.72 ✓	2.02	YEAR'S TOTAL 27.08 ✓
Rain Days.	14 rain 2 snow	10	22	14	19	14	9	10	12	16	19	12	173

W.7,000, XI. 13

REGISTER OF RAINFALL IN 1914

FORM A. BRITISH RAINFALL
9 JAN 1915

Kept at Highfield. Frostrop.

in the County of Hunts

by Canon Arthur Atkinson.

Lat. 53° 12' 18" Long. 3° 6' 6"

Time of Observation 10 a.m.

Nearest Railway Station Mold.

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

" " " " Sea Level 400 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following. .27

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	—	—	.07	—	—	—	.69	.46	—	.02	—	.36	1
2	—	—	—	—	—	—	.95	.06	—	—	.36	.35	2
3	.03	—	.10	.04	.14	—	—	—	—	—	—	.64	3
4	.23	—	.07	.09	.18	—	.07	.08	—	—	.54	.15	4
5	.05	—	.25	.11	.13	.04	.05	.06	—	.01	.18	.04	5
6	.03	.02	.04	.02	.11	.06	—	—	—	—	.04	.14	6
7	—	.13	.30	.07	.23	.21	—	.16	—	—	—	.21	7
8	.11	—	—	.02	.29	.17	.06	.10	.15	—	—	.02	8
9	.30	.08	S .09	.13	.10	.69	.18	.01	.02	—	.08	—	9
10	.03	.06	S .10	.09	.02	.24	—	—	.21	—	.12	—	10
11	—	.11	.09	.01	.03	.84	—	—	.03	—	.79	.60	11
12	—	.45	.24	—	.01	—	.20	—	.61	—	.20	.21	12
13	—	.07	.08	—	—	—	—	—	.02	.27	.41	.16	13
14	—	.17	.02	—	—	—	.03	—	—	.08	.19	.01	14
15	—	—	.33	—	—	—	.01	—	.01	—	.02	.07	15
16	—	.02	—	—	—	—	.07	—	.43	—	—	.05	16
17	.05	.12	.13	—	—	—	.07	—	.21	—	—	.27	17
18	—	—	—	—	—	—	—	—	.38	—	—	.10	18
19	—	—	.05	—	—	—	.67	—	.43	—	.01	.12	19
20	—	.17	.09	—	—	.53	1.45	—	—	—	—	.11	20
21	—	.15	.02	—	—	.01	—	.22	—	.07	—	.38	21
22	—	.15	—	.01	.14	.11	—	.14	—	—	—	—	22
23	—	—	.04	.03	.06	—	.06	—	—	—	—	—	23
24	—	—	.05	—	.01	—	.19	.09	—	.02	.16	—	24
25	.10	—	—	—	—	—	.33	.14	—	.48	.06	.20	25
26	—	—	.07	—	—	—	.41	.08	—	.20	.05	.20	26
27	.08	—	—	—	—	—	—	—	—	.02	.25	.87	27
28	.31	.14	.04	—	.14	—	—	—	—	.01	—	.39	28
29	.04	"	—	—	.02	—	—	.07	—	.02	.09	.03	29
30	—	"	.01	—	—	—	—	.01	—	—	.16	.17	30
31	.14	"	.01	"	.03	"	.20	—	"	.06	"	.02	31
Total	1.50	1.84	2.29	.62	1.64	2.90	5.69	1.68	2.50	1.24	3.71	5.87	YEAR'S TOTAL 31.48
Rain Days.	13	14	23	11	16	10	18	14	11	12	17	18	185

1,000, XI. '12

EDWARD STANFORD, Ltd., 12, 13 & 14, LONG ACRE, W.C.
Waterlow and Sons Limited, Printers, London Wall, London.

Price 2d.

4270

OVERTON, FAIRLEIGH

1911 — 20

FORM A2. BRITISH RAINFALL.

2-FEB 1912

Kept at Overton

in the County of 7

by B.J.S.

...ms' Snowdon

...in.

Ground ...ft. 20 in.

Sea Level ...ft.

A.M.

Name Overton-on-Dee

Distance 1 mile Direction E.S.E.

IMPORTANT NO... the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	—	—	—	—	—	·05	—	—	·01	·09	·01	1
2	—	—	·01	—	·09	—	·02	·01	—	·16	—	·18	2
3	—	—	—	·02	·47	—	—	—	·03	—	·16	·02	3
4	—	—	—	·01	—	—	·01	07	·07	—	·22	·23	4
5	0·27	—	·01	—	·05	—	—	·50	—	·10	·01	—	5
6	·08	—	·09	—	—	—	—	·13	—	—	·07	·30	6
7	—	—	—	—	—	—	—	—	—	—	·32	—	7
8	·15	—	·04	—	—	—	—	—	—	—	·09	·64	8
9	·01	—	·01	—	—	—	—	—	—	—	·13	·08	9
10	—	·03	·12	—	—	—	—	—	·08	—	·01	·38	10
11	·10	—	—	—	—	—	—	—	·12	—	·50	—	11
12	—	—	·23	—	—	—	—	—	·98	n.m.	·24	n.m.	12
13	—	—	·01	—	—	—	—	—	—	—	·02	·19	13
14	·01	·04	·01	—	—	—	—	—	—	—	—	·34	14
15	—	·01	·02	—	—	—	n.m.	—	—	n.m.	·13	·13	15
16	—	—	—	—	—	·16	—	—	—	·01	·18	·05	16
17	—	—	—	—	·39	·49	—	—	—	—	·29	·20	17
18	—	·16	—	·18	—	·10	—	—	—	—	—	·32	18
19	—	·01	—	·08	—	·28	n.m.	—	·05	·25	·19	·48	19
20	—	·06	—	·05	—	—	n.m.	·76	·03	·08	n.m.	·16	20
21	—	·19	·02	—	—	·02	—	·75	—	·25	—	·02	21
22	·01	—	—	—	—	·02	·10	—	—	·23	—	·49	22
23	—	·34	·17	—	—	·01	—	—	·20	·11	n.m.	·34	23
24	—	·03	·02	—	—	·53	—	·11	—	·33	—	·13	24
25	—	·13	—	·04	—	·02	—	—	·45	·10	—	·07	25
26	—	·23	—	·08	·10	—	·03	·01	—	·21	·04	·04	26
27	—	·08	·01	·03	—	—	—	·54	·17	—	·02	·11	27
28	—	·02	—	·02	—	—	—	·08	—	—	—	·01	28
29	—		—	·01	—	·01	·23	—	·03	·40	—	·02	29
30	—		—	—	—	·11	·43	—	—	·30	·01	—	30
31	—		·07		·01		—	—		·02		—	31
Total	0·63	1·33	0·89	0·52	1·10	1·75	0·87	3·01	2·21	2·56	2·72	4·94	TOTAL for year 22·54
No. of Rain Days	7	13	15	10	6	11	7	10	11	15	19	25	149

9,000, IX. '10.

R[redacted] 1.

FORM A.2. BRITISH RAINFALL. 2-FEB 1912

Kept at Overton

in the County of Flints

by B. J. Wright

RAIN GAUGE — Pattern Symons's Snowdon; Diameter of top 5 in.; Height of top above Ground 20 ft.; " " " Sea Level ft.

Time of Observation 9 A.M.

Nearest Railway Station — Name Overton-on-Dee; Distance 1 mile; Direction E.S.E.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	—	—	—	—	—	·05	—	—	·01	·09	·01	1
2	—	—	·01	—	·09	—	·02	·01	—	·16	—	·18	2
3	—	—	—	·02	·47	—	—	—	·03	—	·16	·02	3
4	—	—	—	·01	—	—	·01	07	·07	—	·22	·23	4
5	0·27	—	·01	—	·05	—	—	·50	—	·10	·01	—	5
6	·08	—	·09	—	—	—	—	·13	—	—	·07	·30	6
7	—	—	—	—	—	—	—	—	—	—	·32	—	7
8	·15	—	·09	—	—	—	—	—	—	—	·09	·64	8
9	·01	—	·01	—	—	—	—	—	—	—	·13	·08	9
10	—	·03	·12	—	—	—	—	—	·08	—	·01	·38	10
11	·10	—	—	—	—	—	—	—	·12	—	·50	—	11
12	—	—	·23	—	—	—	—	—	·98	n.m.	·24	n.m.	12
13	—	—	·01	—	—	—	—	—	—	—	·02	·19	13
14	·01	·04	·01	—	—	—	—	—	—	—	—	·34	14
15	—	·01	·02	—	—	—	n.m.	—	—	n.m.	·13	·13	15
16	—	—	—	—	—	·16	—	—	—	·01	·18	·05	16
17	—	—	—	—	·39	·49	—	—	—	—	·29	·20	17
18	—	·16	—	·18	—	·10	—	—	—	—	—	·32	18
19	—	·01	—	·08	—	·28	n.m.	—	·05	·25	·19	·48	19
20	—	·06	—	·05	—	—	n.m.	·76	·03	·08	n.m.	·16	20
21	—	·19	·02	—	—	·02	—	·75	—	·25	—	·02	21
22	·01	—	—	—	—	·02	·10	—	—	·23	—	·49	22
23	—	·34	·17	—	—	·01	—	—	·20	·11	n.m.	·34	23
24	—	·03	·02	—	—	·53	—	·11	—	·33	—	·13	24
25	—	·13	—	·04	—	·02	—	—	·45	·10	—	·07	25
26	—	·23	—	·08	·10	—	·03	·01	—	·21	·04	·04	26
27	—	·08	·01	·03	—	—	—	·59	·17	—	·02	·11	27
28	—	·02	—	·02	—	—	—	·08	—	—	—	·01	28
29	—		—	·01	—	·01	·23	—	·03	·40	—	·02	29
30	—		—	—	—	·11	·43	—	—	·30	·01	—	30
31	—		·07		·01		—	—		·02		—	31
Total	0·63	1·33	0·89	0·52	1·10	1·75	0·87	3·01	2·21	2·56	2·72	4·94	TOTAL for year 22·54
No. of Rain Days	7	13	15	10	6	11	7	10	11	15	19	25	114

9,000, IX. '10.

REGISTER OF RAINFALL IN 19[illegible]

FORM A2. BRITISH RAINFALL. 11 FEB 1913

Kept at Faidleigh Overton.

in the County of Hants.

by Bro J. Wright.

RAIN GAUGE: Pattern Symons Snowdon. Diameter of top 5 in. Height of top above Ground [illegible] ft. 20 in. " " " Sea Level (?) ft.

Time of Observation 9 A.M.

Nearest Railway Station: Name Overton-on-Dee. Distance 1 mile. Direction E.S.E.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	—	·01	·06	—	·01	·05	n.m.	·02	·01	—	—	·23	1
2	—	·04	·21	·01	—	·09	n.m.	—	—	—	—	·01	2
3	·09	—	·01	—	·01	·39	n.m.	·42	·03	—	—	·04	3
4	·11	—	·83	—	·11	·30	—	·27	n.m.	—	·13	—	4
5	·18	·10	—	—	·04	·32	—	·10	·03	—	·01	n.m.	5
6	·27	·12	·01	—	·03	—	—	·25	·01	—	—	·01	6
7	—	·16	·02	—	·01	·31	—	n.m.	—	—	—	·02	7
8	·57	·18	·13	·02	·01	·08	n.m.	·10	·01	—	—	·01	8
9	·16	·01	·43	·12	·01	·75	—	·10	—	—	·03	·05	9
10	·23	·03	·02	n.m.	—	·19	—	·04	—	—	·35	—	10
11	·01	·01	—	—	·02	—	n.m.	·10	—	—	·06	·25	11
12	·01	·16	·08	—	—	·03	·04	·18	—	—	—	·03	12
13	·02	—	—	—	—	—	—	·02	—	·12	·01	·01	13
14	·04	—	·29	—	—	·07	—	·01	—	—	—	n.m.	14
15	·05	·07	·08	—	·19	·12	—	n.m.	—	—	—	·04	15
16	·58	·01	·16	—	·10	—	—	·01	—	·07	n.m.	—	16
17 snow	1·03	·09	·01	—	—	·10	n.m.	·29	—	—	·08	·18	17
18	·12	·01	·03	—	—	—	—	·08	—	·01	·01	n.m.	18
19	—	·06	·02	—	·01	n.m.	n.m.	·21	—	·03	n.m.	·02	19
20	·15	—	·30	—	·03	·01	—	·09	—	·09	·02	·02	20
21	—	·01	·16	—	·54	—	n.m.	·01	—	·41	—	·03	21
22	·06	·08	·01	—	·90	—	·11	·46	—	—	—	·07	22
23	—	—	·32	—	n.m.	·08	·28	·17	—	—	·09	·01	23
24	·15	—	·01	—	—	·17	·27	·16	—	—	n.m.	·24	24
25	—	n.m.	n.m.	—	—	·08	—	·02	—	—	·33	·28	25
26	—	·13	·02	—	—	n.m.	·16	·18	—	1·24	·39	·10	26
27	—	n.m.	·04	—	n.m.	·37	·41	—	—	·48	·04	·17	27
28	—	·07	·03	—	—	·01	·29	·17	·05	·21	·60	—	28
29	—	·06	·04	—	—	·02	·01	·07	·45	·07	—	·03	29
30	·03	X	·05	—	—	·77	·08	trace	—	·23	·11	n.m.	30
31	·01	X	·07	X	·51	X	·38	·08	X	·02	X	·01	31
Total	3·92	1·41	3·44	0·15	2·53	4·31	2·03	3·66	0·59	2·98	2·26	1·86	TOTAL for year
No. of Rain Days.	20.	20.	27.	3.	16.	21.	10.	26.	7.	12.	15.	23.	29.14 inches

W. 8,000, X. '11.

Snow on 20th-23rd.

× snow. ○ rain to snow 2.00

REGISTER OF RAINFALL IN 1913.

FORM A. BRITISH RAINFALL. 16 JAN 1914

Kept at Farleigh Overton

in the County of Hants.

by B. J. S. Wright.

Lat. ____ Long. ____

Time of Observation 9 A.M.

Nearest Railway Station Overton on Dee

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground ____ ft. 20 in.

" " " " Sea Level (?) ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
1	—	·02	·21	·04	·02	—	—	—	·02	—	·26	—	1
2	—	·08	·11	·10	trace	—	—	—	—	n.m.	·10	—	2
3	n.m.	—	·12	—	·45	—	—	—	—	·01	—	·28	3
4	·49	·10	·01	—	·05	—	n.m.	—	—	·05	·03	·45	4
5	·27	·04	·02	—	·20	·35	·02	·24	—	·34	·03	·05	5
6	·04	·20	·32	—	·25	·09	·45	—	—	·08	·01	·22	6
7	·01	·56	·02	—	·28	·19	·05	—	—	·18	·22	·01	7
8	·01	·17	·01	—	·14	·02	·02	·08	—	·07	—	—	8
9	—	·25	·05	·10	·07	·12	·24	·10	—	—	·17	·04	9
10	·19	—	—	·09	·17	—	—	·14	—	·14	·01	—	10
snow 11	·74	·02	—	·35	·15	·05	—	·02	—	·02	·28	—	11
12	—	—	—	—	·03	·01	—	—	·03	—	·26	—	12
13	—	—	·19	·02	—	—	n.m.	·04	·10	—	·15	—	13
snow 14	·11	—	·57	—	—	—	—	·06	·11	·09	·07	—	14
15	·03	—	·40	·77	—	—	—	·01	·03	—	·17	·04	15
16	·01	—	·12	·04	—	—	trace	n.m.	—	—	—	—	16
17	·11	—	·03	·09	·02	trace	·02	—	—	—	·03	—	17
18	—	—	·33	·08	·01	trace	·03	—	—	—	·01	—	18
19	·03	—	·11	—	·05	·02	—	—	·03	·13	—	—	19
20	·08	—	·12	·08	—	n.m.	—	—	—	·27	·35	—	20
21	—	—	·10	·04	·16	—	·07	—	—	n.m.	·01	—	21
snow 22	·44	—	·69	—	—	·15	—	·54	·46	—	—	—	22
23	—	—	—	—	—	n.m.	—	·02	·09	—	·15	·06	23
24	·12	—	—	·03	—	—	—	·02	—	—	·05	—	24
25	—	trace	—	·10	—	—	—	—	·31	·08	—	—	25
26	—	·03	—	1·10	—	—	—	·02	·04	—	—	·19	26
27	—	·01	—	·33	—	—	—	—	—	·32	—	·10	27
28	·29	—	·14	·49	·02	—	—	—	—	·78	—	·09	28
29	—	[illegible]	·24	·33	·23	—	n.m.	·06	—	·49	—	—	29
30	·25	[illegible]	—	—	—	—	—	—	—	·26	·02	—	30
31	·04	[illegible]	·44	[illegible]	·17	[illegible]	—	—	[illegible]	·02	[illegible]	—	31
Total	3·26	1·48	4·35	4·18	2·47	1·00	·90	1·35	1·22	3·33	2·38	1·53	YEAR'S TOTAL 27·45
Rain Days.	18	11	22	18	18	9	8	13	10	17	20	11	175

W. 7,500, XI. 12

REGISTER OF RAINFALL IN 1914

FORM A. BRITISH RAINFALL. 13 JAN 1915

Kept at Fairleigh Overton

in the County of Hants.

by B. J. Wright

Lat. ..... Long. .....

Time of Observation 9 A.M.

Nearest Railway Station Overton on D. & S.

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground ..... ft. 20 in.

" " " " Sea Level ..... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

× thunderstorm

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	—	—	·03	—	—	·02	×·78×	·47	—	—	—	·30	1
2	—	—	—	—	·01	—	·73×	·08	—	·02	·37	·40	2
3	—	—	·05	·06	·24	—	·02	·03	—	—	·01	·76	3
4	—	—	—	·31	·16	—	·11	·03	—	—	·35	·26	4
snow 5	×·27	—	·09	·21	·15	—	·16	n.m.	—	n.m.	·13	n.m.	5
6	×·13	·01	—	·03	·04	·05	n.m.	—	—	—	·11	·33	6
rain 7	·01	·02	·32	—	·17	·12	·03	·11	—	—	—	·16	7
8	n.m.	—	—	·02	·18	·13	·04	·20	·08	—	—	·05	8
9	·28	·03	·11	·14	·09	·24	—	·11	·05	—	—	—	9
10	·01	·17	·10	·13	·11	·36	—	—	·25	—	—	—	10
11	—	·23	·26	—	·25	·07	trace	—	·03	—	·41	·48	11
12	—	·83	·15	—	—	—	·01	—	·16	—	·12	·14	12
13	—	·21	·20	—	—	—	·03	—	—	·26	·33	·16	13
14	—	·37	·04	—	—	—	—	—	—	·07	·33×	n.m.	×snow. 14
15	—	·01	·29	—	—	—	—	n.m.	n.m.	—	·01	—	15
16	—	·04	·06	—	—	—	·05	—	·10	—	—	·04	16
17	n.m.	·24	·11	—	—	—	·08	—	·23	—	—	·47	17
18	·01	—	·06	—	—	·02	—	—	·11	—	—	·13	18
19	—	n.m.	·01	—	—	—	·37	·12	·20	—	·01	·06	19
20	—	·40	·14	—	—	·55	·18	—	—	n.m.	—	·27	20
21	—	·23	—	—	—	×·11	—	·62	—	·15	—	·16	snow lying 21
22	—	·10	—	—	·05	·05	n.m.	·12	—	·07	—	—	22
23	—	—	·05	—	·13	n.m.	—	—	—	·01	—	·02	23
24	—	—	·40	n.m.	Z	—	·09	·10	—	—	·07	—	24
25	·18	·01	—	—	n.m.	—	·12	·17	—	·48	·04	·34	25
26	·01	—	·02	—	—	—	·02	·10	—	·12	·04	·34	26
27	·01	—	—	—	—	—	—	—	—	—	·20	1·22	27
28	·28	·06	·26	—	·08	—	—	—	—	·06	·02	·34	amount of rain 28
29	·02	X	·06	—	·03	—	—	—	—	·02	·26	—	29
30	—	X	·07	—	—	—	—	·01	—	·01	·32	·28	30
31	·31	X	·01	X	n.m.	X	·37	—	X	·03	X	—	31
Total	1·52	2·96	2·89	·90	1·69	1·72	3·19	2·27	1·21	1·30	3·13	6·71	YEAR'S TOTAL 29·49
Rain Days.	12	16	23.	7.	14.	11.	17.	14.	9.	12.	18.	22.	175

W.7,000, XI. 13

REGISTER OF RAINFALL IN 1915

4254

FORM A. BRITISH RAINFALL. 15 JAN 1916

Kept at Faileigh Overton

in the County of Hants

by B. J. Wright.

Lat. ____ Long. ____

Time of Observation 9 A.M.

Nearest Railway Station Overton or Deer

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground ____ ft. 20 in.

" " " " Sea Level ____ ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·42	·03	·05	—	·41	—	·02	·03	·15	·12	—	·31	1
2	·04	·10	·25	·16	—	·03	—	·50	—	·08	—	·03	2
3	·45	·21	·01	·03	—	—	·45	—	—	—	—	·19	3
4	—	·27	—	—	·41	—	·29	—	—	—	—	·81	4
5	·08	·09	·06	·03	·01	—	·02	·03	—	—	—	·50	5
6	·08	·03	nm.	·09	—	—	·27	·02	—	—	—	·23	6
7 snow	·24	·32	—	·02	—	—	·06	·20	—	—	—	·18	7
8	·12	·32	—	·01	—	—	—	·05	—	—	·16	nm.	8
9	·11	·13	—	·25	—	—	—	—	—	—	·08	·45×	9
10	·30	—	·01	·20	—	—	—	·25	—	·02	·14	·03	10
11	·03	—	—	nm.	·08	—	·03	·02	—	—	·87	·05×	11
12	·07	—	—	·04	·21	—	—	—	—	·16	1·80×	·01×	12
13 snow rain	—	·17	—	·05	·10	—	·01	·85	—	—	·33×	·03	13
14	—	—	—	·02	—	—	—	·03	·01	—	·03×	·21	14
15	·26	—	—	nm.	·05	—	nm.	·02	—	—	·18×	·08	15
16	·12	·38	—	—	·47	—	·67	·72	—	—	—	·01	16
17	—	·52	—	—	·29	—	—	nm.	—	—	—	·04	17
18 rain	·01	·51	·03	—	—	—	—	—	—	—	—	—	18
19	—	·02	nm.	·03	·16	—	·06	—	—	—	—	—	19
20	·03	—	—	nm.	·24	—	·01	—	—	—	—	·02	20
21 rain snow	·25	·07	—	·02	trace	—	·22	—	—	nm.	—	·02	21
22	—	·11	·13	~~trace~~	—	·01	·10	—	—	·01	—	·07	22
23 snow.	—	·34	·11	trace ·02	—	·01	·16	—	·01	·80	—	·14	23
24	·01	—	·09	·07	—	—	·01	—	·23	·39	—	·09	24
25	—	—	·01	—	—	·55	·04	—	—	—	·04	·14	25
26	—	·19	—	—	—	—	·11	—	·02	—	—	·48	26
27	—	·14	—	—	—	nm.	·20	—	nm.	·35	—	·87	27
28	—	·14	—	—	—	·27	—	·07	nm.	·05	—	·02	28
29	—	X	—	—	—	·06	·08	·12	—	—	·07	·03	29
30	·10	X	—	·06	—	—	·02	—	—	·15	·01	·17	30
31	·14	X	—	X	—	X	·10	—	X	·03	X	·59	31
Total	2·86	4·09	0·75	1·10	2·43	0·93	2·93	2·91	0·42	2·16	3·80	5·80	YEAR'S TOTAL 30·18
Rain Days.	19.	20.	10.	16.	11	6.	21.	14.	5.	11.	11.	28.	172.

W. 8,000. X. 14.

REGISTER OF RAINFALL IN 1916

Form A. British Rainfall. 4186

11 JAN 1917

Kept at Fairleigh Overton

in the County of Flint.

by B. J. Wright.

Lat. ____ Long. ____

Time of Observation 9 A.M.

Nearest Railway Station Overton on Dee

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground ____ ft. 20 in.

" " " " Sea Level 220 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. * thunderstorm.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·25	–	·37	–	·01	·08	·15	–	–	nm.	·21	·–	1
2	·14	·07	·44	–	–	–	·01	–	·47	·63	nm.	–	2
3	·03	·24	–	–	–	–	nm.	–	·16	·23	·22	·08	3
4	·01	·07	·02	·07	·38	·20	·33*	–	–	·03	·29	–	4
5	–	–	–	–	·18	·04	–	–	–	·53	·11	–	5
6	·04	·27	–	–	·19	–	·39	–	–	·21	·43	·02	6
7	·06	·01	·01	–	·09	·01	·35	–	–	·06	·07	·37	7
8	·09	–	·15	–	·03	–	–	–	–	–	·02	·10	8
9	–	·02	·01	–	·13	·13	–	–	·03	–	·05	·05	9
10	–	·46	·02	·01	·02	·01	trace	–	·01	–	·01	·09	10
11	·01	·11	·14	·03	·05	·02	–	–	trace	–	–	·04	11
12	·01	–	·05	nm.	·37	–	·14	·01	–	·04	–	–	12
13	·02	·18	·11	·03	·02	–	–	·17	–	·01	–	·02	13
14	–	·08	·04	·05	·03	–	–	·12	–	·07	–	–	14
15	–	·17	·33	·16	·01	–	·24	·07	–	–	–	–	15
16	–	·02	–	·06	–	–	·01	–	–	·03	–	–	16
17	·02	·12	–	·24	–	–	trace	·30	·35	·31	–	–	17
18	–	·08	·03	·08	–	–	–	·03	·28	·05	·52	·27	18
19	·06	–	·22	·01	–	–	–	nm.	–	·06	·35	–	19
20	·07	–	·66	·02	–	–	–	–	–	–	–	·08	20
21	·05	–	·15	–	–	–	–	–	–	–	·05	·07	21
22	–	–	·01	–	–	·05	–	–	–	·22	–	·10	22
23	nm.	–	·01	nm.	–	·04	–	·14	–	–	·24	·17	23
24	–	·06	–	trace	·48	·35	–	·25	–	·17	–	·08	24
25	–	·06	·18	–	·12	·04	–	·14	–	–	·52	–	25
26	–	nm.	·01	–	·02	·12	–	–	·02	·09	·08	–	26
27	–	·17	–	–	–	nm.	–	·06	·08	·23	–	·01	27
28	–	·34	·01	–	·16	·28	–	–	–	·21	–	·08	28
29	–	·21	–	–	–	–	–	nm.	–	·10	·01	·15	29
30	–	X	–	–	–	·07	–	–	–	·21	–	·01	30
31	–	X	–	X	–	X	trace	–	X	·35	X	·01	31
Total	0·86	2·74	2·97	0·76	2·29	1·44	1·62	1·29	1·42	3·84	3·18	1·80	YEAR'S TOTAL 24·21.
Rain Days.	14.	19.	21.	11.	17.	14.	8.	10.	8.	21.	16.	19.	178.

W. 8,000. X. 15.

REGISTER OF RAINFALL IN 19 12.

FORM A. BRITISH RAINFALL. 5 JAN 1913

Kept at Fairleigh Overton

in the County of Flints.

by B. J. L. Wright.

Lat. ..... Long. .....

Time of Observation 9 A.M.

Nearest Railway Station Overton on Dee

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground ..... ft. 20 in.

" " " " Sea Level 220 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	–	–	·09	·21	–	·20	–	·10	·03	–	·08	·26	1
2	·03	–	0	·09	–	·11	–	·05	–	–	·24	·12	2
3	–	·07	–	–	–	–	–	nm.	–	·24	·03	·04	3
4	·05	–	·11	–	–	–	–	·02	–	·68	·02	·02	4
5	·28	–	·14	·04	–	–	–	·54	nm.	·21	·08	–	5
6	·05	–	·09	–	–	·15	–	·01	–	·18	·23		6
7	·43	–	–	nm.	–	–	–	·04	–	·02	·13	·03	7
8	·15	–	–	·02	–	–	–	·55	–	·40	·08	·10	8
9	–	–	·13	·13	·17	–	–	·12	·01	·01	·42	·01	9
10	·37	–	·67	·37	·14	–	–	·16	–	·01	–	–	10
11	·18	–	–	·10	–	–	–	·19	–	·18	·02	–	11
12	·07	–	–	nm.	·84	–	–	·08	·09	·11	–	–	12
13	·01	–	–	·01	·07	–	–	·48	·03	·03	–	–	13
14	–	–	–	·01	·02	–	–	·01	–	·01	–	·05	14
15	·02	–	–	–	·05	–	·14	·25	–	·16	–	·09	15
16	·01	·01	–	·09	–	·48	·01	·05	–	–	–	·12	16
17	–	·01	·04	·07	·37	·08	·48	·52	trace	·03	–	–	17
18	–	·01	–	·03	·06	–	·16	·09	·40	·12	–	–	18
19	–	·41	·40	–	·01	·29	–	–	·01	–	–	–	19
20	–	·16	–	–	·12	·46	·08	–	·01	–	·10	–	20
21	–	–	·13	–	·09	·29	–	·01	trace	·04	·01	–	21
22	–	·25	–	–	–	–	–	·19	·08	·01	–	–	22
23	–	–	–	·02	·01	nm.	nm.	·22	·01	·27	–	·01	23
24	–	–	·02	–	–	·06	·02	·04	–	·15	·14	–	24
25	–	·05	·03	–	–	·11	–	·01	–	·09	·13	–	25
26	–	·03	–	–	–	·33	–	·58	·04	·12	·31	–	26
27	–	–	·07	–	1·04	·28	·16	·43	–	–	nm.	–	27
28	–	–	·05	–	–	·01	nm.	·09	–	·06	–	·01	28
29	–	X	–	–	–	–	·03	nm.	–	·33	–	·02	29
30	–	X	·22	–	–	–	–	·29	–	·09	·01	–	30
31	–	X	·19	X	·12	X	–	·22	X	·01	X	–	31
Total	1·65	1·00	2·38	1·19	3·11	2·85	1·08	5·34	·71	3·46	2·03	·88	YEAR'S TOTAL 25·78
Rain Days.	12.	9.	15.	13.	14.	13.	8.	24.	10.	25.	16.	13.	175

W. 8,000, VIII. 16

1917. on Jany. 17th to Feb. 2 inclusive 17 days -

No rainfall ~~from July 17th to September 11th 25 days~~

Snow water registered in April on 1st - 2nd - ~~3rd~~ - 9th - 10th - 11th - 12th -

No rainfall from 24th April to May 8th inclusive 15 days.

and trace ·02 on April 23rd - from 19th April to May 8th -

Fairleigh Overton

7 links

Dr. H. R. Mill takes advantage of this opportunity to call your attention to the accompanying request for co-operation in an investigation of Winter Thunderstorms :—

Being engaged on some investigations of Thunderstorms, I should like to ask correspondents of the British Rainfall Organization if they would assist by sending me a note of any thunderstorms they may observe up to the end of March, 1916. The comparatively rare thunderstorms of winter are particularly useful in my investigations ; but thunderstorms being often very local may be missed by the official Observers. Therefore rainfall Observers could assist very much if they would send me a postcard—(1) when they notice sheet lightning at night ; the time should be given, the direction in which seen, and whether there were many flashes or only two or three ; (2) when they hear thunder ; the time should be given and the direction of the storm, and a note as to whether lightning was seen and whether rain occurred. These are the principal points on which information is required, but any further details of the storm would be useful. After the end of March thunderstorms become too common to be treated in this way, so I only ask for information up to March 31st, 1916.

CHARLES J. P. CAVE, *Capt.*

METEOROLOGICAL OFFICE,
SOUTH FARNBOROUGH, HANTS.
December 9th, 1915.

REGISTER OF RAINFALL IN 1918.

FORM A. BRITISH RAINFALL.

Kept at Farleigh Overton

in the County of Hants.

by B. J. E. Wright.

Lat. ..... Long. .....

Time of Observation 9 A.M.

Nearest Railway Station Overton Reg.

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground ..... ft. 20 in.

" " " " Sea Level 220 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	–	·08	–	·09	–	–	trace	·11	·08	·06	·25	–	1
2	–	·03	–	·16	–	–	–	·75	·01	–	–	·13	2
3	–	·03	–	. –	·62	–	–	·02	·34	–	–	–	3
4	·02	·05	–	–	–	–	–	·03	·02	·15	·50	·16	4
5	–	–	·02	·02	·14	–	–	·34	·43	·15	·01	·03	5
6	·03	·18	·02	·14	–	·18	–	·02	·03	·36	–	·01	6
7	·07	·02	–	·02	·15		–	·01	·10	·01	·18	·01	7
8	·03	·18	–		–	trace	·19	–	·11	·29	–	·01	8
9	–	·57	–	·26	–	·13	·33	–	·60	·05	·06	·04	9
10	·03	·02	–	·59	–	–	·25	–	·10	·02	·03	·06	10
11	·08	·03	–	·01	·09	–	·08	·01	·23	–	–	·03	11
12	·01	·09	–	·04	·04	–	·70	–	·02	–	–	–	12
13	·06	–	–	·01	·07	·01	–	–	·11	·04	–	·01	13
14	·42	–	–	–	–	·07	·25	–	·41	·03	–	·16	14
15	·28	–	–	–	–	nm.	·52	–	·73	·06	·01	·32	15
16	–	–	–	·09	–	·05	·23	·11	·21	·02	–	·08	16
17	·30	–	–	–	·08	nm.	·22	·01	·10	·12	–	·24	17
18	·35	–	–	–	–	·11	·01	–	·33	·01	–	·18	18
19	·12	nm.	·08	–	–	–	·22	–	·02	·04	–	·33	19
20	·18	·26	–	snow ·35	–	·09	·05	–	·31	–	–	·75	20
21	·08	·01	–	·10	·19	·04	nm.	–	·48	–	–	·14	21
22	·03	–	–	–	1·26	–	·03	–	·03	–	–	·27	22
23	·03	–	–	–	·34	–	·55	–	·07	–	·02	–	23
24	–	·06	–	–	–	–	·09	·13	·06	–	·17	·14	24
25	–	–	–	–	·13	·01	·31	·56	·01	–	·03	–	25
26	nm.	–	–	–	·01	–	1·11	·07	·07	·06	·02	·03	26
27	–	snow ·15	·17	–	–	nm.	–	·32	·08	–	·12	·04	27
28	–	·03	·20	–	–		–	–	—	–	·09	·14	28
29	–	X	·12	–	–		–	–	·35	–	·0—	—	29
30	–	X	·17	–	–		–	–	·06	–	·02	·23	30
31	–	X	·15	X	–	X	–	·06	X	·01	X	·02	31
Total	2·12	1·79	0·93	1·88	3·12	·69	5·14	2·55	6·45	1·48	1·51	3·56	YEAR'S TOTAL 31·22
Rain Days.	17.	16.	8.	13.	12.	9.	17.	15.	29.	17.	14.	25	192

W. 8,000, IX. 17.

REGISTER OF RAINFALL IN 1919

FORM A. BRITISH RAINFALL

Kept at Farleigh Overton

in the County of Flints

by B. J. E. Wright

Lat. ..... Long. .....

Time of Observation 9 A.M.

Nearest Railway Station Overton on Dee

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground ..... ft. 20 in.

" " " " Sea Level 220 ft.

5 JAN 20

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·10	nm.	·01	·03	·13	n.m	·24	—	·03	·19	—	·49	1
2	·12	—	·28	—	·05	—	·17	nm.	·09		·03	·05	2
3	—	—	n.m	—	—	·08	·07	—	nm.	—	·07	·04	3
4	—	·01	·27	—	—	·03	·47	·02	nm.		·01	·31	4
5	·06	·19	·02	—	·06	—	nm.	—	·03		·03	·17	5
6	—	—	·09	—	—	—	—	—	—	nm.	—	·30	6
7	·09	—	·06	·03	—	—	—	—	—	—	·01	·03	7
8	·23	—	·54	—	—	·01	—	—	—	—	trace	—	8
9	·51	—	n.m	·08	—	—	—	—	—	—	·02	—	9
10	·03	—	·19	nm.	·01	—	—	—	—	·03	·01	·17	10
11	·01	—	·50	·11	—	—	·18	—	—	·02	—	·01	11
12	—	—	1·34	·05	—	·41	·02	—	·07	·13	·03	·01	12
13	·08	—	—	·16	—		·05	—	·01	·69	—	·03	13
14	·20	·03	·01	·20	—		·04	—	·02	·43	—	·03	14
15	·25	·12	—	·29	·24		—	—	—	·06	·01	·52	15
16	·05	·61	—	·05		·05	—	—	—	—	·09	·01	16
17	·03	·35	—	nm.		·10	·07	·75	—	—	·05	—	17
18	—	—	·80	·01	·16	·02	·03	·66	·09	—	n.m.	·07	18
19	·08	·30	1·10	—	—	·05	·01	·22	·18	—	·06	·02	19
20	·25	·02	·34	n.m	—	nm.	—	·01	·18	—	·38	·16	20
21	·32	·21	nm	—	—	—	·31	—	·02	—	·01	·10	21
22	—	·15	—	—	—	—	·01	—	·88	—	—	·84	22
23	—	—	—	·01	—	·06	—		—	1·00	·05	·01	23
24	—	—	—	·02	·21	·03	—	·01	—	·67	·17	·03	24
25	·03	—	—	·05	·04	—	—	·14	·01	·01	·06	·02	25
26	—	·02	—	·30	—	·09	·03	·03	·04	·02	·05	·31	26
27	·04	·03	·10	·10	—	—	—	·17	—	—	·01	·02	27
28	·06	—	·01	·03	—	—	—	1·47	—	nm.	—	·39	28
29	·04		·31	·07	—	·02	—	·02	—	·17	—	·21	29
30	—		·03	·02	—	·06	—	—	—	—	·28	·10	30
31	nm.		—		—		nm.	·08		—		·10	31
Total	2·58	2·04	6·00	1·61	·90	1·01	1·70	2·98	1·65	3·42	1·43	2·53	YEAR'S TOTAL 29·87
Rain Days.	20.	12.	18.	18.	8.	13.	14.	12.	13.	12.	20.	28.	188

W, 6,500, VII. 18. w w c

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1921.

Kept at Fairleigh Overton

in the County of Flint.

by B. J. E. Wright.

Lat. ..... Long. .....

Time of Observation 9 A.M.

Nearest Railway Station Overton on Dee

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground ft. 20 in.

" " " " Sea Level 220 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day.

If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	—	·08	·11	·33	—	0·17	·01	·15	·11	—	·24	1
2	·01	—	—	·19	·02	—	·17	—	·04	·08	—	·20	2
3	·04	·11	—	·54	·05	·06	·54	·04	·17	·11	—	·01	3
4	—	—	—	·03	·03	—	·06	·45	·06	·31	—	—	4
5	—	·02	·05	—	·01	—	·24	·01	·17	·47	—	—	5
6	—	·01	·41	·01	·01	—	·01	—	n.m	·45	—	·03	6
7	·01	·05	·03	·10	·02	—	·28	—	·01	—	·01	·01	7
8	·25	·02	~~·00~~	·47	·10	—	·09	·07	—	nm.	—	—	8
9	·17	·03	~~·01~~	·52	—	—	·06	·34	·02	trace	trace	—	9
10	·28	·18	·04	·01	—	·01	·44	—	—	—	—	·06	10
11	·24	·03	·15	·16	·30	·24	·02	·02	—	—	—	·02 snow	11
12	·08	·02	·04	·32	·01	1·13	·06	·02	trace	—	·13	·07 snow	12
13	·11	·11	·31	·16	—	·01	·00	·01	—	—	·05	—	13
14	·01	·05	·50	·25	—	·48	08	—	·73	·28	·28	—	14
15	—	·15	·07	·55	—	—	—	—	·01	·05	·01	—	15
16	—	—	·01	·10	·22	·25	·52	—	·23	·53	—	—	16
17	—	—	—	—	·21	—	—	·03	·23	·01	—	—	17
18	·14	—	—	·06	·17	—	18	·03	·03	—	—	—	18
19 snow to snow	·01	1·66	—	·16	·01	·07	—	·46	·01	—	—	—	19
20	·01	·02	·01	·28	—	·02	·09	·01	·01	—	—	·09	20
21	—	—	—	·03	—	—	·38	·06	—	—	—	·21	21
22	·02	—	—	·09	—	—	·17	·24	—	—	trace	·02	22
23	—	—	·10	·03	—	—	·08	·02	—	—	—	·37	23
24	·02	—	·57	·03	—	—	·01	·01	—	—	—	·18	24
25	nm.	·03	·16	·04	·10	nm.	·76	—	—	—	—	·01	25
26	·16	·01	·45	·08	·67	·01	·08	—	—	—	·05	·03	26
27	·21	·02	·33	·16	·76	·39	·02	—	—	—	·02	·33	27
28 snow	·77	—	·27	·13	·32	·11	·01	—	trace	—	—	·12	28
29	·12	—	·26	·03	·33	·01	·16	—	—	—	·13	·66	29
30	·06		·11	·24	·06	·10	nm.	—	·42	—	·14	·23	30
31	·01		·09		·03		·08	·05		·23		·01	31
TOTAL	2·73.	2·52.	4·05	4·88	3·76	2·94	4·76	1·88	2·29	2·63	·82	2·90	YEAR'S TOTAL 36·16
Days with ·01 in. or more	21.	17.	22.	28.	21.	14.	26.	18.	15.	11.	9.	20.	222
	13	7	18	21	13	9	21	8	9	10	6	12	147

(44,283). Wt.21,958—218, 7500. 10/19. Gp.132, A.&E.W.

PRESTATYN
FLINTSHIRE
1914-15

FORM A.
BRITISH RAINFALL.
9 - JAN 1915

REGIST

Kept at Prestatyn North W… …W

in the County of Flint… …ATYN

by Fred Wilkins… …in.

…d 1 ft. 6 in.

…evel 30 ft.

IMPORTANT NOTE.— …esult entered to the previous day. If an Obser… …rule, he is earnestly requested to add the reading at 9 a.m. on 1st January … …the space provided for it at the end of this paragraph. Full instructions for the measure… …of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. ·51

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1		·07				·08	1·28	·14				·24	1
2						·51	·49					·14	2
3			·05	·02		·15					·12	1·00	3
4	·09		·06	·02	·10	·24	·06				·34	·20	4
5	·10		·28		·17		·06				·24	·05	5
6	·02	·04		·06	·08						·06	·06	6
7		·02	·23	·07	·37		·04	·32			·02	·05	7
8	·15				·22	·13		·04			·26		8
9	·26	·06	·10	·04									9
10	·02	·12	·14	·13	·11				·42		·26	·07	10
11		·04	·29				·92		·03		·22	·50	11
12		·38	·25						·59		·10	·23	12
13		·07	·04	·07			·11		·05	·42	·26	·11	13
14		·08	·01							·03	·18		14
15		·06	·29						·20		·08		15
16		·02	·02						·30		·02	·04	16
17		·02	·17				·06		·20			·20	17
18			·14						·36				18
19		·07	·07				·25		·24			·09	19
20		·12	·04			·78	·49						20
21		·13						·17				·38	21
22		·06		·06	·22	·11		·22			·02		22
23		·07	·06	·07									23
24							·25			·11	·29		24
25							·10 ~~·49~~	·20		·46	·06	·02	25
26							·18			·22	·08	·12	26
27										·02	·20	·22	27
28		·16	·06		·04						·05	·46	28
29	·22	·05	·03					·06				·04	29
30											·21		30
31	·05				·07		·22			·04			31
Total	·91	1·40	2·32	·36	1·32	2·00	4·54	1·21	2·39	1·63	3·04	4·19	YEAR'S TOTAL 25·34
Rain Days.	8	19	19	9	9	4	14	4	9	7	20	20	148

W. 8,000. X. 14.

REGIS[redacted]

FORM A. BRITISH RAINFALL. 9 - JAN 1915

Kept at Prestatyn Hotel Wales (Victoria Avenue) 2

in the County of Flints

by Fred Wilkinson

Lat. 53 20 N Long. 3 23 W

Time of Observation 9·0 a.m.

Nearest Railway Station PRESTATYN

Diameter of Rain Gauge 5" in.

Height of top of Gauge above Ground 1 ft. 6 in.

" " " " Sea Level 30 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following. ·51

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1		·07				·08	1·28	·14				·24	1
2						·51	·49					·14	2
3			·05	·02		·15					·12	1·00	3
4	·09		·06	·02	·10	·24	·06				·34	·20	4
5	·10		·28		·17		·06				·24	·05	5
6	·02	·04		·06	·08						·06	·06	6
7		·02	·23	·07	·37		·04	·32			·02	·05	7
8	·15				·22	·13		·04			·26		8
9	·26	·06	·10	·04									9
10	·02	·12	·14	·13	·11				·42		·26	·01	10
11		·04	·29				·92		·03		·22	·50	11
12		·38	·25						·59		·10	·23	12
13		·01	·04	·01			·11		·05	·42	·26	·11	13
14		·08	·01							·03	·18		14
15		·06	·29						·20		·08		15
16		·02	·02						·30		·02	·04	16
17		·02	·17				·06		·20			·20	17
18			·14						·36				18
19		·01	·01				·25		·24			·09	19
20		·12	·09			·78	·49						20
21		·13						·17				·38	21
22		·06		·06	·22	·11		·22			·02		22
23		·01	·06	·01									23
24							·25			·11	·29		24
25							~~·49~~ ·10	·20		·46	·06	·02	25
26							·18			·22	·08	·12	26
27										·02	·20	·22	27
28		·16	·06		·04						·05	·46	28
29	·22	·05	·03					·06				·04	29
30		X									·21		30
31	·05	X		X	·01	X	·22		X	·04	X		31
Total	·91	1·40	2·32	·36	1·32	2·00	4·54	1·21	2·39	1·63	3·04	4·19	YEAR'S TOTAL 25·34
Rain Days.	8	19	19	9	9	4	14	4	9	7	20	20	148

W. 8,000. X. 14.

REGISTER OF RAINFALL IN 1915

4267

FORM A. BRITISH RAINFALL

Kept at Prestatyn (North Wales)

in the County of Flints

by Fred Wilkinson

Lat. ..... Long. .....

Time of Observation 9.0 am

Nearest Railway Station PRESTATYN

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 6 in.

" " " " Sea Level 150 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.51	.02	-	"	.38	-	.02	.07	.29	.3	-		1
2	.06	.31	-	.12	-	-	.02	.94	-	.01	-		2
3	.08	.01	.21	-	-	-	.36	-	-	-	-	.23	3
4	-	.06	.07	-	.19	-	-	-	-	-	-	1.02	4
5	.06	.08	-	-	.07	.09	-	-	-	.06	-	.15	5
6	-	.13	-	.28	-	-	.35	.11	-	.02	-	.30	6
7	.65	.16	-	-	-	-	.30	.41	-	-	-	.06	7
8	.30	.14	-	-	-	-	-	.49	-	-	.02	.11	8
9	.11 T	.13	-	.05	-	-	-	.15	-	-	.16	.22	9
10	.49	-	-	.30	-	-	-	.20	-	-	.17	.05	10
11	-	-	-	.01	.44	-	.03	.12	.03	-	.03	.21	11
12	.15	.05	-	-	.33	-	.02	.21	-	-	2.40	-	12
13	-	.30	-	.18	-	-	.04	.30	-	-	.04	-	13
14	.01	-	-	.02	.16	-	-	.78	-	-	-	.10	14
15	.30	-	-	-	.02	-	.02	-	-	-	.03	.30	15
16	-	.04	-	-	.24	-	.40	.78	-	-	-		16
17	-	.30		-	.32	-	-	.02	-	-	-		17
18	.12	.46	.06 S	-	-	-	-	-	-	-	-		18
19	.02	.02	.04	.06	.04	-	-	-	-	-	-		19
20	.16	.02	-	-	-	-	.01	-	-	-	-	.02	20
21	.14	.03	-	.10	-	-	.12	-	-	-	-	.10	21
22	.03	.08	.02	-	-	.11	.03	-	-	.04	-		22
23	-	-	-	.02	-	.10	-	-	.04	.63	-		23
24	-	-	-	.11	-	-	-	-	-	.17	-		24
25	-	-	-	-	-	.36	-	-	-	-	.30		25
26	-	.22	-	-	-	-	.10	-	.05	-	-	.03	26
27	-	.30	-	-	-	-	.23	-	.06	.36	-		27
28	-	-	.01 S	-	-	.20	-	.58	-	.13	-	.04	28
29	-	-	-	-	-	.06	-	.44	.05	-	-	.05	29
30	.13	X	-	.12	-	-	-	.02	-	-	.05	.89	30
31	.14	X	-	X	-	X	.05	.37	X	.40	X	.05	31
Total	3.46	2.92	.44	1.37	2.24	.92	2.10	5.94	.52	1.98	3.23	3.99	YEAR'S TOTAL 29.11
Rain Days.	18	20	6	12	10	6	16	14	6	10	9	18	148

W. 8,000. X. 15.

NB. T = Thunder S = Snow

PRESTATYN
"EDLESTONE"
FLINTSHIRE
1912 - 13

FORM A.
BRITISH RAINFALL.
8 JAN 1913

RE

Kept at Edleston

in the County of Fl

by J. J. Jeo

5 in.

ve Ground 1 ft. 0 in.

Sea Level 30 ft.

IMPORTANT

d the result entered to the previous day. If a iversal rule, he is earnestly requested to add the reading at ear in the space provided for it at the end of this paragraph. Full instructions for the ement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			.05			.25	.20		.13			.06	1
2		.20				.12	.05		.02				2
3			.17			.21		.90	.10			.10	3
4			.56		.07	.20		.47	.11		.16		4
5			.04		.10	.01		.03	.19				5
6		.03			.05		.34	.12					6
7		.03				.24	.25		.02				7
8			.10	.24	.05	.12		.11	.19				8
9						.71							9
10		.02				.24	.03				.08		10
11							.12					.63	11
12					.02	.09	.07	.02					12
13		.10	.07			.01	.81	.14	.02	.17		.12	13
14			.14			.12		.42		.02			14
15		.12	.27			.10		.02			.03	.13	15
16			.05		.06					.20	.04		16
17		.34	.02			.43		.07			.11		17
18		.05						.50		.13		.10	18
19		.06	.12			.02		.31		.06	.06		19
20			.07		.26			.13		.23	.05		20
21			.03		.33		.09	.14		.50		.06	21
22					.46	.02	.03	.58			.02	.01	22
23			.33				.07				.26		23
24		.05	.04			.11	.03	.80			.13		24
25			.05			.22	.07	.02			.32	.38	25
26		.03	.06			.07	.64	.37		.63	.15	.07	26
27			.14			.14	.89			.26		.05	27
28		.02				.06	.10	.10	.03	.10	.51		28
29						.08	.16	.06	.33	.19			29
30			.11		.03	.09	.04			.06	.34		30
31			.30		.52		1.23	.15				.10	31
Total	(2.00)	1.05	2.69	24	1.95	3.81	5.27	5.46	1.14	2.53	2.26	1.81	YEAR'S TOTAL 30.13
Rain Days.	unfit for use	12	20	1	11	23	19	21	10	12	14	12	

W. 7,500, XI. 12

FORM A. BRITISH RAINFALL

R[illegible]

Kept at Edlestone, Prestatyn

in the County of Flintshire 2

by J. J. Scott

Time of Observation

Nearest Railway Station

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

" " " " Sea Level 30 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
1			.05			.25	.20		.13			.06	1
2		.20				.12	.05		.02				2
3			.17			.21		.90	.10			.10	3
4			.56		.07	.20		.47	.11		.16		4
5			.04		.10	.01		.03	.19				5
6		.03			.05		.34	.12					6
7		.03				.24	.25		.02				7
8			.10	.24	.05	.12		.11	.19				8
9						.71							9
10		.02				.24	.03				.08		10
11							.12					.63	11
12					.02	.09	.07	.02					12
13		.10	.07			.01	.84	.14	.02	.17		.12	13
14			.14			.12		.42		.02			14
15		.12	.27			.10		.02			.03	.13	15
16			.05		.06					.20	.04		16
17		.34	.02			.43		.07			.11		17
18		.05						.50		.13		.10	18
19		.06	.12			.02		.31		.06	.06		19
20			.07		.26			.13		.23	.05		20
21			.09		.33		.09	.14		.50		.06	21
22					.46	.02	.03	.58			.02	.01	22
23			.33				.07				.26		23
24		.05	.04			.11	.03	.80			.13		24
25			.05			.22	.07	.02			.32	.38	25
26		.03	.06			.07	.64	.37		.63	.15	.07	26
27			.14			.14	.89			.26		.05	27
28		.02				.06	.10	.10	.03	.10	.51		28
29						.08	.16	.06	33	.19			29
30			.11		.03	.09	.04			.06	.34		30
31			.30		.52		1.23	.15				.10	31
Total	(2.00)	1.05	2.69	24	1.95	3.71	5.27	5.46	1.14	2.55	2.26	1.81	YEAR'S TOTAL 30.13
Rain Days.	wrongly set 37	12	20	1	11	23	19	21	10	12	14	12	

W. 7,500, XI. 12

REGISTER OF RAINFALL IN 1913

FORM A.2. BRITISH RAINFALL. 4 MAR 1914

Kept at Edestone Prestatyn

in the County of Flint

by J. Scott

RAIN GAUGE — Pattern ____ Diameter of top .5 in. — Height of top above Ground 1 ft. ____ in. — „ „ „ Sea Level 30 ft.

Time of Observation 9 a.m.

Nearest Railway Station — Name Prestatyn — Distance ____ Direction ¼ mile

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1				.03							05		1
2		03		.02	10						19		2
3			46		58							49	3
4	21				04					24	01	20	4
5	31	05			13	28	17			22	05		5
6			06	05	07		44			12	08	16	6
7		26	11		17	47	~~03~~			51	07	02	7
8			08		51	08	03	24	14			03	8
9		26	06	11	08	21	13	03		05	07	15	9
10	17		05		16			46	05		07		10
11	63			38	05	16				07	11		11
12	03				08	04			1.00	08	80		12
13			15		02		06	19	04	24	15		13
14	03		14	06			11	10		15	10		14
15	06		13	08					07		09	02	15
16				10									16
17			09	03									17
18			15	18	04		19				13		18
19						14	11		03	23	03		19
20	09		06	09			02				15		20
21			05		11		46						21
22	36		65			39		06	42			23	22
23					03	02		61	13	64	07		23
24	.05							02			08	04	24
25				.10					22		02	19	25
26		03		62					511			06	26
27				14						21		08	27
28	18		02	13	15					67			28
29			10	46	05			14		03	05		29
30	21							02	02		06		30
31			15							02			31
Total	2.88	.63	2.54	~~3.16~~ 2.58	2.31	1.79	1.72	1.57	2.63	2.39	~~3.09~~ 2.43	~~1.66~~ 1.67	TOTAL for year 24.79
No. of Rain Days	12	5	17	16	17	9	10	10	11	15	21	12	155

7,000. X. '09.

FLINT
QUEENS FERRY
H.M. FACTORY.
1916 - 18

FORM A.
BRITISH RAINFALL.
30 JAN 1917

REGI

Kept at H. M. Facto

in the County of Flints

by G. D. Lisle

...uge ..... in.

...round ..... ft. ..... in.

...ea Level ..... ft.

IMPORTANT NO... ...e result entered to the previous day. If an O... ...sal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the ... in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	×	·02	·23	–	–	·10	·18			–	·12		1
2	×	·075	·195			·15	·09		·73	·60	·06		2
3		·05		·05		·04	·01		·23	·19	·11	·06	3
4	×	·035	·08		·54	·027					·28		4
5		·12	·01		·20					·20	·16		5
6	cont. ×	·305	·01		·29	·06	·25		·01	·06	·15		6
7	(·50) ×	·03			·05	·01	·02			·06	·18	·39	7
8	×	–	·075		·02						·06	·13	8
9	×	·01			·19				·03		·03	·03	9
10		·54	·01	·03	·02	·26	·07		·02			·11	10
11	×	·14	·03	·13	·06	·01			·06			·14	11
12	×	·01	·07	·08	·38		·15	·06	·025	·09			12
13	×	·065	·20	·115				·36		·03		·02	13
14		·085	·025	·04	·04			·30		·25			14
15	–	·355	·405	·12	·02		·11	·08	·07	·39			15
16	–	·08	·01	·15			·01	·31		·26			16
17	·04	·095		·35				·17	·26	·33			17
18	–	·19	·03	·12				·01	·23	·03	·325		18
19	·01	·01	·155	·06				·15		·10	·35		19
20	·055	–	·165	·21							·01		20
21	·07	–	·025		·20							·11	21
22	–	–								·11		·14	22
23	·01	–	·02			·08		·01		·01	·05	·16	23
24	–	·13			·405			·43		·35		·085	24
25	–	·01	·08		·27	·04		·15		·01	·33	·01	25
26	·01	–			·115	·04				·06	·01		26
27	–	·05				·02		·16	·085	·31	·03		27
28	–	·21			·065					·15	·01	·03	28
29	–	·24				·25				·12		·19	29
30	–	X				·085				·21			30
31	–	X		X		X		·02	X	·22	X	·02	31
													YEAR'S TOTAL
Total	(·695)	2·855	2·225	1·455	2·865	1·172	·89	2·21	1·750	4·14	2·265	1·625	24·147
Rain Days.	(16)	23	19	12	16	14	9	13	11	23	17	15	188

W. 8,000. X. 15.

REG[illegible]

FORM A.
BRITISH RAINFALL.
31 JAN 1917

Kept at H. M. Factory Queen's Ferry

in the County of [illegible] [illegible]

by G. D. Lisle

Lat. ..... Long. .....

Time of Observation .....

Nearest Railway Station .....

Diameter of Funnel of Rain Gauge ..... in.

Height of top of Gauge above Ground ..... ft. ..... in.

" " " " Sea Level ..... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	x	.02	.23	-	—	.10	.18			—	.12		1
2	x	.075	.195			.15	.09		.73	.60	.06		2
3		.05		.05	—	.04	.01		.23	.19	.11	.06	3
4	x	.035	.08		.54	.027					.28		4
5		.12	.01		.20					.20	.16		5
6	east x	.305	.01		.29	.06	.25		.01	.06	.15		6
7	(.50) x	.03			.05	.01	.02			.06	.18	.39	7
8	x	-	.075		.02						.06	.13	8
9	x	.01			.19				.03		.03	.03	9
10		.54	.01	.03	.02	.26	.07		.02			.11	10
11	x	.14	.03	.13	.06	.01			.06			.14	11
12	x	.01	.07	.08	.38		.15	.06	.025	.09			12
13	x	.065	.20	.115				.36		.03		.02	13
14		.085	.025	.04	.04			.30		.25			14
15	-	.355	.405	.12	.02		.11	.08	.07	.39			15
16	-	.08	.01	.15			.01	.31		.26			16
17	.04	.095		.35				.17	.26	.33			17
18	-	.19	.03	.12				.01	.23	.03	.325		18
19	.01	.01	.155	.06				.15		.10	.35		19
20	.055	-	.565	.21							.01		20
21	.07	-	.025		.20							.11	21
22	-	-								.11		.14	22
23	.01	-	.02			.08		.01		.01	.05	.16	23
24	-	.13			.405			.43		.35		.085	24
25	-	.01	.08		.27	.04		.15		.01	.33	.01	25
26	.01	-			.115	.04				.06	.01		26
27	-	.05				.02		.16	.085	.31	.03		27
28	-	.21			.065					.15	.01	.03	28
29	-	.24				.25				.12		.19	29
30	-	X				.085				.21			30
31	-	X		X		X		.02	X	.22	X	.02	31
Total	(.695)	2.855	2.225	1.465	2.865	1.172	.89	2.21	1.750	4.14	2.265	1.625	YEAR'S TOTAL 24.147
Rain Days.	(16)	23	19	12	16	14	9	13	11	23	17	15	188

W. 8,000. X. 15.

REGISTER OF RAINFALL IN 1917

FORM A. BRITISH RAINFALL.

Kept at H. M. Factory, Queen's Ferry, Chester

in the County of Flintshire

by G. McCulloch

Lat. ..... Long. .....

Time of Observation .....

Nearest Railway Station .....

Diameter of Funnel of Rain Gauge ..... in.

Height of top of Gauge above Ground ..... ft. ..... in.

" " " " Sea Level ..... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			.05	.25				.44	.10				1
2				.01				.04			.14	.28	2
3			.02			.01		.08			.04	.08	3
4	.10		.01					.01		.50		.01	4
5	.19		.26	.10				.50		.83	.07	.01	5
6	.02		.01					.02		.50	.06		6
7	.62										.13		7
8	.09			.13				.18		.27	.28		8
9			.09	.15	.02			.12		.03	.08	.25	9
10	.36		.60	.16	.09			.05		.06	.15		10
11	.16			.11				.05					11
12	.09				.52			.01		.18	.02		12
13				.01	.06			.34		.17		.07	13
14				.04	.13			2.50			.01	.08	14
15	.02				.02		.10			.04			15
16				.13			.01	.08		.06		.30	16
17		.10	.06	.13	.22	.04	.23	.89	.14				17
18			.01	.06	.13		.21	.09	.02	.13			18
19		.65	.42		.20	.06			.31	.06			19
20		.18			.23	.62		.02					20
21		.01	.07		.30	.17		.01	.03		.26		21
22								.37			.02		22
23						.12	.05	.07	.01	.05	.04		23
24		.01	.03			.03		.02	.01	.32			24
25		.10	.05			.04				.32			25
26						.03		.76		.02	.14		26
27		.01	.01		.96	.14	.21	.53	.01	.20	.23		27
28			.06				.04	.40					28
29								.01		.09			29
30		X	.08					.29		.41			30
31		X	.18	X		X		.09	~~.63~~ X	.01	X		31
Total	1.65	1.06	2.01	1.28	2.88	1.26	.85	7.97	.63 1.26	4.23	1.67	1.08	YEAR'S TOTAL ~~26.57~~ ~~27.20~~
Rain Days.	9	7	17	12	12	10	7	27	8 ~~9~~	20	15	8	152 ~~153~~

W. 8,000, VIII. 16

REGISTER OF RAINFALL IN 1918

FORM A. BRITISH RAINFALL. 22.1.19

Kept at Queens Ferry

in the County of Flint

by G. D. McCulloch

Lat. ..... Long. .....

Time of Observation .....

Nearest Railway Station .....

Diameter of Funnel of Rain Gauge ..... in.

Height of top of Gauge above Ground ..... ft. ..... in.

" " " " Sea Level ..... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.03	.01		.42	.02			.33	.32	.04	.30		1
2									.01				2
3		.01			.69				.07	.03			3
4	.01	.03							.56	.06	.21		4
5				.03	.28			.60	.15				5
6	.07	.20	.01			.63		.01		.31			6
7				.30	.10					.01	.10		7
8	.04	.07					.10		.18	.12			8
9	.01			.18		.23	.06		.96	.27			9
10	.09	.30		.30			.13		.15	.12	.08		10
11	.02	.07					.04	.01	.03				11
12		.08			.20		.38		.18				12
13		.01			.25	.01			.20	.13			13
14	.19			.02		.06	.12			.02			14
15	.03						.52		.89				15
16	.16			.04		.26	.16	.02	.13	.12			16
17	.15					.22	.02		.05	.26			17
18	.31		.10			.11	.05		.31				18
19			.03	.04			.17		.03				19
20	.13	.44			.23	.05			.12	.08			20
21	.10	.02		.40	.19		.19						21
22	.02				.61		.02		.28				22
23	.02				.50		.34		.20				23
24		.07					.24		.05		.21		24
25						.06	.34	.45	.03		.02		25
26				.01	.14		.43	.04	.01		.01		26
27		.20	.05			.01		.24	.24	.01	.09		27
28											.46		28
29									.19				29
30			.42					.01	.16				30
31										.02			31
Total	1.38	1.51	.61	1.32 / 1.74	3.21	1.64	3.34	1.71	5.50	1.60	1.48	NR.	YEAR'S TOTAL
Rain Days.	16	13	(8)	9 / 10	11	10	17	(12)	25	15	9		

W. 8,000, IX. W.

RHYL S.W.
FLINTSHIRE
1916.- 1920

FORM A. BRITISH RAINFALL. 15 JAN 1917

Kept at Rhyl

in the County of

by W. W. R.

Long. 3° 29' W.

9 AM.

ation Rhyl

of Rain Gauge 8 in.

uge above Ground 1 ft. in.

„ Sea Level 31 ft.

IMPORTANT

n. and the result entered to the previous day. If

st universal rule, he is earnestly requested to add th

ing year in the space provided for it at the end

easurement of rain, the selection and

he British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	3.3	--	4.8	--	--	1.6	2.9	--	--	0.6	--	--	1
2	1.5	4.1	6.9	--	--	0.7	2.3	--	26.3	19.6	1.2	0.1	2
3	--	2.8	--	3.1	0.3	0.8	5.2	--	38.8	5.5	1.9	0.5	3
4	3.0	0.5	2.0	0.5	12.8	8.6	--	--	2.7	1.1	2.5	--	4
5	--	7.6	--	--	3.8	0.6	--	--	--	2.2	4.6	--	5
6	2.8	10.2	--	--	6.1	1.5	4.3	--	--	1.2	3.6	1.0	6
7	--	1.7	--	--	5.6	1.3	2.8	--	--	2.5	4.1	9.8	7
8	1.4	3.6	1.8	--	2.5	0.9	--	--	--	--	5.4	2.7	8
9	0.2	3.3	--	--	3.6	0.2	---	--	1.0	--	1.5	0.4	9
10	0.1	12.3	0.3	3.0	1.6	2.4	0.5	--	0.4	0.6	--	--	10
11	0.7	1.9	3.4	2.5	2.5	--	--	--	1.7	--	--	0.4	11
12	0.2	2.3	0.3	0.2	8.8	--	5.0	0.6	0.9	3.2	--	0.2	12
13	0.7	0.9	1.1	4.1	0.6	--	--	5.6	--	5.4	--	1.6	13
14	--	3.2	--	1.0	2.8	--	--	3.3	0.2	1.5	--	--	14
15	--	3.8	4.2	2.5	0.2	--	1.5	18.3	1.8	2.4	--	--	15
16	--	1.7	--	3.8	--	--	1.2	14.0	--	3.0	--	--	16
17	0.8	2.1	--	17.0	--	--	--	--	11.5	5.5	--	--	17
18	--	5.8	--	4.8	--	--	--	--	7.0	0.8	10.2	1.0	18
19	3.7	--	3.1	3.0	--	--	--	3.2	0.2	--	14.1	--	19
20	1.8	--	16.0	0.9	--	--	--	--	--	--	0.2	2.0	20
21	1.3	--	1.5	---	0.5	0.9	---	--	--	--	1.2	--	21
22	--	--	--	--	--	1.8	--	--	--	1.3	--	1.5	22
23	1.2	--	1.4	--	--	1.9	--	4.4	--	3.3	1.7	8.6	23
24	--	3.0	--	--	19.8	--	--	5.9	--	2.4	0.3	0.3	24
25	--	0.9	3.0	--	13.0	4.9	--	5.1	0.3	0.4	6.2	0.5	25
26	1.4	--	5.3	--	0.5	3.3	--	1.9	--	1.0	1.0	--	26
27	--	--	--	--	1.6	--	--	10.6	6.6	8.9	0.3	0.4	27
28	--	6.4	--	--	0.7	3.5	--	--	--	2.3	--	3.3	28
29	--	8.4	--	--	--	4.7	--	--	--	2.8	--	3.1	29
30	--	X	--	--	--	4.4	--	--	--	8.8	--	--	30
31	--	X	--	X	--	X	0.4	0.6	X	2.0	X	0.3	31
													YEAR'S TOTAL
Total	24.1	86.5	55.1	46.4	87.3	44.0	26.1	73.5	99.4	88.3	60.0	37.7	728.4
Rain Days.	~~16~~ 15	21	15	13	19	18	10	12	14	25	17	19	198

W. 8,000, VIII. 16

Note. The above figures are millimetres.

Climate

4198

FORM A.
BRITISH RAINFALL.
15 JAN 1917

[redacted] 1916

Kept at Rhyl

in the County of Flint

by Wm. A. Goodall for H. Lupton Lloyd, MD
Town Surveyor

Lat. 53° 19' Long. 3° 29'

Time of Observation 9 AM.

Nearest Railway Station Rhyl

Diameter of Funnel of Rain Gauge 8 in.

Height of top of Gauge above Ground 1 ft. in.

" " " " Sea Level 31 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	3.3	--	4.8	--	--	1.6	2.9	--	--	0.6	--	--	1
2	1.5	4.1	6.9	--	--	0.7	2.3	--	26.3	19.6	1.2	0.1	2
3	--	2.8	--	3.1	0.3	0.8	5.2	--	38.8	5.5	1.9	0.5	3
4	3.0	0.5	2.0	0.5	12.8	8.6	--	--	2.7	1.1	2.5	--	4
5	--	7.6	--	--	3.8	0.6	--	--	--	2.2	4.6	--	5
6	2.8	10.2	--	--	6.1	1.5	4.3	--	--	1.2	3.6	1.0	6
7	--	1.7	--	--	5.6	1.3	2.8	--	--	2.5	4.1	9.8	7
8	1.4	3.6	1.8	--	2.5	0.9	--	--	--	--	5.4	2.7	8
9	0.2	3.3	--	--	3.6	0.2	---	--	1.0	--	1.5	0.4	9
10	0.1	12.3	0.3	3.0	1.6	2.4	0.5	--	0.4	0.6	--	--	10
11	0.7	1.9	3.4	2.5	2.5	--	--	--	1.7	--	--	0.4	11
12	0.2	2.3	0.3	0.2	8.8	--	5.0	0.6	0.9	3.2	--	0.2	12
13	0.7	0.9	1.1	4.1	0.6	--	--	5.6	--	5.4	--	1.6	13
14	--	3.2	--	1.0	2.8	--	--	3.3	0.2	1.5	--	--	14
15	--	3.8	4.2	2.5	0.2	--	1.5	18.3	1.8	2.4	--	--	15
16	--	1.7	--	3.8	--	--	1.2	14.0	--	3.0	--	--	16
17	0.8	2.1	--	17.0	--	--	--	--	11.5	5.5	--	--	17
18	--	5.8	--	4.8	--	--	--	--	7.0	0.8	10.2	1.0	18
19	3.7	--	3.1	3.0	--	--	--	3.2	0.2	--	14.1	--	19
20	1.8	--	16.0	0.9	--	--	--	--	--	--	0.2	2.0	20
21	1.3	--	1.5	---	0.5	0.9	---	--	--	--	1.2	--	21
22	--	--	--	--	--	1.8	--	--	--	1.3	--	1.5	22
23	1.2	--	1.4	--	--	1.9	--	4.4	--	3.3	1.7	8.6	23
24	--	3.0	--	--	19.8	--	--	5.9	--	2.4	0.3	0.3	24
25	--	0.9	3.0	--	13.0	4.9	--	5.1	0.3	0.4	6.2	0.5	25
26	1.4	--	5.3	--	0.5	3.3	--	1.9	--	1.0	1.0	--	26
27	--	--	--	--	1.6	--	--	10.6	6.6	8.9	0.3	0.4	27
28	--	6.4	--	--	0.7	3.5	--	--	--	2.3	--	3.3	28
29	--	8.4	--	--	--	4.7	--	--	--	2.8	--	3.1	29
30	--	X	--	--	--	4.4	--	--	--	8.8	--	--	30
31	--	X	--	X	--	X	0.4	0.6	X	2.0	X	0.3	31
													YEAR'S TOTAL
Total	24.1	86.5	55.1	46.4	87.3	44.0	26.1	73.5	99.4	88.3	60.0	37.7	728.4
Rain Days.	~~16~~ 15	21	15	13	19	18	10	12	14	25	17	19	198

W. 8,000, VIII. 16

Note. The above figures are milimetres.

REGISTER OF RAINFALL IN 1917

Kept at Thyl

in the County of Flint.

by A. A. Goodall. for Dr A. Ingham Bloyd

Lat. 53° 19' N. Long. 30 29 N.

Time of Observation 9 a.m.

Nearest Railway Station Thyl

Diameter of Funnel of Rain Gauge 8 in.

Height of top of Gauge above Ground 1 ft. in.

" " " " Sea Level 31 ft.

FORM A. BRITISH RAINFALL.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W. 1. Observations taken in mm

Jan. 1, following. ( )

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	-	-	0.2	26.0	-	0.8	-	-	9.2	-	0.2	1.6	1
2	1.5	-	-	0.3	-	-	-	3.7	3.0	-	5.0	3.8	2
3	0.7	8.0	0.7	-	-	1.3	-	2.3	-	1.0	0.5	1.9	3
4	2.0	2.8	-	-	-	-	-	1.7	-	-	-	0.3	4
5	2.2	-	0.2	1.5	-	-	-	0.4	-	6.0	-	0.4	5
6	0.3	-	1.6	-	-	-	-	-	-	14.3	2.3	-	6
7	12.8	-	3.5	-	-	0.5	-	1.0	0.2	8.4	7.1	0.2	7
8	0.3	-	-	4.6	-	-	-	-	3.8	2.5	1.7	1.5	8
9	-	-	0.3	3.1	3.6	0.2	-	0.3	-	1.7	2.6	5.0	9
10	3.8	-	15.2	9.4	0.3	-	-	2.8	-	8.1	6.3	-	10
11	3.2	-	0.3	0.3	0.4	-	-	2.8	-	11.4	-	-	11
12	1.4	-	-	2.9	14.7	-	-	1.8	1.6	1.4	0.8	-	12
13	-	-	-	0.5	-	-	-	1.7	2.5	5.7	-	0.6	13
14	0.7	-	-	1.3	1.8	-	-	-	-	8.3	1.0	3.2	14
15	0.8	-	-	0.2	0.5	-	2.0	4.3	1.6	2.7	-	2.7	15
16	0.2	0.6	-	4.1	-	-	3.0	5.8	0.5	7.4	-	1.6	16
17	0.4	-	6.7	5.3	6.6	-	5.3	-	0.4	2.0	0.5	1.7	17
18	-	-	2.4	1.7	0.8	-	6.9	2.1	6.6	-	-	-	18
19	0.2	17.7	6.4	-	1.3	-	-	27.0	0.3	6.0	-	-	19
20	-	3.3	-	-	4.1	0.7	-	6.5	1.2	3.1	0.2	-	20
21	-	1.6	2.8	-	1.3	21.1	-	0.3	-	-	10.7	-	21
22	-	1.4	-	-	-	1.1	-	1.9	3.3	-	0.5	-	22
23	-	4.4	-	-	3.0	-	1.1	1.3	-	0.5	0.8	0.3	23
24	-		0.4	-	-	13.5	1.7	3.2	-	2.0	-	1.5	24
25	-	3.4	1.1	-	-	2.4	-	1.9	6.1	5.9	2.7	0.3	25
26	-	-	-	-	-	-	-	1.5	-	3.2	3.6	-	26
27	-	-	0.7	-	31.1	3.6	3.6	27.1	-	0.4	11.9	0.1	27
28	-	-	5.7	-	-	2.0	0.9	12.2	-	8.7	0.3	-	28
29	-	-	0.2	-	-	0.5	-	15.3	-	11.1	-	0.8	29
30	-	X	6.4	-	-	-	-	0.3	-	2.7	-	0.5	30
31	-	X	19.3	X	3.1	X	-	4.2	X	11.3	X	-	31
Total	30.5	43.2	74.1	61.2	72.6	47.7	24.5	9.2 ~~127.4~~ 136.6	- ~~40.3~~ 31.4	0.2 ~~135.8~~ 136.0	1.6 ~~58.7~~ 60.1	~~28.0~~ 26.4	YEAR'S TOTAL ~~744.0~~ 744.0
Rain Days.	15	9	19	14	14	12	8	26	13	25	19	18	194

W. 8,000, IX. 17.

REGISTER OF RAINFALL IN 1918.

FORM A. BRITISH RAINFALL.

Kept at Rhyl.

in the County of Flint

by Mr. A. A. Goodall. Jun. Surveyor

Lat. 53° 19′ N. Long. 3° 29′ W.

Time of Observation 9 A.M.

Nearest Railway Station Rhyl.

Diameter of Funnel of Rain Gauge 8 in.

Height of top of Gauge above Ground 1 ft. — in.

" " " Sea Level 31 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W. 1.

Jan. 1, following. 1·8

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	0·6	.	.	2·9	.	.	.	.	2·6	1·8	3·0	0·5	1
2	.	0·3	.	5·1	1·0	.	.	3·6	4·7	0·3	3·7	.	2
3	.	.	.	.	.	.	.	1·6	.	.	.	2·0	3
4	.	.	.	.	15·5	.	.	.	8·0	2·4	.	.	4
5	.	0·5	.	.	.	.	.	.	2·0	10·0	5·2	.	5
6	.	1·8	0·8	7·2	6·0	.	.	4·3	0·9	3·0	.	.	6
7	1·7	1·8	.	0·7	.	4·6	.	.	0·6	4·6	.	.	7
8	.	0·4	.	0·5	3·0	.	2·5	0·2	9·1	1·2	3·0	.	8
9	1·2	7·3	.	0·2	.	2·5	2·2	.	1·4	9·7	0·4	1·5	9
10	0·2	1·0	.	5·2	.	8·5	2·8	.	12·6	0·3	2·5	1·2	10
11	1·2	3·5	.	.	0·5	.	9·8	.	3·8	1·5	1·4	0·5	11
12	1·5	2·3	0·9	4·0	0·3	.	8·0	.	1·3	0·4	.	1·4	12
13	1·1	3·9	.	.	9·5	.	0·3	.	0·4	.	.	.	13
14	1·1	0·4	.	1·3	0·2	0·5	1·4	.	10·1	5·7	.	.	14
15	6·5	.	.	.	.	2·5	5·6	.	21·2	0·2	.	9·7	15
16	5·0	.	.	.	.	0·7	20·8	.	5·7	5·1	.	7·1	16
17	.	3·7	.	.	.	3·6	0·2	2·6	6·3	.	.	2·9	17
18	5·9	0·3	.	.	.	5·2	1·2	0·5	.	3·0	.	4·1	18
19	8·9	2·1	2·1	0·6	.	0·3	.	.	3·8	.	.	7·9	19
20	1·6	9·2	.	6·3	.	2·0	5·2	.	1·0	2·5	.	10·2	20
21	5·4	3·9	.	1·5	8·7	0·3	0·3	.	4·8	.	.	2·6	21
22	1·3	1·5	.	0·3	14·4	1·2	2·4	.	4·0	.	.	8·3	22
23	1·0	.	.	.	31·6	.	4·9	.	2·1	.	.	3·9	23
24	.	.	.	.	20·2	0·3	3·3	.	4·2	0·2	0·1	5·1	24
25	.	2·5	.	.	.	1·5	.	20·5	0·4	1·2	1·4	2·5	25
26	.	.	.	.	5·0	.	5·8	3·2	4·7	.	1·0	.	26
27	0·6	.	.	.	.	.	0·5	4·7	4·1	0·2	0·3	0·5	27
28	.	4·1	7·3	.	.	1·0	.	3·6	9·2	.	10·8	7·5	28
29	.	.	3·0	.	.	.	.	.	0·2	.	3·6	10·0	29
30	.	X	2·1	.	.	.	.	1·3	7·5	.	0·2	1·5	30
31	.	X	1·6	X	.	X	.	1·8	X	.	X	.	31
Total	44·8	50·5	17·8	35·8	115·9	34·7	77·2	47·9	136·7	53·3	36·6	90·9	YEAR'S TOTAL 743·1
Rain Days.	14	19	7	13	13	15	18	12	28	19	11	21	196

W. 8,000, IX. 17.

FORM A. 2. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1919.

Kept at Rhyl

in the County of Flint

by The Borough Surveyor

Lat. 53°19′N Long. 3°29′W.

Time of Observation 9h 18h G.M.T.

Nearest Railway Station

Diameter of Funnel of Rain Gauge 8 in.

Height of top of Gauge above Ground 1 ft. 0 in.

" " " " Sea Level 31 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Inches should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	
1	1.8	0.2	-	5.7	0.5	-	8.7	0.8	4.1	4.4	-	1.2	1
2	0.4	-	-	-	4.5	-	2.4	1.2	0.7	-	-	4.8	2
3	2.4	-	14.7	-	-	-	1.7	-	-	-	0.7	0.7	3
4	1.5	0.6	1.7	-	0.5	8.2	1.0	5.0	0.6	-	-	4.7	4
5	-	1.6	8.2	-	-	0.4	5.5	1.2	-	-	0.5	3.9	5
6	3.4	0.3	-	-	-	-	-	-	0.3	0.7	0.3	2.5	6
7	0.2	-	9.5	-	1.1	-	-	-	0.2	-	0.7	-	7
8	-	-	2.2	4.5	-	-	-	-	-	-	1.9	-	8
9	7.1	-	1.7	0.3	-	3.0	-	-	-	-	0.5	-	9
10	7.8	-	0.5	2.0	-	0.3	-	-	-	3.1	0.3	1.0	10
11	0.3	-	11.8	-	0.1	-	-	-	0.3	1.4	-	1.2	11
12	-	-	37.9	1.3	-	0.5	2.1	-	1.4	3.5	3.0	-	12
13	-	-	0.1	-	-	14.0	-	-	-	11.1	-	0.9	13
14	8.7	1.5	-	1.4	-	-	2.2	0.7	-	12.0	-	0.6	14
15	3.8	0.5	-	11.2	-	-	0.9	-	-	2.3	0.5	9.1	15
16	5.0	-	-	2.5	26.3	-	2.0	-	-	-	5.8	-	16
17	1.4	15.3	0.6	0.5	-	1.3	0.2	-	-	-	3.3	0.2	17
18	-	3.0	9.6	-	-	1.8	2.4	4.2	6.0	-	-	6.0	18
19	0.5	-	8.8	-	0.3	1.2	-	22.2	6.7	-	5.4	2.5	19
20	0.7	3.3	8.7	0.7	-	0.2	-	5.2	0.3	-	6.1	8.9	20
21	4.0	2.8	1.2	-	0.5	1.6	7.3	-	4.0	-	-	3.3	21
22	-	3.2	-	-	-	0.2	-	-	16.7	-	-	28.3	22
23	-	1.0	-	-	-	4.0	-	0.2	-	3.7.1	0.5	1.1	23
24	-	-	-	0.5	-	1.9	-	0.8	0.2	10.6	2.8	8.1	24
25	1.5	-	-	-	5.8	0.4	-	4.9	2.2	-	10.6	2.1	25
26	1.5	0.2	-	1.2	-	-	-	4.3	0.9	-	0.4	3.8	26
27	7.5	-	3.9	6.8	-	2.5	-	5.0	3.8	-	0.7	-	27
28	0.6	-	2.2	5.5	-	-	-	22.7	0.8	-	0.1	5.9	28
29	-		1.2	-	-	-	-	14.3	-	1.0	-	10.3	29
30	0.7		2.4	2.9	-	0.8	-	1.0	-	0.5	-	4.4	30
31	-		7.0		-			0.6		-		2.2	31
TOTAL	60.8	33.5	143.9	47.0	39.6	42.3	36.4	94.3	49.2	87.7	44.1	117.7	YEAR'S TOTAL 796.6
Days with 0.2 mm. or more	21	13	19	15	8	17	12	17	17	12	19	25	195

(44,284). Wt.21,958—218. 500. 10/19. Gp.132. A.&E.W.

Copied from M 5202.

See other copy (MO) 382a

FORM A. 2. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1919.

Kept at RHYL

in the County of FLINT

by Mr. Arthur A. Goodall.

Lat. 53° 19' N. Long. 3° 29' W.
Time of Observation 9a.m. & 6p.m.
Nearest Railway Station Rhyl
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 23.37 ft. — in.
" " " " Sea Level 31 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following. 0·2

Records taken in Inches should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	
1	1.8	0.2	–	5.7	0.5	–	8.7	0.8	4.9	2.1	–	3.5	1
2	0.4	–	–	–	4.5	–	2.4	1.2	3.2	2.3	–	1.7	2
3	2.4	–	14.7	–	–	–	1.7	–	–	–	–	4.6	3
4	1.5	0.6	1.7	–	0.5	8.2	1.0	5.0	0.3	–	0.7	3.9	4
5	–	1.6	8.2	–	–	0.4	5.5	1.2	0.3	–	–	4.5	5
6	3.4	0.3	–	–	–	–	–	–	–	0.5	0.8	0.6	6
7	0.2	–	9.5	–	1.1	–	–	–	0.5	0.2	–	2.5	7
8	–	–	2.2	4.5	–	–	–	–	–	–	0.7	–	8
9	7.1	–	1.7	0.3	–	3.0	–	–	–	–	1.9	–	9
10	7.8	–	0.5	2.0	–	0.3	–	–	–	2.0	0.5	–	10
11	0.3	–	11.8	–	0.1	–	–	–	–	1.1	0.3	1.0	11
12	–	–	37.9	1.3	–	0.5	2.1	–	1.1	2.4	2.5	1.2	12
13	–	–	0.1	–	–	14.0	–	–	0.6	6.6	0.5	0.4	13
14	8.7	1.5	–	1.4	–	–	2.2	0.7	–	7.0	–	0.5	14
15	3.8	0.5	–	11.2	–	–	0.9	–	–	6.6	–	5.1	15
16	5.0	–	–	2.5	26.3	–	–	–	–	0.7	1.7	4.6	16
17	1.4	15.3	0.6	0.5	–	1.3	2.0	–	–	–	5.7	0.2	17
18	–	3.0	9.6	–	–	1.8	0.2	4.2	3.0	–	2.2	4.3	18
19	0.5	–	18.8	–	0.3	1.2	2.4	22.2	3.4	–	1.0	1.9	19
20	0.7	3.3	8.7	0.7	–	0.2	–	5.2	6.6	–	6.2	2.7	20
21	4.0	2.8	1.2	–	0.5	1.6	–	–	–	–	4.3	11.4	21
22	–	3.2	–	–	–	0.2	7.3	–	6.6	–	–	7.2	22
23	–	1.0	–	–	–	4.0	–	0.2	14.1	2.0	–	21.5	23
24	–	–	–	0.5	–	1.9	–	0.8	0.2	40.1	0.8	1.4	24
25	1.5	–	–	–	5.8	0.4	–	4.9	–	5.6	4.6	9.9	25
26	1.5	0.2	–	1.2	–	–	–	4.3	2.9	–	8.9	0.1	26
27	7.5	–	3.9	6.9	–	2.5	–	5.0	0.2	–	0.2	3.7	27
28	0.6	–	2.2	5.5	–	–	–	22.7	4.6	–	0.6	2.5	28
29	–		1.2	–	–	–	–	14.3	–	–	–	3.9	29
30	0.7		2.4	2.9	–	0.8	–	1.0	–	1.5	–	10.2	30
31	–		7.0		–		–	0.6		–		6.0	31
TOTAL	~~60.8~~ 61.0	33.5	143.9	47.1	39.6	42.3	36.4	94.3	52.5	80.7	44.1	121.0	YEAR'S TOTAL ~~796.4~~ 796.2
Days with 0·2 mm. or more	21	13	19	15	8	17	12	17	16	15	19	20	202

(44,284). Wt.21,958—218. 500. 10/19. Gp.132. A.&E.W.

See other copy

FORM A. 2. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at Rhyl

in the County of Flint

by Miss L. Goodall
Tan-y-Mynydd

Lat. 53.19 Long. 3.29

Time of Observation 9 AM

Nearest Railway Station Rhyl L&NWR.

Diameter of Funnel of Rain Gauge 8" in.

Height of top of Gauge above Ground 1 ft. — in.

" " " " Sea Level 31 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Inches should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	
1	—	—	3.6	2.0	2.9	—	6.0	0.2	3.6	4.2	0.2	4.3	1
2	—	—	—	3.6	0.3	—	6.2	2.1	1.7	3.4	—	0.6	2
3	0.3	4.2	—	3.4	3.7	0.6	29.6	1.2	3.7	5.3	—	1.5	3
4	—	—	—	—	0.9	—	1.6	3.0	1.9	2.2	0.1	—	4
5	—	—	1.4	—	0.5	—	2.9	1.6	4.9	0.5	—	—	5
6	—	—	11.1	0.8	0.2	—	0.5	—	0.4	7.2	—	1.7	6
7	—	1.3	1.0	0.7	—	—	6.4	—	0.3	—	—	—	7
8	4.1	0.5	0.2	9.3	0.8	—	1.2	1.9	—	—	0.2	0.2	8
9	3.4	3.3	—	15.2	—	—	5.7	2.7	1.1	—	—	—	9
10	6.2	3.8	0.1	—	—	—	1.2	—	—	—	0.3	0.9	10
11	5.4	2.1	2.8	1.3	4.3	5.1	0.7	2.4	—	—	—	—	11
12	4.0	0.3	2.1	3.8	—	25.2	1.6	—	0.2	—	2.7	2.9	12
13	3.1	5.6	1.6	0.7	—	6.0	—	—	0.4	—	0.2	0.2	13
14	0.5	1.1	8.6	1.8	—	3.3	1.7	—	10.7	0.6	3.6	—	14
15	—	2.8	0.8	1.5	—	0.2	—	—	0.5	0.8	0.8	0.1	15
16	—	—	0.8	4.4	4.8	2.5	7.3	—	1.5	2.9	0.5	—	16
17	0.4	—	0.8	0.2	3.6	1.1	—	2.5	5.7	—	—	—	17
18	6.4	0.3		2.8	2.3	6.4	—	13.0	11.3	—	—	—	18
19	0.5	24.5		1.7	5.5	4.2	—	8.1	—	—	—	—	19
20	1.4	—		5.5		—	1.2		18.3	0.2	—	—	20
21	—	—		1.5		—	11.0	0.5	0.2	—	—	3.1	21
22	1.9	—		2.8		0.2	2.7	13.1	—	—	—	—	22
23	—	—	3.9	1.0		—	8.1	0.3	—	—	—	4.8	23
24	0.7	—	12.5	1.0		0.5	0.3	—	—	—	—	5.7	24
25	0.2	2.9	4.0	0.1	5.3	0.2	33.1	—	—	—	—	—	25
26	2.2	0.7	17.1	7.1	2.9	—	—	—	—	—	1.6	0.2	26
27	6.5	1.7	6.2	3.2	1.4	8.2	0.9	—	—	—	0.3	0.5	27
28	7.2	0.5	11.1	0.7		0.8	—	—	—	—	5.9	5.0	28
29	1.8	—	4.3	0.6	15.2	—	6.5	—	—	—	2.7	10.8	29
30	3.7		11.6	6.4	0.3	2.6	—	—	9.0	—	6.8	0.7	30
31	—		0.1		0.7		0.6	1.7		2.2		—	31
TOTAL	59.9	55.6	105.7	83.1	~~55.6~~ 55.8	~~67.1~~ 67.2	137.0	54.3	75.4	29.5	25.9	43.2	YEAR'S TOTAL ~~792.3~~ 792.6
Days with 0·2 mm. or more	24	16	20	26	18	14	23	15	18	11	13	16	213
Days with 1·0 mm. or more	14	11	16	20	11	10	18	12	12	7	6	9	146

(44,284). 10/19. (52,639). Wt.10,000—359. 1000. 7/20. Gp.132. A.&E.W.

Ex 82 cutting 3722

FORM A/2. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at Rhyl (W.O.)

in the County of Flint

by Borough Surveyor.

Lat. 53° 19' N Long. 3° 29' W

Time of Observation 9h & 18h Local Time.

Nearest Railway Station

Diameter of Funnel of Rain Gauge 8 in.

Height of top of Gauge above Ground 1 ft. - in.

" " " " Sea Level 31 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Inches should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	
1	-	-	3.6	2.0	2.9	-	6.0	0.2	3.6	4.2	0.2	4.3	1
2	-	-	-	3.6	0.3	-	6.2	2.1	1.7	3.4	-	0.6	2
3	0.3	4.2	-	3.4	3.7	0.6	29.6	1.2	3.7	5.3	-	1.5	3
4	-	-	-	-	0.9	-	1.6	3.0	1.9	2.2	0.1	-	4
5	-	-	1.4	-	0.5	-	2.9	1.6	4.9	0.5	-	-	5
6	-	-	11.1	0.8	0.2	-	0.5	-	0.4	7.2	-	1.7	6
7	0.6	1.3	1.0	0.7	-	-	6.4	-	0.3	-	-	-	7
8	3.5	0.5	0.2	9.3	0.8	-	1.2	1.9	-	-	0.2	0.2	8
9	3.4	3.3	-	15.2	-	-	5.7	2.7	1.1	-	0.3	-	9
10	6.2	3.8	0.1	-	-	-	1.2	-	-	-	-	0.9	10
11	5.4	2.1	2.8	1.3	4.3	5.1	0.7	2.4	-	-	-	-	11
12	4.0	0.3	2.1	3.8	-	25.2	1.6	-	0.2	-	2.7	2.9	12
13	3.1	5.6	1.6	0.7	-	6.0	-	-	0.4	-	0.2	0.2	13
14	0.5	1.1	8.6	1.8	-	3.3	1.7	-	10.7	0.6	3.6	-	14
15	-	2.8	0.8	1.5	-	0.2	-	-	0.5	0.8	0.8	0.1	15
16	-	-	0.8	4.4	4.8	2.5	7.3	-	1.5	2.9	0.5	-	16
17	0.4	-	0.8	0.2	3.6	1.1	-	2.5	5.7	-	-	-	17
18	6.4	0.3	-	2.8	2.3	6.4	-	13.0	11.3	-	-	-	18
19	0.5	24.5	-	1.7	5.5	4.2	-	8.1	-	-	-	-	19
20	1.4	-	-	5.5	-	-	1.2	-	18.3	0.2	-	-	20
21	-	-	-	1.5	-	-	11.0	0.5	0.2	-	-	3.1	21
22	1.9	-	-	2.8	-	0.2	2.7	13.1	-	-	-	-	22
23	-	-	3.9	1.0	-	-	8.1	0.3	-	-	-	4.8	23
24	0.7	-	12.5	1.0	-	0.5	0.3	-	-	-	-	5.7	24
25	0.2	2.9	4.0	0.1	5.3	0.2	33.1	-	-	-	-	-	25
26	2.2	0.7	17.1	7.1	2.9	-	-	-	-	-	1.6	0.2	26
27	6.5	1.7	6.2	3.2	1.4	8.2	0.9	-	-	-	0.3	0.5	27
28	7.2	0.5	11.1	0.7	-	0.8	-	-	-	-	5.9	5.0	28
29	1.8		4.3	0.6	15.2	-	6.5	-	-	-	2.7	10.8	29
30	3.7		11.6	6.4	0.3	2.6	-	-	9.0	-	6.8	0.7	30
31	-		0.1		0.7		0.6	1.7		2.2		-	31
TOTAL	59.9	55.6	105.7	83.1	55.6	67.1	137.0	54.3	5.4 79.6	29.5	25.9	43.2	YEAR'S TOTAL 792.3
Days with 0·2 mm. or more	21	16	20	26	18	16	23	15	18	11	13	16	213

(44,284). Wt.21,958—218. 500. 10/19. Gp.132. A.&E.W.

Copied 14 from 11/19 3202 16 20 11 10 12 12 12 7 6 9 146

D7

ST ASAPH

ST BEUNO'S COLLEGE

1911-13, 18-1920

1911

FORM A2. BRITISH RAINFALL. 26 JAN 1912

Kept at St. ...

in the County of—

by J. Rou...

...f top 8 in.

...op above Ground 1 ft. ... in.

„ Sea Level 480 ft.

...ation { Name ...
Distance ... Direction ...

IMPORTAN..., and the result entered to the previous day. If ...st universal rule, he is earnestly requested to add ...ng year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1			.06				.13	.18			.32	.04	1
2			.05	.01	.06					.57		.06	2
3					.27				.13		.03	.03	3
4			.07		.01				.02		.16	.07	4
5	.04		.03	.01	.05			.85		.01		.04	5
6	.19		.03					.62			.05	.26	6
7								.09			.18		7
8	.24		.16						.02		.06	.40	8
9											.08	.27	9
10	.01	.05	.10		.03				.01		.03	.47	10
11	.13										.22	.11	11
12			.29			.01			1.55	.01	.15		12
13	.01	.02							.01		.06	.10	13
14	.01	.01	.05				.03		.04			.07	14
15		.02			.02					.02	.10	.05	15
16		.08	.01	.01		.23	.03			.02	.05	.03	16
17						.31					.09	.03	17
18		.23		.06				.01		.02		.16	18
19		.01		.09		.49			.11	.04	.37	.42	19
20	.01	.03		.06		.01	.03	.76	.17	.02		.19	20
21		.08							.03	.13		.01	21
22		.02		.01		.01				.24		.55	22
23		.23				.05		.03	.17	.06		.06	23
24		.01				2.30	.01	.04		.38		.15	24
25		.05		.07		.12			.73	.31		.05	25
26		.31		.02		.01				.23	.15	.10	26
27		.15	.05	.13				.47	.77			.12	27
28		.24				.01			.06	.02		.04	28
29				.05		.05	.15		.15	.15		.05	29
30						.22	.02			.21			30
31			.06		.02					.04			31
Total	.64	1.54	.96	.52	.46	3.82	.40	3.05	3.97	2.48	2.10	3.93	TOTAL for year 23.87
No. of Rain Days	8	16	12	11	7	13	7	9	15	18	16	27	159

9,000, IX. '10.

D7

REGISTER OF RAINFALL IN 1911

FORM A2. BRITISH RAINFALL.

26 JAN 1912

Kept at St. Beuno's College

in the County of Flint 2

by J. Rowland. C. Bidlon

RAIN GAUGE — Pattern ____ Diameter of top 8 in. Height of top above Ground 1 ft. ____ in. " " " Sea Level 480 ft.

Time of Observation ____

Nearest Railway Station — Name ____ Distance ____ Direction ____

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1			.06				.13	.18			.32	.04	1
2			.05	.01	.06					.57		.06	2
3					.27				.13		.03	.03	3
4			.07		.01				.02		.16	.07	4
5	.04		.03	.01	.05			.85		.01		.04	5
6	.19		.03					.62			.05	.26	6
7								.09			.18		7
8	.24		.16						.02		.06	.40	8
9											.08	.27	9
10	.01	.05	.10		.03				.01		.03	.47	10
11	.13										.22	.11	11
12			.29			.01			1.55	.01	.15		12
13	.01	.02							.01		.06	.10	13
14	.01	.01	.05				.03		.04			.07	14
15		.02			.02					.02	.10	.05	15
16		.08	.01	.01		.23	.03			.02	.05	.03	16
17						.31					.09	.03	17
18		.23		.06				.01		.02		.16	18
19		.01		.09		.49			.11	.04	.37	.42	19
20	.01	.03		.06		.01	.03	.76	.17	.02		.19	20
21		.08							.03	.13		.01	21
22		.02		.01		.01				.24		.55	22
23		.23				.05		.03	.17	.06		.06	23
24		.01				2.30	.01	.04		.38		.15	24
25		.05		.07		.12			.73	.31		.05	25
26		.31		.02		.01				.23	.15	.10	26
27		.15	.05	.13				.47	.77			.12	27
28		.24				.01			.06	.02		.04	28
29				.05		.05	.15		.15	.15		.05	29
30						.22	.02			.21			30
31			.06		.02					.04			31
Total	.64	1.54	.96	.52	.46	3.82	.40	3.05	3.97	2.48	2.10	3.93	TOTAL for year 23.87
No. of Rain Days	8	16	12	11	7	13	7	9	15	18	16	27	159

9,000, IX. '10.

REGISTER OF RAINFALL IN 1912

FORM A2. BRITISH RAINFALL.

25 JAN 1913

Kept at St. Beuno's College, St. Asaph

in the County of Flint

by

RAIN GAUGE { Pattern ; Diameter of top ... in. ; Height of top above Ground ... ft. ... in. ; " " " Sea Level ... ft.

Time of Observation

Nearest Railway Station { Name ; Distance ... Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1		.03	.07			.02	.14	.07	.15			.03	1
2		.23	.09	.03		.15	.05					.03	2
3	.33				.05	.14		.72	.06			.04	3
4	.19		.61	.03	.03	.25		.52	.01		.15	.01	4
5	.14				.11	.07		.02	.18		.03		5
6	.49	.04			.04			.15					6
7		.05	.01		.06	.18	.03	.11	.09			.01	7
8	.22	.05	.09	.04		.11		.03	.25				8
9	.17	.01	.10	.11		.61						.11	9
10	.03					.30	.03	.34			.37		10
11	.02				.03		.07				.03	.42	11
12		.32	.03			.03	.03	.09		.01		.02	12
13			.01			.01		.63	.01	.13	.02	.08	13
14			.06			.01		.22	.02			.04	14
15	.09	.08	.23			.03		.06			.05	.06	15
16	.13	.01	.03		.05			.10		.29	.02	.01	16
17	.64	.37	.02			.36		.33			.09	.12	17
18	.40							.01		.08	.02		18
19		.05	.12			.04		.28		.13	.02		19
20			.06		.15			.28		.24	.04	.02	20
21			.03		.45		.09	.21		.26	.04	.05	21
22		.01			.33		.05	.61		.01		.03	22
23			.25				.17	.54			.15		23
24		.01	.02			.05	.02	.03			.08	.19	24
25	.02		.05			.25					.39	.30	25
26	.02	.06	.05			.11	.40	.55		.86	.13	.06	26
27			.13			.22	1.11			.27	.10	.07	27
28		.03				.01	.15	.10	.07	.18	.32		28
29				.03		.28	.09	.18	.26	.21	.13	.02	29
30			.09			.61	.03	.01		.23	.39		30
31			.25		.32		1.61	.08		.03		.08	31
Total	2.89	1.35	2.40	.24	1.62	3.84	4.07	6.27	1.10	2.93	2.57	1.80	TOTAL for year 31.08
No. of Rain Days.	14	15	22	5	11	22	16	26	10	14	20	22	197

W. 8,000, X. '11.

REGISTER OF RAINFALL IN 1913

FORM A. BRITISH RAINFALL. 10 JAN 1914

Kept at St Beuno's College, St Asaph

in the County of Flint

by Rev R Adamson & (Rev C Baillon SJ)

Lat. 53° 15' 22" Long. 3° 22' 44" W

Time of Observation 9 a.m.

Nearest Railway Station St Asaph

Diameter of Rain Gauge 8 in.

Height of top of Gauge above Ground 1 ft. — in.

" " " " Sea Level 480 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following. /

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	—	·05	·03	·05	·02	—	—	—	—			—	1
2	—	·05	·02	·01	·04	—	—	—	—			—	2
3	—	·03	·24	—	·68	—	—	—	·01			·55	3
4	·28	·04	—	—	·04	—	—	—	—			·32	4
5	·47	·05	·06	—	·09	·34	·35	·03	—			·02	5
6	—	·04	·15	—	·05	·17	·28	—	—	·54		·12	6
7	—	·21	—	—	·16	·39	·06	—	—	·31		·02	7
8	—	·10	·04	—	·56	·04	·01	1·55	·05			—	8
9	—	·07	·05	·15	·11	·23	·21	·10	·04		·05	·14	9
10	·09	—	·01	·02	·32	—	—	·60	·02		·09	—	10
11	·52	—	—	·40	·02	·11	·04	·36	—		·11	—	11
12	·02	—	—	—	·03	·05	—	·01	·93		·35	—	12
13	—	·01	·17	·01	·08	—	·05	·12	·05		·45	—	13
14	·06	—	·10	·05	—	—	—	·21	·04		·01	—	14
15	·04	—	·20	·25	—	—	—	—	·03	·33	·06	·06	15
16	—	—	·02	·02	—	—	—	—	—		·02	—	16
17	—	—	·02	·05	·06	—	·12	—	·03		·05	—	17
18	—	—	·17	·11	·12	—	·15	—	—		·04	—	18
19	·05	—	·02	—	—	·31	—	—	·04		·01	—	19
20	·06	—	·06	·05	·01	·01	·01	—	—	·19	·15	—	20
21	—	—	·03	—	·07	—	·23	·03	—		·03	—	21
22	·18	—	·62	—	—	·30	—	·78	·54		—	—	22
23	—	—	Trace	—	·01	·04	—	·05	·20		·04	—	23
24	·09	—	—	·04	—	·05	—	·01	—		·06	·46	24
25	—	—	—	·14	—	—	—	—	·16		—	·02	25
26	—	·04	—	·57	—	—	—	—	·60		—	·10	26
27	—	—	—	·11	—	—	—	—	—		—	·10	27
28	·12	—	·04	·09	—	—	—	—	—	·52	·01	·06	28
29	—	/	·19	·37	·13	—	—	·06	—		·05	·07	29
30	·22	/	—	—	·09	—	—	·01	—		·04	—	30
31	·02	/	·17	/	·04	/	—	—	/	·24	/	—	31
Total	2·22	·69	2·41	2·49	2·73	2·04	1·51	3·92	2·74	2·13	1·62	2·04	YEAR'S TOTAL 26·54
Rain Days.	14	11	21	18	21	12	11	14	14	?	?	13	?

N.B. Diary Oct & part Nov. Observer absent. Rain gauge only emptied from time to time. Hence probably some errors due to evaporation. C Baillon SJ

W.7,000, XI, 13

REGISTER OF ~~RAINFALL~~ IN 1918

FORM A. BRITISH RAINFALL

Kept at St Beuno's, St Asaph

in the County of Flint

by R. S. Lovish S.J.

Lat. 53° 15' 22" N. Long. 3° ~~4~~ 22' 44" W 166·19

Time of Observation 9.0 A.M.

Nearest Railway Station St Asaph

Diameter of Funnel of Rain Gauge 8 in.

Height of top of Gauge above Ground 1 ft. 0 in.

" " " " Sea Level 480. ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	–	–	–	·13	–	–	·06	·16	·28	·05	·16	–	1
2	–	–	–	–	–	–	–	·11	·04	–	–	·08	2
3	–	–	–	–	·47	–	–	–	·10	·10	–	–	3
4	·03	·01	–	–	–	–	–	·05	·32	·15	·25	·01	4
5	–	·01	·04	·03	·19	–	·02	·05	·06	·18	·01	–	5
6	·02	·32	·01	·24	–	·23	–	–	·08	·28	–	–	6
7	·07	–	–	·02	·12	–	–	·24	·04	·10	·10	–	7
8	·07	·05	–	–	–	–	·16	–	·47	·23	–	–	8
9	–	·52	–	·11	–	·72	–	–	·71	·22	·02	·05	9
10	·05	·03	–	·23	–	–	·23	–	·11	·04	·11	·04	10
11	–	·07	·03	–	·26	–	·16	·05	·01	·02	–	·11	11
12	·02	·11	–	·01	·16	–	·10	–	·05	–	–	–	12
13	·07	·09	·01	·11	·08	·04	–	–	·24	·19	–	–	13
14	·19	–	–	–	–	·08	·19	–	·29	·03	–	·20	14
15	·29	–	–	–	–	·13	·22	–	·75	·33	·01	·35	15
16	–	–	–	–	–	·78	·25	·01	·19	·07	–	·16	16
17	·16	·03	–	–	·06	·02	·05	–	·06	·12	–	·14	17
18	·23	·06	·03	–	–	·09	·04	–	·17	–	–	·16	18
19	·07	·01	·09	·07	–	–	·20	–	·07	·06	–	·34	19
20	·10	·52	–	·27	·17	·06	·04	–	·11	–	–	·37	20
21	·11	·12	–	·15	·05	·03	·02	–	·17	–	–	·06	21
22	·02	–	–	–	·86	–	·07	–	·14	–	–	·33	22
23	·01	–	–	–	1·17	·02	·39	–	·11	–	–	·04	23
24	–	·16	–	–	–	–	·08	·28	·08	–	·22	·29	24
25	–	–	–	–	·23	·02	·04	·66	·05	·08	·02	–	25
26	–	–	–	–	·01	–	·13	·09	·06	·05	·05	·02	26
27	–	·08	·20	–	–	·12	–	·45	·33	–	·20	·34	27
28	–	·08	·13	–	–	–	–	–	·01	–	·81	·37	28
29	–	X	·07	–	–	–	–	–	·16	–	–	·04	29
30	–	X	·02	–	–	–	–	·14	·05	–	–	·15	30
31	–	X	·20	X	–	X	–	·08	X	–	X	·01	31
Total	1·51"	2·27"	0·83"	1·37"	3·83"	2·34"	2·45"	2·37"	5·31"	2·30	1·96"	3·66"	YEAR'S TOTAL 30·20"
Rain Days.	16	17	11	11	13	13	19	13	30	18	12	22	195

W. 6,500, VII. 18. w w c

3820

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1919.

Kept at St Beuno's College, St Asaph

in the County of Flint

by R S. Lewis Sj

Lat. 53° 15' 22" N Long 3° 22' 44" W
Time of Observation 9.0 A.M.
Nearest Railway Station St Asaph
Diameter of Funnel of Rain Gauge 8" in.
Height of top of Gauge above Ground 1 ft. — in.
" " " " Sea Level 480 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following. —

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·06	—	—	·02	·31	—	·34	—	·25	·30	·01	·05	1
2	·06	—	·41	—	—	—	·10	·06	·05	·02	—	·16	2
3	—	—	·03	·02	·01	·47	·18	·01	—	—	·10	·02	3
4	·02	·04	·35	—	—	·07	·45	·16	·02	—	—	·17	4
5	·04	·11	·02	·01	—	—	—	—	—	·02	·05	·15	5
6	·03	·01	·10	—	·08	—	—	—	·01	·02	—	·12	6
7	—	—	·20	·21	—	—	—	—	·01	—	—	—	7
8	·13	—	·06	·02	—	·25	—	—	—	—	·10	—	8
9	·34	—	·02	·05	—	—	—	—	—	—	·04	—	9
10	·01	—	·05	·03	—	·01	—	—	—	·23	·03	·02	10
11	—	—	1·10	·05	—	—	·15	—	—	·04	—	·02	11
12	—	—	1·50	·02	—	·76	—	—	·05	·22	·06	—	12
13	·11	·03	·35	·05	—	—	·11	—	·01	·70	—	·02	13
14	·30	—	—	·49	—	—	·17	·02	—	·48	—	·02	14
15	·27	·01	—	·23	·49	—	—	—	—	·17	—	·61	15
16	·06	·52	·06	—	—	·02	·01	—	—	—	·37	—	16
17	·02	·75	—	—	—	·10	·07	·09	—	—	·37	—	17
18	·02	—	·88	—	·01	—	·09	·81	·24	—	—	·23	18
19	·02	·22	·33	·02	—	·04	—	·21	·25	—	·17	·20	19
20	·14	·11	·54	—	—	·06	—	—	·13	—	·39	·32	20
21	·06	·10	·02	—	—	—	·37	—	·10	—	·01	·19	21
22	—	·15	—	—	—	—	·03	—	·81	—	—	1·18	22
23	·01	·01	—	—	—	·21	—	·01	—	1·26	·02	·10	23
24	—	—	—	·03	·18	·02	—	·01	·01	·73	·15	·24	24
25	·09	—	—	·06	·03	—	—	·26	·05	·05	·31	·04	25
26	·09	·04	·24	·12	—	·25	—	·53	·04	—	·01	·25	26
27	·20	·05	·02	·43	—	·03	—	·03	·24	—	·11	-	27
28	·02	·01	·05	·11	—	—	—	1·07	—	—	—	·24	28
29	·08	X	—	·31	—	·04	—	·30	·02	·07	—	·34	29
30	—	X	·18	·21	—	·49	—	·05	—	—	·10	·29	30
31	·02	X	5·2	X	—	X	·04	·02	X	—	X	·20	31
TOTAL	2·20	2·16	7·03	2·49	1·11	2·82	2·11	3·64	2·29	4·31	2·40	5·18	YEAR'S TOTAL 37·74
Days with ·01 in. or more	24	15	22	20	7	15	13	16	17	14	18	24	205

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at St Beuno's College St Asaph

in the County of Flint

by R. S. Lovish S.J.

Lat. 53° 15' 21" N. Long. 3° 22' 44" W

Time of Observation 9.0 a.m.

Nearest Railway Station St Asaph

Diameter of Funnel of Rain Gauge 8 in.

Height of top of Gauge above Ground 1 ft. — in.

" " " " Sea Level 480 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	—	·20	·14	·15	·01	·22	·07	·20	·08	—	·12	1
2	—	—	—	·29	·02	—	1·10	·10	·12	·05	—	·07	2
3	·09	·20	—	·29	·05	·02	1·28	—	·18	·08	—	·04	3
4	·01	—	—	·02	·04	—	·06	·20	·08	·62	—	—	4
5	—	—	·09	—	·02	—	·12	·08	·19	·05	—	—	5
6	—	—	·33	·03	—	—	·01	—	·04	·34	—	·11	6
7	·01	·13	·01	·05	·04	—	·19	—	—	—	—	—	7
8	·16	·03	·02	·32	·06	—	·02	·03	·03	—	—	—	8
9	·18	·23	·01	·51	—	—	·13	·12	·06	—	—	·02	9
10	·11	·40	—	—	—	—	·06	—	—	—	—	·06	10
11	·28	·06	·06	·06	·18	·20	·03	—	—	—	—	—	11
12	·13	—	·07	·15	—	·98	·07	·20	·01	—	·13	snow ·10	12
13	·13	·24	·05	·02	—	·20	—	—	—	—	·02	—	13
14	·01	·07	·38	·05	—	·16	·01	·01	·88	·02	·19	—	14
15	—	·09	·37	·06	—	—	—	—	·04	·05	·03	—	15
16	—	—	·02	·19	·24	·09	·27	—	·10	·15	—	—	16
17	—	—	—	·01	·19	·31	·02	·09	·11	—	—	—	17
18	·33	—	—	·10	·01	·25	·44	·15	·62	—	—	—	18
19	·05	1·40	—	·10	·08	·12	—	·18	·03	—	—	—	19
20	·05	·02	·01	·38	—	—	·07	—	·49	—	—	·01	20
21	—	—	—	·03	—	—	·51	·01	·04	—	—	·17	21
22	·06	—	—	·09	—	·02	·11	·97	—	—	—	·06	22
23	—	—	·23	·04	—	—	·33	·03	—	—	—	·14	23
24	·04	—	·53	·01	—	—	·01	·01	—	·01	—	·25	24
25	·01	·14	·15	·08	·54	—	1·21	—	—	—	—	—	25
26	·07	·02	·51	·17	·20	·04	·11	—	—	—	·06	·02	26
27	·19	·08	·35	·24	·30	·39	·02	—	—	—	·07	·03	27
28	·61	—	·44	·01	—	·05	—	—	—	—	·21	·10	28
29	·08	·03	·20	·03	·54	—	·30	—	—	—	·12	·56	29
30	·08		·45	·58	·01	·06	—	—	·45	—	·06	·03	30
31	·07		·01		·02		·02	·14		·26		—	31
TOTAL	2·75	3·14	4·49	4·05	2·69	2·90	6·72	2·39	3·67 3·77	1·71	·89	1·89	MARS. TOTAL 37·29
Days with ·01 in. or more	22	15	22	28	18	15	26	16	18	11	9	17	217
Days with ·04 in. or more	17	11	16	20	13	12	18	11	15	9	7	12	161

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

FORM A. BRITISH RAINFALL

GRESFORD
THE ELMS
FLINTSHIRE
1912 - 15

RE

Kept at The Elms-

in the County of Flu

by P. L. Roo

IMPORTANT NO

previous day. If an Ob

requested to add the read

for it at the end of this

the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

...ul rule, he is earnestly ...of the following year in the space provided

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
1	—	—	0·09	—	0·01	0·12	0·01	0·09	0·06	—	0·03	0·11	1
2	—	0·10(S)	0·17	0·01	—	0·18	0·05	—	0·01	—	—	0·02	2
3	0·07	—	—	—	0·01	0·46	—	0·82	0·04	—	0·01	0·08	3
4	0·19	—	0·71	—	0·10	0·53	—	0·34	0·02	—	0·18	—	4
5	0·09	0·09(S)	—	—	0·05	0·36	—	0·11	0·13	—	0·01	0·02	5
6	0·55	0·11	—	—	0·01	—	—	0·06	0·03	—	—	—	6
7	—	0·10	0·02	—	—	1·20	—	0·02	—	—	—	0·03	7
8	0·42(S)	0·20	0·17	0·19	0·01	0·08	0·02	0·20	0·04	—	—	—	8
9	0·07	0·01	0·52	0·15	—	0·75	0·01	0·05	—	—	0·01	0·06	9
10	0·07	—	—	0·02	—	0·20	—	0·16	—	—	0·31	0·02	10
11	0·06	0·03	—	—	—	—	0·07	0·02	—	—	0·13	0·16	11
12	—	0·12	0·11	—	—	0·06	—	0·22	—	0·02	—	0·05	12
13	0·03	0·01	—	—	—	0·03	—	0·55	—	0·06	—	—	13
14	0·03	—	0·12	—	—	0·04	—	0·02	0·01	0·04	—	0·01	14
15	0·17	0·07	0·13	—	0·30	0·06	—	0·02	—	—	—	0·05	15
16	0·65	0·01	0·06	—	0·12	—	—	0·01	—	0·10	0·01	—	16
17	0·75	0·21	0·21	—	—	0·19	0·01	0·29	—	—	0·09	0·30	17
18	0·81	0·01	0·03	—	—	—	—	0·20	—	0·02	0·03	0·01	18
19	0·04	0·07	—	—	—	0·02	0·04	0·14	—	0·02	0·01	0·01	19
20	0·10	—	0·21	—	0·08	—	0·04	0·01	—	0·25	0·02	0·06	20
21	—	—	0·20	—	0·70	—	0·04	0·04	—	0·49	—	0·07	21
22	—	0·02	—	—	1·28	—	0·11	0·53	—	0·01	—	0·08	22
23	0·02	—	0·42	—	—	0·03	0·20	0·25	—	—	0·15	0·03	23
24	0·04	—	0·02	—	—	0·11	0·50	0·16	—	0·02	—	0·22	24
25	—	0·05	—	—	—	0·06	—	—	—	0·01	0·36	0·11	25
26	—	0·12	0·03	—	—	0·04	0·14	0·39	—	1·15	0·11	0·12	26
27	—	—	0·06	—	—	0·23	0·33	—	—	0·43	0·10(S)	0·10	27
28	—	0·05	—	—	—	0·02	0·21	0·13	0·06	0·21	0·54(S)	—	28
29	—	0·05	0·07	—	—	0·06	0·07	0·07	0·49	0·06	—	0·04	29
30	0·05		0·04	—	0·04	0·21	0·01	—	—	—	0·11(S)	—	30
31	—		0·05		0·16		0·44	0·11				0·01	31
Total	4·24	1·42	3·44	0·37	2·87	3·74	2·30	5·01	0·89	2·89	2·21	1·77	YEAR'S TOTAL 31·15
Rain Days.	19	19	21	4	13	23	18	24	10	15	18	24	211

W. 7,500, XI. 12 *S — snow.

3·74

31·15

FORM A.
BRITISH RAINFALL

REGISTER for 1912

Kept at The Elms. Grafford, Wrexham

in the County of Flintshire

by P. L. Rooper Esq

Lat. 53.N. Long. 3.W.

Time of Observation 8.30 a.m.

Nearest Railway Station Grafford G.W.R.

Diameter of Rain Gauge 8 in.

Height of top of Gauge above Ground 1 ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
1	—	—	0·09	—	0·01	0·12	0·01	0·09	0·06	—	0·03	0·11	1
2	—	0·10(S)	0·17	0·01	—	0·18	0·05	—	0·01	—	—	0·02	2
3	0·07	—	—	—	0·01	0·46	—	0·82	0·074	—	0·01	0·08	3
4	0·19	—	0·71	—	0·10	0·53	—	0·34	0·02	—	0·18	—	4
5	0·09	0·09(S)	—	—	0·05	0·36	—	0·11	0·13	—	0·01	0·02	5
6	0·55	0·81	—	—	0·01	—	—	0·06	0·03	—	—	—	6
7	—	0·10	0·02	—	—	1·20	—	0·02	—	—	—	0·03	7
8	0·42(S)	0·20	0·17	0·19	0·01	0·08	0·02	0·20	0·04	—	—	—	8
9	0·07	0·01	0·32	0·15	—	0·75	0·01	0·05	—	—	0·01	0·06	9
10	0·07	—	—	0·02	—	0·20	—	0·16	—	—	0·31	0·02	10
11	0·06	0·03	—	—	—	—	0·07	0·02	—	—	0·13	0·16	11
12	—	0·12	0·11	—	—	0·06	—	0·22	—	0·02	—	0·05	12
13	0·03	0·01	—	—	—	0·03	—	0·53	—	0·06	—	—	13
14	0·03	—	0·12	—	—	0·04	—	0·02	0·01	0·04	—	0·01	14
15	0·17	0·07	0·13	—	0·30	0·06	—	0·02	—	—	—	0·05	15
16	0·65	0·01	0·06	—	0·12	—	—	0·01	—	0·10	0·01	—	16
17	0·75	0·21	0·21	—	—	0·19	0·01	0·29	—	—	0·09	0·30	17
18	0·81	0·01	0·03	—	—	—	—	0·20	—	0·02	0·03	0·01	18
19	0·04	0·07	—	—	—	0·02	0·04	0·14	—	0·02	0·01	0·01	19
20	0·10	—	0·21	—	0·08	—	0·04	0·01	—	0·25	0·02	0·06	20
21	—	—	0·20	—	0·70	—	0·04	0·04	—	0·49	—	0·07	21
22	—	0·02	—	—	1·28	—	0·11	0·53	—	0·01	—	0·08	22
23	0·02	—	0·42	—	—	0·03	0·20	0·25	—	—	0·15	0·03	23
24	0·07	—	0·02	—	—	0·11	0·50	0·16	—	0·02	—	0·22	24
25	—	0·05	—	—	—	0·06	—	—	—	0·01	0·36	0·11	25
26	—	0·12	0·03	—	—	0·04	0·14	0·39	—	1·15	0·11	0·12	26
27	—	—	0·06	—	—	0·23	0·33	—	—	0·43	0·10(S)	0·10	27
28	—	0·05	—	—	—	0·02	0·21	0·13	0·06	0·21	0·54(S)	—	28
29	—	0·05	0·07	—	—	0·06	0·07	0·07	0·49	0·06	—	0·04	29
30	0·05		0·04	—	0·04	0·21	0·01	—	—	—	0·11(S)	—	30
31	—		0·05		0·16		0·44	0·11				0·01	31
Total	4·24	1·42	3·44	0·37	2·87	3·74	2·30	5·01	0·89	2·89	2·21	1·77	YEAR'S TOTAL 31·15
Rain Days.	19	19	21	4	13	23	18	27	10	15	18	24	211

*S—snow.

3·74

31·15

W. 7,500, XI. 12

Cond for auth. 29.IV.14

REGISTER OF RAINFALL IN 1913

FORM A. BRITISH RAINFALL.

1 JAN 1914

Kept at The Elms, Gresford, Nr Wrexham.

in the County of ~~Denbighshire~~ Flintshire

by P. L. Roope Esq

Lat. ..... Long. .....

Time of Observation 9 a.m.

Nearest Railway Station Gresford

Diameter of Rain Gauge 8 in.

Height of top of Gauge above Ground 1 ft. — in.

" " " " Sea Level 200 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	0·01	0·10	0·11	0·02	0·02	--	--	--	0·04	--	0·12	--	1
2	--	0·03	0·07	0·05	--	0·02	--	--	0·01	--	0·10	0·01	2
3	--	--	0·11	--	0·57	--	--	--	--	--	--	0·37(S)	3
4	0·62	0·06	--	0·01	0·09	--	0·01	--	--	0·28	0·02	0·54	4
5	0·24	0·05	0·03	--	0·13	0·30	0·06	0·19	--	0·43	0·01	0·03	5
6	0·09	0·12	0·26	--	0·30	0·07	0·75	--	--	0·21	--	0·21	6
7	0·01	0·46	0·01	--	0·24	0·26	0·36	--	--	0·39	0·19	0·03	7
8	0·01	0·12	0·04	--	0·21	0·06	0·03	0·10	0·01	0·15	0·02	--	8
9	0·01	0·19	0·07	0·11	0·08	0·05	0·35	0·08	0·03	0·01	0·15	0·09	9
10	0·10(S)	0·02	--	0·03	0·15	--	--	0·37	--	0·17	0·08	--	10
11	0·79(S)	--	0·01	0·50	0·05	0·08	--	0·22	--	0·04	0·34	0·01	11
12	--	0·01	--	--	0·08	0·03	0·03	0·01	--	0·01	0·22	--	12
13	--	--	0·15	--	--	--	0·03	0·05	0·09	--	0·10	--	13
14	0·09	--	0·44(S)	--	--	--	--	0·19	0·05	0·07	0·01	--	14
15	0·02	--	1·28	0·43	--	--	--	0·02	0·01	0·01	0·08	--	15
16	0·01	--	0·06(S)	0·01	--	--	--	--	--	--	0·03	0·01	16
17	0·02	--	0·04(S)	0·07	0·04	--	0·02	--	--	--	0·04	--	17
18	0·01	--	0·25	0·10	0·10	0·03	0·03	--	--	--	0·01	--	18
19	0·04	--	0·05	--	0·01	0·01	0·04	--	0·03	0·21	0·01	--	19
20	0·12	--	0·14	0·07	--	0·01	--	--	--	0·15	0·30	--	20
21	0·01	--	0·08	0·01	0·10	--	0·79	0·01	--	0·01	0·01	--	21
22	0·42(S)	--	0·70	--	--	0·22	0·01	0·79	0·50	--	0·01	--	22
23	--	--	0·02	--	--	0·01	--	0·01	0·11	--	0·18	0·19	23
24	0·26	0·01	--	0·03	--	--	--	--	--	--	0·04	0·02	24
25	--	--	--	0·16	--	--	--	--	0·31	0·05	--	--	25
26	0·01	0·03	--	0·99	--	--	--	0·01	0·05	--	--	0·23	26
27	0·01	--	--	0·27	--	--	--	--	--	0·29	--	0·17(S)	27
28	0·22	--	0·10	0·36	--	--	--	--	--	0·45	0·02	0·03(S)	28
29	0·01		0·43	0·35	0·16	--	--	--	--	0·61	0·02	--	29
30	0·20		--	0·01	--	--	--	0·03	--	0·17	0·05	--	30
31	0·01		0·30		0·11		--	--		0·02		--	31
Total	3·39 3·29	1·20	3·45	3·58	2·41	1·15	1·91	2·08	1·24	3·73	2·11	1·94	YEAR'S TOTAL 28·47 28·49
Rain Days.	25	12	23	19	17	13	13	14	12	20	25	14	204

W.7,000, XI. 13

end for audit 27.IV.15 ✓✓ DL

REGISTER OF RAINFALL IN 1914

FORM A. BRITISH RAINFALL. JAN 1915

Kept at Gresford

in the County of Denbigh Flint

by P. L. Rooper

Lat. 53°N Long. 3° W.

Time of Observation 8 a.m.

Nearest Railway Station Gresford G.W.R.

Diameter of Rain Gauge 8 in.

Height of top of Gauge above Ground 1 ft. 0 in.

" " " " Sea Level 250 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	0·02		0·03	–	–	0·03	0·74	0·26	–	–	0·00	0·53	1
2	–		–	–	–		0·68	0·15	–	–	0·52	0·25	2
3	0·08		0·08	0·05	0·13		0·10	0·04	–	–	0·03	0·49	3
4	0·07		0·02	0·29	0·11		0·06	0·04	–	–	0·26	0·18	4
5	0·02	0·05	0·14	0·06	0·07	0·01	0·14	0·01	–	0·03	0·16	0·03	5
6	0·01	0·07	–	0·02	0·14	0·02	0·15	0·02	–	–	0·06	0·21	6
7	0·05	0·01	0·25	0·01	0·17	0·05	0·11	0·16	–	–	–	0·15	7
8	0·31	0·06	–	0·03	0·27	0·11	0·20	0·08	0·09	0·01	–	0·06	8
9	0·05	0·26	0·05(8)	0·28	0·10	0·38	–	0·08	0·11	0·01	0·03	–	9
10	–	0·19	0·25(8)	0·10	0·01	0·29	–	0·03	0·19		–	–	10
11	–	0·61	0·16	0·01	0·56	0·29	0·01	–	0·06		0·65	0·36	11
12	–	0·10	0·14	–	–	0·04	0·04	–	0·24		0·16	0·18	12
13	–	0·21	0·13	–	–	–	0·03	–	0·01	0·74	0·38	0·16	13
14	–	0·02	0·05	–	–	–	–	–	–	0·11	0·15(3)	0·02	14
15	–	0·07	0·24	–	–	–	0·01	–	0·01		0·13	0·05	15
16	–	0·11	0·09	–	–	–	0·07	–	0·17		–	0·03	16
17	0·01	–	0·10	–	–	0·02	0·05	–	0·40		–	0·33	17
18	–	–	0·02	–	–	0·05	–	–	0·18		–	0·07	18
19	–	–	0·08	–	–	–	0·36	–	0·40		0·02	0·07	19
20	–	0·48	0·16	–	–	0·37	0·34	0·02	–		–	0·10(3)	20
21	–	0·11	0·02	–	–	0·05	–	0·12	–	0·07	–	0·45	21
22	–	0·10	–	–	0·06	0·06	–	0·13	–	0·05	–	–	22
23	–	0·02	0·05	0·01	0·28		0·01	–	–		0·13	–	23
24	–		0·29	–	–		0·14	0·19	–	0·04	0·10	–	24
25	0·16		–	–	–		0·46	0·11	–	0·44	0·06	0·13	25
26	0·01		0·01	–	–	0·02	0·12	0·10	–	0·10	0·30	0·36	26
27	0·04	0·02	0·03	–	–		–	–	–	0·02	0·02	0·96	27
28	0·26	0·03	0·11	–	0·07		–	0·02	–	0·01	0·15	0·31	28
29	0·13	X	0·02	–	0·06		–	0·01	–	0·03	0·21	0·01	29
30	–	X	0·03	–	–	0·01	–	–	–	–	–	0·20	30
31	0·11	X	0·01	X	0·01	X	0·21	–	X	0·04	X	0·01	31
Total	1·33	2·52	2·56	0·86 ·86	2·04	1·80	4·03	1·57	1·86	1·70	3·52	5·70	YEAR'S TOTAL 29·49 29·49
Rain Days.	15	16	26	10	14	16	21	19	11	14	20	26	204

W. 8,000. X. 14.

REGISTER OF RAINFALL IN 1915

FORM A. BRITISH RAINFALL.

Kept at Gresford

in the County of Denbigh. Flint

by P. L. Rooper

Lat. 53° 6' Long. 3° 0' W.

Time of Observation 8 am daily

Nearest Railway Station Gresford

Diameter of Funnel of Rain Gauge 8 in.

Height of top of Gauge above Ground 1 ft. 0 in.

" " " " Sea Level 250 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	0·20	0·07	0·14	—	0·34	—	0·03	0·05	0·10	0·12	—	0·20	1
2	0·01	0·09	0·21	0·10	—	0·09	—	1·01	—	0·04	—	0·03	2
3	0·53	0·08	0·01	0·20	—	—	0·33	—	0·09	—	—	0·25	3
4	0·	0·26	—	—	0·27	—	0·14	—	—	—	—	0·85	4
5	0·05	0·14	0·09	—	—	0·05	—	0·02	—	—	—	0·49	5
6	0·06	0·04	0·02	0·06	—	—	0·40	—	—	—	—	0·25	6
7	0·25	0·32	—	0·10	—	—	0·24	0·21	—	—	—	0·20	7
8	0·16	0·24	—	0·01	—	—	—	0·14	—	—	0·10	—	8
9	0·19	0·10	—	0·21	—	—	—	0·01	—	—	0·17	0·40(S)	9
10	0·28	—	—	0·18	—	—	—	0·07	—	0·04	0·15	0·06	10
11	0·02	—	0·02	0·02	0·11	—	0·05	0·03	—	—	0·65	0·08(S)	11
12	0·06	—	—	0·09	0·34	—	0·03	0·22	—	0·12	1·32	0·03	12
13	—	0·10	—	0·03	0·02	—	—	0·02	—	—	0·20(S)	—	13
14	0·03	—	—	—	0·02	—	0·01	0·03	0·02	—	0·08	0·28	14
15	0·37	—	—	—	0·05	—	—	0·05	—	—	0·31(S)	0·06	15
16	0·08	0·46	—	—	0·32	—	1·10	0·92	—	—	—	0·01	16
17	—	0·33	0·03	0·01	0·84	—	—	0·01	—	—	—	0·14	17
18	0·02	0·33	(S.) 0·03	—	0·01	—	—	—	—	—	—	—	18
19	—	0·05	0·01	0·01	0·11	—	0·10	—	—	—	—	—	19
20	0·06	—	—	—	0·03	—	—	—	—	—	—	0·05	20
21	0·27	0·04	—	0·01	—	—	0·23	—	—	—	—	0·08	21
22	0·02	0·13(S)	0·11	—	—	0·02	0·09	—	—	0·04	—	0·06	22
23	—	0·24(S)	0·14	—	—	0·02	0·01	—	0·03	1·00	—	0·07	23
24	—	—	0·10	0·06	—	—	0·01	—	0·24	0·26	—	0·68	24
25	—	—	—	—	—	0·36	0·05	—	0·01	—	0·06	0·15	25
26	—	0·09	—	—	—	—	0·37	—	0·07	—	—	0·38	26
27	0·01	0·05	—	—	—	—	0·30	—	0·06	0·25	—	0·47	27
28	—	0·06	—	—	—	0·18	0·02	0·16	—	0·05	—	—	28
29	—	X	—	—	—	0·90	0·11	0·22	0·01	0·01	0·06	0·06	29
30	0·14	X	—	0·07	—	—	0·20	0·02	—	0·10	0·02	0·03	30
31	0·16	X	0·02	X		X	0·10	0·07	X	0·03	X	0·48	31
Total	2·97	3·22	0·93	1·16 0·96	2·46	1·62	3·92 2·92	3·26	0·63	2·21	3·12	5·29	YEAR'S TOTAL 30·39
Rain Days.	21	20	13	15	12	7	21	18	9	12	11	26	185

W. 8,000. X. 15.